

# 2014 International Buyer's Guide

EMS FIRE RESCUE EMERGENCY RESPONSE MORTUARY



Equipos de Seguridad Industrial e Institucional, S.A. de C.V.

ACCESO NORTE 280 INT. 3 SAN LUIS POTOSI, S.L.P. C.P. 78038

TEL. (444) 5359760 y 8-31-45-09

Correo Electrónico: ventas@esiisaslp.com

ventasesiisaslp2@Gmail.com



# **Our Vision**

Seeking innovation that drives our passion for superior emergency services.

# **Our Mission**

Everyday, Ferno cares and listens to create a safer world for you.

# **Our Purpose**

Seeking to be trusted advisors, by listening to understand your needs, inspires us to create and deliver valued solutions in premier EMS, Rescue, Fire, Police, and Mortuary services.



# TABLE OF CONTENTS

PATIENT HANDLING	4-53
Transporters, Cots &Trolleys	4-33
Stair Chairs & Carry Chairs	34-39
Accessories & Defibrillator Mounts	40-45
Cot Fasteners	46-47
Stretchers	48-53
BARIATRICS	54-57
Cots, Trolleys &Chairs	54-55
Bariatric Boards &Accessories	56-57
IMMOBILIZATION	58-69
Backboards	58-61
Scoop Stretchers	62-64
Restraints	65
Head Immobilizers & Cervical Collars	66-67
Extrication Devices	68-69
SPLINTING	70-75
Traction Splints	70
Splints	71,75
Vacuum Mattresses & Vacuum Splints	72-74
PEDIATRICS	76-79
Pediatric Transport & Immobilization	76-77
IncubatorTransporters	78-79
BAGS &CASES	80-87
Ferno Bags Saver Bags	<u>80-84</u> 85
Hard Cases	86-87
AIRWAY & OXYGEN	88-97
Regulators	88-89
Administrators, Masks, Valves, BVMs &Hoses	90-92
Oxygen Bottles &Holders	93-94
Airway Kits Intubation & Accessories	95 96-97
RESCUE	98-111
Basket Stretchers, Litters & Rescue Stretchers	98-105
Belays, Bridles, Rope Accessories & Harnesses	106-109
Backpacks	110
RDC &Sea Scoopa	111
SAVER	112-115
Cots, Stair Chairs & Stretchers	112-114
Immobilization	115
MORTUARY	116-121
Cots &Stretchers	116-117
Scoop, Disaster Pouch & Side Extension Panels	118
Operating Tables	119
ChurchTrucks	120
Mortuary Fridges	121



# Mondial® Transporter

The Mondial® has been designed with Ferno's Smart-Load™ system technology to make your job easier with smooth, simple, ergonomic operation of the transporter when loading and unloading from an ambulance, and when lifting or lowering the patient load at the scene.

- Ì Reduce wrist strain and set body position before lifting or lowering the patient with the EZ Pull™ Release Handle
- $\tilde{l}$  Positive visual feedback when the legs are locked or unlocked using the leg lockindicator
- $\tilde{l}$  Provide additional safety on uneven surfaces with control-end wheel locks
- Ì Loading-end swivel wheel locks
- Ì Conforms to International Standards EN1865, EN1789





- Smart-Load™ Auto-Release System, featuring the loadingend leg automatic release mechanism and optional controlend leg automatic release mechanism, provides smooth, safe and easy loading and unloading.
- All-Metal Frame Construction provides strength, long service life, and exceptional performance with patients up to 270 kg.
- Swivel-Lock Release Mechanism provides maximum maneuverability in tight spaces.
- Large 150 mm Soft-Ride Wheels with two wheel locks provide easy rolling over all terrains. In the Option 1 and 2 packages, two wheels are conductive with an antistatic feature.




**Color-Coded Controls** and Automatic Leg Release provides easy, intuitive operation.





Multiple Height Positions provide easy patient transfer from different surface levels.

**Reflective Labeling** provides nighttime visibility for added safety.



	BASI	EPKG	OPTI	ON 1	OPTION 2		
	ST64 ST70		ST64	ST70	ST64	ST70	
Red	0054222	0054219	0054229	0054231	0054238	0054241	
Silver	0054227	0054228	0054230	0054232	0054239	0054242	
Green	0054223	0054220	0054236	0054235	0054240	0054243	

Base Pkg includes Auto Loading-End Leg Release Option 1 includes Base Pkg features plus Leg Lock, the SmartLoad™ Control-End Leg Auto Release System and Conductive Wheels

**Option 2** includes Base Pkg features plus Leg Lock, the SmartLoad™ Loading-End Leg Auto Release System, Conductive Wheels, Safety Lock Device and Tracker Bracket















		Height	Height	Folded	Loading		Load	Shipping	Shipping
Length	Width	Max	Min	Height	Height	Weight	Limit	Weight	L,W,H
ST64 Imperial 78 in.	22 in.	39 in.	14 in.	14 in.	27-29 in.	62 lb	600 lb	80 lb	83x27x14in.
ST64 Metric 1970 mm	550 mm	987 mm	356 mm	346 mm	670-730 mm	28 kg	270 kg	36 kg	2108x686x356mm
ST70 Imperial 78 in.	22 in.	41 in.	14 in.	14 in.	29-31 in.	62 lb	600 lb	80 lb	83x27x14in.
ST70 Metric 1970 mm	550 mm	1045 mm	352 mm	343 mm	700-790 mm	28 kg	270 kg	36 kg	2108x686x356mm

### Mondial® RS2 Lift-Off Stretcher

Ì Anodized tubing prevents oxidation for clean hands and clothing

Ì Features shock position and contour position

Ì Swing-downsidearms

Ì Infinitely-adjustable gas-assist backrest, adjusts up to 80°

Ì Four wheels (100 mm /4 in.)

Ì Two telescoping side lift handles

Ì Two Model 430 restraints and one 417-EFX restraint included

Ì Reversible patient loading: head first or feet first

Ì Compatible with the Mondial® Transporter

Ì Stationary footrest included as standard

Ì Choice of external or internal bolster mattress (sold separately)

Mondial® RS2.1 with Standard Backrest & Storage Tray #0153232

Mondial® RS2.2 with Extending Backrest & Storage Tray #0153233

Mondial® RS2.3 with Airway Management & Storage Tray #0153234

Mondial® RS2.1 without Storage Tray #0153240

DIN Pin Kit Accessory #0832167



### Mondial® RS3 Lift-Off Stretcher

Ì Anodized tubing prevents oxidation for clean hands and clothing

Ì Features shock position and contour position

Ì Swing-downsidearms

Ì Infinitely-adjustable gas-assist backrest, adjusts up to 80°

Ì Four wheels (100 mm /4 in.)

Ì Two telescoping side lift handles

Ì Two Model 430 restraints and one 417-EFX restraint included

Ì Compatible with the Mondial® Transporter

Ì Reversible patient loading: head first or feet first

Ì Pivoting footrest is standard

Ì Built-in mounting rings for lifting harness

Ì Features U-frame

Ì Choice of external or internal bolster mattress (sold separately)

Mondial® RS3.1 with Standard Backrest & Storage Tray #0153235

Mondial® RS3.2 with Extending Backrest & Storage Tray #0153236

Mondial® RS3.1 without Storage Tray #0153241

DIN Pin Kit Accessory #0832167



#### Accessories



417 Restraints #0313996



430 Restraints #0313892 (2pc. 5'blk) #0313910 (1pc. 7'blk)



Mondial RS IV Pole #0090016



514 Oxy-Clip #0085500



Mattress Externally Bolstered #0374874

years (€ @@



Mattress Internally Bolstered #0374875

SPECIFIC	AHONS					70,	sos <sub>22</sub> ,
	Length	ngth Width Height		Weight	Load Limit	Shipping Weight	Shipping
							L,W,
						Н	
RS2 Imperial	77 in.	22 in.	6 in.	50.4 lb	500 lb	80lb	83x27x14in.
RS2 Metric	1950 mm	550 mm	150 mm	22.9 kg	230 kg	36kg	2108x686x356mm
RS3 Imperial	77 in.	22 in.	6 in.	49.8 lb	500 lb	80lb	83x27x14in.
RS3 Metric	1950 mm	550 mm	150 mm	22.6 kg	230 kg	36kg	2108x686x356mm



### Mondial® RS4 Lift-Off Stretcher

Ì Anodized tubing prevents oxidation for clean hands and clothing

Ì Infinitely-adjustable gas-assist backrest, adjusts up to 80°

Ì Four wheels (100 mm /4 in.)

Ì Two telescoping side lift handles

Ì Two Model 430 restraints and one 417-EFX restraint included

Ì Compatible with the Mondial® Transporter

 $\grave{I}$  Reversible patient loading: head first or feet first

Ì Pivoting footrest is standard

Ì Built-in mounting rings for lifting harness

Ì FeaturesU-frame

Ì Choice of external or internal bolster mattress (sold separately)

Mondial® RS4.2	#0153237
DIN Pin Kit Accessory	#0832167



### Ferno® Lift-Off Stretcher Chair

Ì Anodized tubing prevents oxidation for clean hands and clothing

 $\grave{I}$  Features shock position and contour position

Ì Swing-downsidearms

Ì Infinitely-adjustable gas-assist backrest

Ì Four wheels (100 mm /4 in.)

Ì Two telescoping side lift handles

Ì Two Model 430 restraints and one 417-EFX restraint included

Ì Compatible with the EFX Transporter and Mondial® Transporter with use of Conversion Kit (#0832175)

Ì Reversible patient loading: head first or feet first

Ì Converts to chair or stretcher

Ì Mattress, 2-piece, 50 mm / 2 in. thick (sold separately)

Stretcher with Headrest Option	#0153178
Stretcher with Footrest Option	#0153179
Stretcher with Footrest and Headrest Option	#0153181
Stretcher with Foot Sack Option	#0153185
EFX Conversion Kit for Mondial	#0832175



#### Accessories



417 Restraints #0313996



430 Restraints #0313892 (2pc. 5'blk) #0313910 (1pc. 7'blk)



Mondial RS IV Pole #0090016



514 Oxy-Clip #0085500



Mattress Externally Bolstered #0374874



Mattress Internally Bolstered #0374875

361	LCIFIC	MI ION	<b>.</b>											-102-
Length Length				Overall	Bed	Chair	Seat	Chair	Seat		Load	Shippir	ng Shipping	
		Max.	Min.	Width	Height	Height	Height	Height	Depth	Depth	Weight	Limit	Weight	
														L,W,
													Н	
RS4	Imperial	77 in.	77 in.	22 in.	6 in.						46.4 lb	500 lb	80 lb	83x27x14in.
RS4	Metric	1950 mm	1950mm	550 mm	150 mm						21 kg	230 kg	36 kg	2108x686x356mm
Chai	r Imperia	191 in.	76 in.	22 in.	13 in.	5.5 in.	55 in.	20 in.	29 in.	17 in.	51 lb	500 lb	90 lb	84x27x20in.
-Chai	r Metric 2	2300 mm 1	1940 mm	560 mm	340 mm	140 mm	1400 mm	510 mm	740 mm	430 mm	23 kg	230 kg	41 kg	2108x686x508mm



# Mondial® Monobloc

The Mondial® Monobloc has been designed with Ferno's Smart-Load™ system technology to make your job easier with smooth, simple, ergonomic operation of the cotwhen loading and unloading from an ambulance, and when lifting or lowering the patient load at the scene.

- Ì Reduce wrist strain and set body position before lifting or lowering the patient with the EZ Pull™ Release Handle
- $\tilde{I}$  Positive visual feedback when the legs are locked or unlocked using the leg lockindicator
- $\tilde{I}$  Easy patient transfer from different surface levels using multiple height positions
- $\tilde{l}$  Provide additional safety on uneven surfaces with control-end wheel locks
- $\grave{\boldsymbol{I}}$  Nighttime visibility on-scene with reflective labels
- Ì Conforms to International Standards EN1865, EN1789





- Smart-Load™ Auto-Release System, featuring the loadingend leg automatic release mechanism and optional controlend leg automatic release mechanism, provides smooth, safe and easy loading and unloading.
- **All-Metal Frame Construction** provides strength, long service life, and exceptional performance with patients up to 280 kg.
- **Swivel-Lock Release Mechanism** provides maximum maneuverability in tight spaces.
- Large 150 mm Soft-Ride Wheels with two wheel locks provide easy rolling over all terrains. In the Option 1 and 2 packages, two wheels are conductive with an antistatic feature.

Telescoping Handles support optimal ergonomics for operators when lifting or moving the cot.





Side Lift Handles allow additional operators to provide added lift assistance on heavy patient loads.



Color-Coded Controls and Automatic Leg Release provides easy, intuitive operation.

#### Extending Headrest to

accommodate taller patients or an Airway Management Headrest that tilts down for optimal airway position for intubation (optional).

	BASE PKG		ОРТІ	ON 1	ОРТ	ION 2	OPTION 3		
	MB64	MB70	MB64	MB70	MB64	MB70	MB64	MB70	
Red	0054246	0054249	0054252	0054255	0054258	005426100	54264 0054	267	
Silver	0054247	0054250	0054253	0054256	0054259	0054262 00	54265 0054	268 Exte	
Green	0054248	0054251	0054254	0054257	0054260	0054263 00	54266 0054	269	

Base Pkg includes Reclining Backrest, Restraints, Shock/Contour Foot Panel, O Sidearms, Scuff Strip Rollers, Footrest, Auto Loading-end Leg Release Option 1 includes Base Pkg features plus Telescoping Handles, LegLock, Smart-Load™ Control-end Leg Auto Release System, Conductive Wheels, ending Headrest, Side Lift Handles, StorageTray

ption 2 includes all Option 1 features plus Safety Lock Device and Tracker™
Option 3 includes all Option 1 &2 features except it has an Airway
Management Headrest

#### Accessories & Fastener



Torso Restraints #1204016



430 Restraints #0313892 (2pc. 5'blk) #0313910 (1pc. 7'blk)



Mondial MB IV Pole #0832197



PacRac™+ #FWEPR



Mattress Externally Bolstered #0374874



Mattress Internally Bolstered #0374875



FL1 Fastener #0573080

			Height	Height	Folded	Loading		Load	Shipping	Shipping
	Length	Width	Max	Min	Height	Height	Weight	Limit	Weight	L,W,H
MB64 Imper.	78 in.	22 in.	37 in.	13 in.	12 in.	27-29 in.	98 lb	620 lb	80 lb	83x27x14in.
MB64 Metric	1970 mm	553 mm	950 mm	330 mm	310 mm	670-730 mm	44.45 kg	280 kg	36 kg	2108x686x356mm
MB70 Imper.	78 in.	22 in.	40 in.	12 in.	13 in.	29-31 in.	98 lb	620 lb	80 lb	83x27x14in.
MB70 Metric	1970 mm	553 mm	1010 mm	314 mm	327 mm	730-790 mm	44.45 kg	280 kg	36 kg	2108x686x356mm



# Model 19, York 4Cot

 $\dot{I}$  Lightweight tubular aluminum construction

 $\grave{I} \ Swing-downside arms$ 

Ì Four 127 mm (5 in.) 360° swivel wheels

Ì Adjustable backrest angles from 0° to 75°

Ì Adjustable-length lead handle at both ends

Ì Four telescoping carrying handles

Ì Can be elevated to contour and Trendelenburg shock positions

Ì Six height positions

Ì Compatible with Model 1 Fastener #0561002 (rail only)

Ì Fastener Wall Mount #0561010

Ì Fastener Floor Mount #0561020

Model 19 York 4 Cot Only

..#0052200

#### Accessories



360 Mattress #0313692 (burgundy) #0313691 (orange)



460 Mattress #0313063 (burgundy) #0312720 (orange)



513-10IV Pole HD, Non-Magnetic #0087156



417-1 Restraints #0313915 (black) #0313914 (orange)



430 Restraints #0313892 (black 5') #0313891 (orange 5')



514Oxy-Clip #0085500

			Height	Height		Load Limit	Load Limit	Shipping	Shipping
	Length	Width	Max.	Min.	Weight	Cot Use	Bench Use	Weight	L,W,H
Imperial	75 in.	22 in.	38 in.	16 in.	70 lb	400 lb	800 lb	83 lb	80x25x13in.
Metric	1900 mm	560 mm	953 mm	406 mm	32 kg	181 kg	362 kg	38 kg	2030x640x330mm



### **Model 25 Cot**

The Ferno® Model 25 ambulance cot is simple to operate, with legs that fold as the cot is loaded into the ambulance and unfold as the cot is removed.

- $\tilde{l}$  Simple to use roll-in cot with two levels of height adjustment: fully elevated or ground level
- Ì Independent folding legs
- $\tilde{l}$  Lightweight tubular aluminum construction provides durability and strength
- $\hat{\mathbf{I}}$  Swing-down sidearms enable convenient patient transfer from bed to cot
- Ì Two stationary and two 360° swivel wheels
- $\grave{I}$  Adjustable backrest angles from 0° to 75°
- Ì Now includes two roll-out wheels at operator end

Model 25 Cot Only (610 mm Load Height)	#0054082
Model 25 Cot Only (640 mm Load Height)	#0054210
Model 25 Cot Only (530 mm Load Height)	#0054211
Model 25, Restraints, Orange 460 Mattress	#0000381
Model 25, Restraints, Burgundy 460 Mattress	#0000445
Model 25, Restraints, Orange 360 Mattress	#0000444







360 Mattress 460 Mattress 513 IV Pole #0313692 (burgundy) #0313063 (burgundy) #0085130







417-1 Restraints #0313915 (black) #0313914 (orange) 430 Restraints #0313892 (black 5') #0313891 (orange 5') 514 Oxy-Clip #0085500

#### **Fasteners**

Compatible with Model 5-14 and Model 175 Fasteners. Please refer to pages 46 &47.









			Folded	Loading		Load	Shipping	Shipping
	Length	Width	Bed Height	Height	Weight	Limit	Weight	L,W,H
Imperial	76 in.	22 in.	9.5 in.	24 in.	49 lb	400 lb	68 lb	80x24x12in.
Metric	1920 mm	550 mm	240 mm	610 mm	22 kg	181 kg	31 kg 20	32x610x305mm



### **Model 26 Cot**

 $\tilde{I}$  Simple to use roll-in cot with two levels of height adjustment: fully elevated or ground level

Ì Independent folding legs

Ì Fold-down drop frame shortens the length of the cot

Ì Lightweight tubular aluminum construction

Ì Swing-downsidearms

Ì Two stationary and two 360° swivel wheels

 $\grave{I}$  Adjustable backrest angles from 0° to 75°

Ì Includes footrest, leg lock, and safety lock

 $\tilde{I}$  Available with bolster mattress, restraints, and shoulder harness for patient comfort and safety

Ì Now includes two roll-out wheels at the operator end

Model 26 Cot Only	#0012600
Model 26 Cot Kit, Restraints, Orange 460 Mattress	#0000360
Model 26 Cot Kit, Restraints, Burgundy 460 Mattress	#0000388







360 Mattress 460 Mattress 513 IV Pole #0313692 (burgundy) #0313063 (burgundy) #0085130







417-1 Restraints #0313915 (black) #0313914 (orange) 430 Restraints #0313892 (black 5') #0313891 (orange 5') 514 Oxy-Clip #0085500

#### **Fasteners**

Compatible with Model 175 and SLAM-26+Fasteners. Please refer to pages 46 &47.







SPECIFIC	ATIONS								2
		Overall	Height	Height	Loading		Load	Shipping	Shipping
	Length	Width	Max.	Min.	Height	Weight	Limit	Weight	L,W,H
Imperial	77 in.	23 in.	32 in.	9 in.	24 in.	56 lb	400 lb	85 lb	80x25x13in.
Metric	1950 mm	580 mm	810 mm	220 mm	610 mm	25.4 kg	181 kg	39 kg	2032x635x330mm



## Model 26S and 26AS Cot

 $\grave{l}$  Roll-in cot with two levels of height adjustment: fully elevated or ground level

- Ì Main frame features shock position
- Î Two stationary wheels, and two 360° swivel wheels with wheel locks Î Independent folding legs
- $\tilde{l}$  Available with bolster mattress, restraints, and shoulder harness for patient comfort and safety
- $\grave{I}$  Lightweight tubular aluminum construction
- Ì Swing-downsidearms
- Ì Adjustable backrest angles from 0° to 75°
- Ì Includes footrest, leg lock, and safety lock
- Ì Now includes two roll-out wheels at the operator end
- Ì Fold-down drop frame

Model 26S Cot Only (shock frame, 2 wheel locks).......#0053976

Model 26AS Cot Only (additional loading wheels, slam latch)#0054163

Model 26S Cot Kit, Restraints, Burgundy 460 Mattress......#000026S

Model 26S Cot Kit, Restraints, Orange 460 Mattress.....#000026S0460







360 Mattress 460 Mattress 513 IV Pole #0313692 (burgundy) #0313063 (burgundy) #0085130 #0312691 [prange] #0312720 (orange)







417-1 Restraints #0313915 (black) #0313914 (orange) 430 Restraints #0313892 (black 5') #0313891 (orange 5') 514 Oxy-Clip #0085500

#### **Fasteners**

Compatible with Model 5-14 and Model 175Fasteners. Please refer to page 46 &47.







	Length	Overall	Height	Height	Loading		Load	Shipping	Shipping
	Max.	Width	Max.	Min.	Height	Weight	Limit	Weight	L,W,H
Imperial	77 in.	23 in.	32 in.	9 in.	24 in.	56 lb	400 lb	68 lb	80x24x12in.
Metric	1950 mm	580 mm	810 mm	220 mm	600 mm	25 kg	181 kg	31 kg	2032x610x305mm



# Model 28 Ferno-Flex™ Roll-In Chair Cot

The heavy-duty Model 28 Ferno-Flex™ Roll-In Chair Cot quickly converts to any of five positions for easy maneuvering in narrow hallways, elevators, and other confined spaces.

 $\grave{I}\mbox{ Legs}$  automatically lock in place when unloading cot

Ì Rectangular tubular aluminum construction

Ì Lubrication-free rotating components for easy movements

Ì Swing-downsidearms

Ì Two 127 mm (5 in.) stationary and two 127 mm (5 in.) swivel wheels

Ì Loading wheels provide easier loading and unloading

Ì Leg lock clip

Ì Black restraints and mattress available in orange or burgundy



- Versatile Patient Transport with easy transition from cot to chair provides maneuverability and flexibility in challenging structural environments without the need to transfer patients to other carrying devices.
- Unparalleled Maneuverability with 1140 mm length in chair position provides the shortest length of any cot in the market for working in confining areas such as tight hallways, small elevators, and narrow staircases.
- Lightest-Weight roll-in style chair cot on the market at 30kg (67 lb), making it easier to operate.
  - All-Metal Frame Construction provides strength, long service life, and exceptional performance with heavy patients.



Single Release mechanism changes cot into one offive locked positions.

**All-Metal Frame** Construction provides strength and long service life.







Model 28, Cot Only. #0012801 Model 28 Kit, Restraints, Burgundy Mattress #0000401 Model 28 Kit, Restraints, Orange Mattress. #0000402

#### **Accessories & Fastener**



359-8 Mattress #0313099 (burgundy) #0313915 (black) #0311220 (orange)



417-1 Restraints #0313914 (orange)



430 Restraints #0313892 (black 5') #0313891 (orange 5')



Non-Magnetic #0087157



#0085520



#0818952

Oyears ( E



#0001732F 173-3 Fastener #0001733F

	Chair	Bed Height	Bed Height	Load	Overall	Length	Length	1	Load	Shippin	g Shipping
	Depth	Min	Max	Height	Width	Folded	Unfolded	Weight	Limit	Weight	L,W,H,
Imperial	45 in.	8 in.	32 in.	26 in.	23 in.	78 in.	75 in.	67 lb	650 lb	115 lb	83x26x12in.
Metric	1140 mm	200 mm	810 mm	650 mm	580 mm	1980 mm	1910 mm	30 kg	295 kg	52 kg	2108x660x305mm



### **Model 35A Cot**

- Ì X-frame undercarriage is easily raised or lowered by second EMT when loading or unloading
- $\grave{I}$  8 Bed Positions provide easy patient transfer from different surface levels when loading orunloading
- Ì Foot-end lead handle, and side release handle
- $\grave{I} \, \mathsf{Two} \, \mathsf{loadingheights}$
- Ì One-hand swing-down sidearms
- Ì Safety U-Bar and Hook to hold cot inside ambulance as undercarriage is raised or lowered
- Ì Built-in shock frame
- Ì Black restraints and mattress available in orange or burgundy













- **Fold-Down Drop Frame** allows better maneuverability in confined spaces.
- **Gas-Assist Backrest** adjusts from 0° to 75° for optimal patient comfort.
- **Tubular Aluminum Construction** makes the cot durable yet lightweight to operate.





Lubrication-Free, Easy-Roll Wheels make transport smooth on most surfaces.

Model 35A+ has all the features of the Model 35A, plus Ì Panel bed surface for enhanced patient comfort Ì Larger ergonomic sidearms Ì Lower accessory tray Ì Built-in oxygen cylinder holder

Model 35A Cot Only	#0012079
Model 35A Kit, Restraints, Orange 460 Mattress	#0000406
Model 35A Kit, Restraints, Burgundy 460 Mattress	#0000291
Model 35A-NM Non-Magnetic Cot with Restraints	#0015612
Model 35A+ Cot Only	#0015596
Model 35A+ Kit, Restraints, Burgundy 460 Mattress	#0000305

#### Accessories & Fastener



360 Mattress #0313692 (burgundy) #0313691 (orange)



460 Mattress #0313063 (burgundy) #0312720 (orange)



417-1 Restraints #0313915 (black) #0313914 (orange)



430 Restraints #0313892 (black 5') #0313891 (orange 5')



513-10 IV Pole #0087156



5140xy-Clip #0085500



274-SPacRac™ #0818933



175-1Fastener #0001751F




175-2 Fastener #0001752 F



175-3Fastener #0001753F



175-4Fastener #0001754F



175-5Fastener #0001755F

1	SPECIFICA	SNOLLE										
		Length	Length		Height	Height	Loading	Loading		Load	Shipping	g Shipping
		Max	Min	Width	Max	Min	Height 1	Height 2	Weight	Limit	Weight	
												L,W,H
											,	
	35A Imperial	79 in.	61 in.	24 in.	35 in.	10 in.	28 in.	32 in.	74 lb	500 lb	105 lb	83x25x18in.
	35A Metric	2007 mm	1549 mm	610 mm	883 mm	257 mm	711 mm	810 mm	34 kg	227 kg	43 kg	2108x635x457mm
	35A+Imperial	79 in.	63 in.	24 in.	35 in.	10 in.	28 in.	32 in.	84 lb	500 lb	120lb	83x25x20in.
4	35A+ Metric	2007 mm	1549 mm	610 mm	883 mm	257 mm	711 mm	810 mm	38 kg	227 kg	54kg	2108x635x508mm



## Model 93-ES Squadmate® Cot

Ì Sturdy H-frame lightweight aluminum construction

Ì Control system has two channels for added rigidity

Ì Swing-downsidearms

Ì Lubrication-free, easy-roll wheels

Ì Shockframe

Ì Eight-position adjustable backrest angles from 0° to 75°

 $\grave{\boldsymbol{I}}$  Five height positions for efficiency and flexibility

Ì Fold-down drop frame

Ì Lead handle at foot end

Ì Four swivel wheels

Ì Restraints available in orange or black

 $\grave{\boldsymbol{I}}$  Mattress available in burgundy or orange

Model 93-ES Cot Only#0015574Model 93-ES, Restraints, Orange 460 Mattress#0000307Model 93-ES, Restraints, Burgundy 460 Mattress#0000370

#### **Fasteners**

Compatible with Model 175 Fasteners.

Please refer to pages 46 &47.







360 Mattress 460 Mattress 513-10 IV Pole #0313692 (burgundy) #0313063 (burgundy) #0087156







417-1 Restraints #0313915 (black) #0313914 (orange)

#0313914(orange

430 Restraints #0313892 (black 5') #0313891 (orange 5') 514 Oxy-Clip #0085500

274 PacRac™ #0818933

	Length	Length	Overall	Height	Height	Loading	Height	Height		Load	Shipping	Shipping
	Max	Min	Width	Max	Min	Height	Mid-Level	Low-Level	Weight	Limit	Weight	L,W,H
Imperial	81 in.	66 in.	23 in.	32 in.	9 in.	30 in.	23 in.	19 in.	77 lb	500 lb	115 lb	85x25x20in.
Metric	2050 mm	1680 mm	590 mm	800 mm	230 mm	770 mm	590 mm	500 mm	35 kg	227 kg	52 kg	2159x635x508mm



# **Model 5126EL Cot**

The 5126EL Cot has been designed with an internal frame stiffener for strength and stability that is unmatched in the industry.

 $\grave{I}$  Seven levels of height adjustment

Ì Ergonomic height adjustment handle provides an improved, comfortable grip

Ì EZ-Load™ front leg automatic release mechanism

Ì Anodized tubing prevents oxidation for clean hands and clothing

Ì Footrestincluded

Ì Swing-downsidearms

Ì Shockframe

Ì Conforms to International Standards EN 1789 and EN 1865

Model 5126EL, 64 cm, with EZ Load (from Saver-Cot Only) .....#0054209 Model 5226EL, 70 cm, with EZ Load (from Saver-Cot Only) .....#0054213 Model 5126 Cot Only, without EZ Load... #0054158 Model 5126 Cot, without EZ Load, Restraints, Orange Matt. #00051260

Model 5126 Cot, without EZLoad, Restraints, Burg. Matt.....#0005126M















417-1 Restraints #0313915 (black)







5126 EL Restraints #65-4500-001













	7	514 Oxy-Clip	SLAM-5026/EFX
PECIFICATIONS		#0085500	Fastener

SPEC	IFICATIONS							
			Folded	Loading		Load	Shipping	Shipping
	Length	Width	Height	Height	Weight	Limit	Weight	L,W,H
Imper	al 78 in.	22 in.	10 in.	25 in.	95 lb	400 lb	100 lb	84x28x20in.
Metric	1970 mm	550 mm	250 mm	640 mm	43 kg	181 kg	45 kg 2	133x711x508mm



# Models 4051/4052 Transporters

The 4051 and 4052 Transporters have been designed with an internal frame stiffener for strength and stability.

- Ì 7 levels of height adjustment
- Ì Ergonomic height-adjustment handle provides an improved, comfortable grip
- Ì Two loading heights (640 mm/25 in. or 700 mm/28 in.)
- Ì Anodized tubing prevents oxidation for clean hands and clothing
- Ì Conforms to International Standards EN 1789 and EN 1865

Model 4051 Transporter with 640 mm/25 in. Load Height..... Model 4052 Transporter with 700 mm/28 in. Load Height ...... #0054100



SLAM-4050



Model 4152 with Model 4141 Lift-Off Stretcher













SPECIF	FICATIO	NS										7
				Frame	Loading	Frame	Loading			Ship	Ship	
		Frame	Overall	Height	Height	Height	Height		Load	Weight	Weight	Shipping
	Length	Width	Width	4051	4051	4052	4052	Weight	Limit	4051	4052	L, W,H
Imperial	78 in.	17 in.	22 in.	33 in.	25 in.	35 in.	28 in.	55 lb	400 lb	68 lb	69 lb	81x25x11in.
Metric	1970 mm	440 mm	570 mm	830 mm	640 mm	900 mm	700 mm	25 kg	181 kg	31 kg	31 kg	2057x635x279

### Models 4141Lift-Off Stretcher

The 4140 Lift-Off Stretcher series is designed to accommodate a wide range of patient needs and emergency situations.

- Ì Engineered for use with the 4050 Series Transporters
- Ì Stretcher may be reversed to enable patient to be loaded head or feet first
- Ì Gas-assist backrest with infinite range of adjustment from 0° to 90° (4141)
- Ì Four telescoping carrying handles
- Ì Swing-down sidearms enable smooth patient transfer to and from stretcher
- Ì Conforms to International Standards EN 1789 and EN 1865
- Ì Airway management system
- Ì Includes Model 429 restraint kit
- Ì Mattress (Model 359-20) not included

Model 4141 Lift-Off Stretcher w/ Airway Management Sys.....#0153145







429 Restraint Kit #0819688(black)



430 Restraints #0313892 (black 5')



514Oxy-Clip #0085500





Model 4141





# Model 4153 Lift-Off Stretcher Chair

The 4153 Lift-Off Stretcher Chair is designed to accommodate a wide range of patient needs and emergency situations, including rescue in confined areas.

- Ì Engineered for use with the 4050 Series Transporters
- Ì Converts to chair or stretcher
- Ì Stretcher may be reversed to enable patient to be loaded head- or feet-first
- Ì Gas-assist, infinitely-adjustable backrest up to 73° angle
- Ì Flat and contour shock frame
- Ì Four extending carrying handles
- Ì Swing-down sidearms enable smooth patient transfer from stretcher to bed
- Ì Conforms to International Standards EN 1789 and EN 1865
- Ì Includes Model 429 restraint kit
- Ì Mattress (Model 359-11) not included

Model 4153 Lift-Off Stretcher Chair





359-11 Mattress #0371400 (orange)



429 Restraint Kit #0819688(black)



430 Restraints #0313892 (black 5')



513-13 IVPole #0087172



514Oxy-Clip #0085500







### DECIFICATIONS

SPECIFICA	ATIONS								The Late	-
	Length Max.	Length Min.	Width	Stretcher Height	Chair Height	Chair Depth	Weight	Load Limit	Shipping Weight	g Shipping
							J		,	L,W,H
4141 Imperial	93 in.	74.5 in.	24 in.	6.5 in.			47 lb	400 lb	67 lb	8x25x13in.
4141 Metric	2369 mm	1892 mm	616 mm	165 mm			21.5 kg	181 kg	30kg	2030x640x330mm
4153 Imperial	94 in.	78 in.	22 in.	6 in.	59 in.	22 in.	44 lb	400 lb	53 lb	80x25x13in.
4153 Metric	2380 mm	1990 mm	550 mm	150 mm	1500 mm	560 mm	20 kg	181 kg	24kg	2030x640x330mm





## **POWERFlexx®+ Powered Cot**

The POWERFlexx®+ powered ambulance cot is capable of raising and lowering loads up to 318 kg (700 lb) at the touch of a button without operator assistance.

- Ì X-Frame construction with rectangular tubing provides strength and durability
- Ì Locked-on mattress provides easy patient transfer and security during roadside or aeromedical response
- Ì Bed height range from 330 to 1040 mm (13 to 41 in.) with infinite range of adjustment
- Ì Five-position, folding load frame and gas-assist backrest
- Ì Adjustable lift bar at foot end
- Ì Foot-end lead handle
- Ì Cot can be operated manually if needed
- $\grave{l}$  Four 150 mm (6 in.) swivel wheels
- Ì US Voltage 110, International Voltage 220















- Five-Position Load Frame and Multi-Position Foot-End Lift Bar reduce the cot length by 559 mm (22 in.) for movement in confined spaces, and provide true 360° turning radius in the lowest position.
- 318 kg (700 lb) Lifting Capacity raises the patient weight without lift assistance.
  - All-Metal Frame Construction provides strength, long service life, and exceptional performance with heavy patients.
- 24 Volt DC POWERPac with hydraulic actuatorand dual-lifting cylinders provides smooth and reliable lifting.



**Reflective Labeling** provides nighttime visibility for added safety.

#### Wide Thumb

Controls provide effective gripping and control from a variety of positions with or without gloves.



Specify charger voltage when ordering	
---------------------------------------	--

POWERFlexx+, Red, CE Marked	#0054214
POWERFlexx+, Blue, CE Marked	#0054216
POWERFlexx+, Red, CE Marked with ICS	#0054215
ICS Kit (Shallow Cup)	#0000600



Eliminate Battery Management with in-the-fastener charging with the optional ICS® Integrated Charging System.

= Permanent

#### **Accessories & Fasteners**



#0313997



#0313915



430 Restraints #0313892 (5') #0313911(7')



#0087172



#0085500



#0818933



R = Removable

#0822184 LBS #0822057



LBS Mattress #0314025 LBS Jr. Mattress #0314050



Charger #0822426(US) #0822427 (UK) #0822428 (Europe)



Battery #0822220



#0001751F



175-2 Fastener #0001752F



#0001753F 175-4 Fastener #0001754F



#0001755F

# SPECIFICATIONS #0822429 (Australia)

	Length	Length		Max Load		Load Limit	Load Limit	Shipping	Shipping
	Max	Min	Width	Height	Weight	Load Pos.	Lowest Pos.	Weight	L,W,H
Imperial	83 in.	61 in.	24 in.	34 in.	133 lb	700 lb	1000 lb	230 lb	87x29x27in.
Metric	2108 mm	1549 mm	610 mm	864 mm	60 kg	318 kg	454 kg	104 kg	2210x737x686mm



### **Model 26P PROFlexx® Cot**

- Ì Advanced roll-in cot with two levels of height adjustment: fully elevated or groundlevel
- Ì Scuff guards protect legs during loading and unloading
- Ì Swing-down sidearms for convenient patient transfer from bed to cot
- $\tilde{l}$  Gas-assist backrest with infinite range of adjustment up to  $66^{\circ}$
- Ì Main frame features shock position
- $\grave{I}$  Includes safety lock and leg lock





- All-Metal Frame Construction with powder-coated tubing provides strength, long service life, and exceptional performance with heavy patients.
- Two Stationary Wheels and Two 360° Swivel Wheels with wheel locks provide maximum maneuverability.
- Fold-Down Load Frame shortens the length of the cot to accommodate movement in confined spaces.
- Gas-Assist Backrest with infinite range of adjustment up to 66°.

Fold-Down Load Frame shortens the length of the cot to accommodate movement in confined spaces.











Independent Folding Legs provide easy loading and unloading from an ambulance.

Model 26P Cot, Blue, Mattress and Restraints .#0054208 Model 26P Cot, Red, Mattress and Restraints #20-0018-001 #0313920

#### **Accessories & Fasteners**





430 Restraints #0313892 (black 5') #0313891 (orange 5')







A &

51 E C 11 1 C / 1 1	10115				vears		TILL COMPLANT	1 6 60 6	3 1717 -
	Length	Length		Folded	Loading	OAGOD .	Load	Shipping	Shipping
	Max	Min	Width	Height	Height	Weight	Limit	Weight	L,W,H
Imperial	76 in.	65 in.	22 in.	10.25 in.	24 in.	79 lb	550 lb	75 lb	80 x 25 x 13 in.
Metric	1930 mm	1650 mm	550 mm	260 mm	610 mm	36 kg	250 kg	34 kg 2	2030 x 640 x 390 mm



# Model 35X PROFlexx®Cot

Ferno's 35X PROFlexx® X-frame ambulance cot provides industry-leading stability and safety. A longer, fixed front leg in the X-frame and carefully engineered geometry create a low center of gravity and minimal flex.

- $\tilde{l}$  Rigid C-channel and fixed front legs provide stability when rolling patient
- $\tilde{I}$  Locked-on mattress provides easy patient transfer and security during roadside or aeromedical response
- $\grave{I}$  Built-in shock frame and foot-end lead handle
- Ì 150 mm (6 in.) U-Tread wheels with two wheel locks
- Ì Safety U-Bar and Hook to hold cot inside ambulance as undercarriage is lowered when unloading
- Ì One-hand swing-down sidearms
- Ì Gas-assist backrest
- $\grave{\boldsymbol{I}}$  Nine height positions and three loading heights
- Ì Black mattress and restraints included





- Five-Position Load Frame provides better leverage for lifting and lowering and accommodates movement in confined spaces.
- Wider Bed Surface and Head Frame provide comfort and support for any size patient and extra elbow room during intubation and CPR.
- **3 All-Metal Frame Construction** provides strength, long service life, and exceptional performance with heavy patients.



Telescoping Side Lift Handles provide extra lifting points for operators to lift heavy patients or ease navigation over rough terrain.





Complete Bariatric Solution with loadframe

35X, Red, Mattress and Restraints #0015690 35X, Blue, Mattress and Restraints #0015693 Complete Bariatric Solution with loadframe handlebar, 500 kg (1100 lb) load capacity in the lowest position, & optional LBS Bariatric Board (see page 54-57 for more bariatric solutions).

#### **Accessories & Fasteners**



Mattress #0313920



417-1 Restraints #0313915 (black)



430 Restraints #0313892 (blk, 5') #0313911 (blk, 7')



513-13 IV Po #0087172



514 Oxy-Clip #0085500



Permanent

274 PacRac" #0818933



**R**= Removable

Oxygen Holder #0819958



LBS Junior #0822184 LBS #0822057



LBS Mattress #0314025 LBS Jr. Mattress #0314050



175-1 Fastener #0001751F



175-2 Fastener #0001752F



175-3 Fastener #0001753F 175-4 Fastener #0001754F



175-5 Fastener #0001755F



StatTrac®Fastener See Page 47

#### **SPECIFICATIONS**

Length Length Height F				Height	Max Load		Load Limit	Load Limit	Shipping	Shipping	
	Max.	Min.	Width	Max.	Min.	Height	Weight	Load Pos.	Lowest Pos.	Weight	L,W,H
Imperial	79 in.	64 in.	24 in.	40 in.	14 in.	35 in.	92 lb	700 lb	1100 lb	135 lb	84x28x23in.
Metric	2010 mm	1620 mm	610 mm	1020 mm	350 mm	890 mm	42 kg	317 kg	500 kg	61 kg	2134x711x584mm

years ( E



### Model 28Z PROFlexx® Chair Cot

The 28Z PROFlexx® Chair Cot provides maximum versatility in confined areas. The maneuverability and flexibility of transforming from cot to chair allows you to respond in confined spaces such as tight hallways, narrow staircases, and small elevators without transferring the patient. The 28Z's light weight, superior stability, and load capacity reduce situations that may cause injury to you or your patient.

Ì 3 positions with easy transition from cot to chair

Ì Lightweight roll-in style cot is only 31 kg (69 lb), making it easy to handle Ì Locked-on mattress provides easy patient transfer and security during roadside or aeromedical response

Ì All-metal aluminum frame construction provides strength, long service life, and better performance with heavy patients

Ì Only 1220 mm (48 in.) length in chair position provides high maneuverability

28Z, Red, Mattress and Restraints	#0012805
28Z, Blue, Mattress and Restraints	#0012808
28Z, Red, Mattress, Restraints, Lower Tray	#0012810
28Z. Blue. Mattress. Restraints. Lower Tray	#0012813

#### **Fasteners**

Compatible with Model 173 Fasteners. Please refer to pages 46 &47.









#### **Accessories**



28ZMattress Set #0314031



513-11 IVPole #0087157



Long Lift Handles #0822136



417-1 Restraints #0313915 (black)



514-1 Oxy-Clip



ShortLift Handles #0822137



430 Restraints #0313892 (blk, 5')



274-SPacRac™ #0818952



Lead Handle #0822139

	Cot Height	Cot Height	Loading	Length	Length	Overall	Chair	Chair		Load	Shipping	Shipping
	Max	Min	Height	Folded	Raised	Width	Height Max	Depth	Weight	Limit	Weight	L,W,H
Imperial	33 in.	9 in.	27 in.	80 in.	75 in.	25 in.	55 in.	48 in.	82 lb	700 lb	120lb	83x26x12in.
Metric	840 mm	220 mm	680 mm	2040 mm	1900 mm	630 mm	1400 mm	1220 mm	37 kg	318 kg	54kg	2108x660x305mm



## Model 93H PROFlexx® Cot


The 93H PROFlexx® provides the highest stability of any H-frame ambulance cot on the market. The difference is the unique transport position, which maintains a lower center of gravity when transporting patients.

- $\tilde{l}$  Sturdy H-frame construction with large powder-coated aluminum tubing provides stability
- Ì Locked-on mattress provides easy patient transfer and security during roadside or aeromedical response
- $\check{\mathbf{I}}$  Built-in shock frame and fully adjustable gas-assist backrest enhance patient care
- Ì Multi-position head-end drop frame provides improved maneuvering in tight spaces and better leverage for short users when lifting and loading
- Î All-metal frame construction provides strength, long service life, and better performance with heavy patients
- Ì Five height positions

93H, Red, Mattress and Restraints	#0015762
93H, Blue, Mattress and Restraints	#0015763

#### **Fasteners**

Compatible with Model 175 Fasteners.

















LBS Junior

#0821936

LBS #0819991



LBS Mattress #0314025

LBS Jr. Mattress #0314050 274 PacRac™ #0818933

3F ECII	ICATION	3										
	Length	Length		Height	Height	Height	Height	Loading		Load	Shipping	g Shipping
	Max	Min	Width	Max	Min	Mid-Leve	l Low-Level	Height	Weight	Limit	Weight	L,W,H
Imperial	83 in.	67 in.	24 in.	36 in.	11 in.	28 in.	21 in.	30 in.	98 lb	650 lb	146 lb	88x28x25in.
Metric	2108 mm	1701 mm	610 mm	914 mm	279 mm	711 mm	533 mm	762 mm	45 kg	295 kg	66 kg	2235x711x635mm



## F2 Transporter & Stretcher

Ì Independent leg operation provides safe loading into the ambulance and legs unfold automatically for easyunloading

Ì Color-coded controls are easy to use and require minimal training

Ì Two loading heights: 500 mm and 560 mm (20 in. and 22 in.)

Ì Lift-off stretcher features reversible patient loading

Ì Large 200 mm (8 in.) wheels easily roll over any terrain

Ì Foot-end swivel-lock wheels and head-end fixed wheels with wheel locks

Ì Shock frame and contour frame

Ì Four telescoping carrying handles with three locking positions

 $\dot{l}$  Adjustable backrest with 8 positions up to  $90^\circ$ 

Ì Optional swing-down sidearms

Ì 100% mechanical, low-maintenance cot

Ì Conforms to International Standards EN 1789 and EN 1865

F2 Transporter	#0054225
F2 Stretcher 4 part	#0153238
F2 Stretcher 5 part	#0153239

#### **Accessories & Fastener**



InstrumentTray #0832158



IV Pole #0090015



Sidearms #0832154



Foot Support #0832155



Three-Point Fastener #0573081

CE Dears to the same of the sa

Length Min	Length Max	Width	Height Min	Height Max	Load Height 1	Load Height 2	Weight	Load Limit	Shipping Weight	g Shipping L,W,H,
Transp. Imp. 78 in.	78 in.	23 in.			20in.	22 in.	61 lb	551 lb	73 lb	75x24x14in.
Transp. Metric 1969 m	m 1969 mm	578 mm			500 mm	560 mm	27.5 kg	250 kg	33 kg	1910x610x360mm
Stretch. Imp. 75 in.	89 in.	22 in.					41 lb	551 lb	45 lb	75x24x9in.
Stretch. Metric 1900 m	m 2267 mm	570 mm					18.4 kg	250 kg	20.5 kg	1910x600x240mm



### F2 Monobloc

 $\grave{I}$  Independent-Leg operation provides safe loading into the ambulance and legs unfold automatically for easyunloading

Ì Color-coded controls are easy to use and require minimal training

Ì Two loading heights: 500 mm and 560 mm (20 in. and 22 in.)

Ì Large 200 mm (8 in.) wheels easily roll over any terrain

Ì Foot-end swivel lock wheels and head-end fixed wheels with wheel locks

Ì Shock frame and contour frame

Ì Four telescoping carrying handles with three positions

Ì Adjustable backrest with 8 positions up to 90°

Ì Optional swing-down sidearms

 $\grave{l}$  100% mechanical, low-maintenance cot

Ì Aluminum construction

Ì Comes with telescoping IV pole and four-section mattress

Ì Conforms to International Standards EN 1789 and EN 1865

F2 Monobloc 4 Part. #0054233 F2 Monobloc 5 Part .#0054234

#### **Accessories & Fastener**



InstrumentTray #0832158




#0090015



Sidearms #0832154



Foot Support #0832155



Three-Point Fastener #0573081

#### CDECIEIC ATIONS

SPECIFIC	SPECIFICATIONS  ( E Dears (										
	Length	Length		Height	Height	Load	Load		Load	Shippin	
	Min	Max	Width	Min	Max	Height 1	Height 2	Weight	Limit	Weight	L,W,H,
MB Imperial	76 in.	89 in.	22 in.	11 in.	32 in.	20 in.	22 in.	79 lb	551 lb	95lb	75x24x14in.
MB Metric	1915 mm	2269 mm	560 mm	272 mm	807 mm	500 mm	560 mm	36 kg	250 kg	43kg	1910x610x360mm

#### Harrier<sup>®</sup> LT

The Harrier LT is a light-weight powered ambulance trolley, configurable to differing needs and requirements. Options include various handle options for improved maneuverability and a variety of accessories designed to improve the ease of use of the trolley, reducing manual handling injuries.

- Ì Lightweight trolley, from 69 kg (152 lb)
- Ì Excellent maneuverability, combining optimal low-friction wheels with ergonomic operator push-poles (optional accessory)
- Ì Powered up/down lift operation, with slow start-stop movement, for complete patient comfort and operatorsafety
- $\tilde{l}$  Load capacity of 350 kg (772 lb) in raised position, 400 kg (882lb) when in lowered position
- Ì Simplified high-performance battery management. Uses a detachable rechargeable 28V 3A Milwaukee battery, 77 lifts from 1 single charge, recharge time of less than 1 hour
- Ì IPC compliant, incorporating anti-microbial paint finish, use of Silver Biosafe harness restraints and an easy-to-clean 2-section, Anti-Bacterial Pressure-Relief mattress
- $\hat{I}$  Reflective strips on top, base and X-frame rails, for increased visibility at night
- Ì Compatible with Ferno Two Part Locking System



Harrier® LT

#### Harrier® LT-LBS

 $\tilde{I}$  Same features of the Harrier LT, but includes extending sides for carrying larger-mass patients

Harrier LT-LBS, 2-Part Lock, AB-PR Mattress with AB-Velcro fixing,
Biosafe Harness, Long Cotsides & Vertical Poles #H1E2-H-1-9D
Harrier LT-LBS, NMI Lock, AB-PR Mattress with AB-Velcro fixing, Biosafe
Harness, Long Cotsides & Vertical Poles #H1E2-H-3-9D
2-Section AB-PR Mattress w/ Standard Sidearms #038288350
2-Section AB-PR Mattress w/ Inflatable Sidearms & Pump #038288450



Ferno Two Part Locking System





Harrier LT-LBS

C C COMMISSIONED

SPECIFICATI	ONS								34 3144
	Length	Length	Width	Width	Height	Height		Load	Load Limit
	Min	Max	Min	Max	Min	Max	Weight	Limit	Low Pos.
Harrier LT Imper.	63 in.	76 in.	22 in.		19 in.	36 in.	153 lb	772 lb	882lb
Harrier LT Metric	1610 mm	1930 mm	570 mm		480 mm	925 mm	69 kg +	350 kg	400 kg
Harrier LT-LBS Imp.	63 in.	76 in.	22 in.	38 in.	19 in.	36 in.	187 lb	772 lb	882lb
Harrier LT-LBS Met.	1610 mm	1930 mm	570 mm	955 mm	480 mm	925 mm	85 kg	350 kg	400 kg



# **CCT Critical Care Trolley**

The proven range of Ferno Critical Care Trolleys provide an instant patient treatment surface for transportation into a hospital. The trolleys have been tested and certified in a fully loaded simulation, in accordance with BS EN1789:2007.

#### Features include:

Ì Backrest easily adjusted up to 75° via assisted lift

Ì Leg elevation and knee raise included as standard

 $\grave{I}$  Two cylinder holders plus storage cabinet options available

I Single push/pull handle at foot end

Ì Removable four-point harness, plus two patient restraints

Ì IPC compliant, incorporating anti-microbial paint finish, use of Silver Biosafe harness restraints and an easy-to-clean 2-section, Anti-Bacterial Pressure-Relief mattress

Ì Dynamically tested to 10G in 6 directions

Ì Compatible with Ferno Two Part Locking System

I All CCT trolleys have the capability of securing a range of medical devices, and are configurable to specific customer's needs

#### CCT-P

Ì Standard Critical Care Trolley

CT-P.....#005103500

#### CCT-M

Ì Bariatric Critical Care Trolley

Ì Includes extendable sidearms

CCT-M #005103600

#### CCT-BP

Ì Critical Care Trolley, capable of carrying Intra-Aortic Balloon Pump Optional Features:

Ì Footstool secured with straps (200 mm)

Ì Tail lift feature to aid loading/unloading the balloon pump and secure device in position

CCT-BP #005103700

#### **CCT-ECMO**

 $\tilde{l}$  Critical Care Trolley, for carrying Extra Corporeal Membrane Oxygenation

 $\tilde{l}$  Tail lift feature to aid loading/unloading the device and secure in position

CCT-ECMO #005103700

2-Section AB-PR Mattress w/ Standard Sidearms #038288350

2-Section AB-PR Mattress w/ Inflatable Sidearms & Pump...#038288450

#### SPECIFICATIONS

SPECIFICATIONS						
		Width	Width			Load
	Length	Min	Max	Height	Weight	Limit
CCT-P Imperial	76 in.	22 in.		31 in.	168 lb	3991b
CCT-P Metric	1930 mm	555 mm		780 mm	76.3 kg	181 kg
CCT-M Imperial	75½ in.	24 in.	40 in.	31.5 in.	174 lb	551lb
CCT-M Metric	1918 mm	605 mm	1025 mm	800 mm	79 kg	250 kg
CCT-BP/ECMO Imperial	80 in.	22 in.		35 in.	176 lb	399 lb
CCT-BP/ECMO Metric	2040 mm	555 mm		880 mm	80 kg	181 kg

( <del>-</del>





Bariatric EZ Glide® from Ferno UK More Information on Page 55







The EZ Glide® Chair can be used as a stair chair, evacuation chair, and transport chair.

- Ì Two rear tracks contact the lip of stairs allowing the tracks to glide over the edge of each step, eliminating the need to lift the chair and patient
- $\tilde{l}$  All-metal frame construction carries up to 227 kg (500 lb) to accommodate a wide range of patient sizes
- Ì Two 100 mm (4 in.) front swivel wheels and two 150 mm (6 in.) rear wheels with locks do not collect debris and provide maneuverability in confined spaces such as stair landings
- $\check{I}$  Superior maneuverability in confined spaces and over carpet with 25.4 mm (1 in.) track-to-ground clearance and frontswivel-wheels
- Ì Five-position rear control bar (from 950 to 1613 mm / 37.5 to 63.5 in.)
- $\tilde{l}$  Five-position front telescoping handles (from 137 to 483 mm/ 5.4 to 19 in.)
- Ì Snap-on ABS plastic panels are easily removed for cleaning
- Ì Extendingfootrest

Ì Available in red, blue, and platinum

EZ Glide with Restraints, Red #0731335
EZ Glide with Restraints, Blue #0731338
EZ Glide with Restraints, Platinum #0731339

Accessories: Page 40, 42



2 Folding Design provides compact storage.

3 5-Position Rear LiftBar and front telescoping handles reduce the strain of lifting and provide maximum control for operators of various heights.

 $\epsilon$ 



SPECIFIC	ATIONS									
	Height	Overall	Seat	Depth	Depth	Folded		Load	Shipping	Shipping
	Min.	Width	Width	Max.Open	Min. Open	L, W,Thickness	Weight	Limit	Weight	L, W,H
Imperial	37.5 in.	20 in.	16.5 in.	51 in.	28.5 in.	37½x20x10 in.	33 lb	500 lb	40 lb	40x21x9in.
Metric	953 mm	516 mm	419 mm	1295 mm	724 mm	953x516x254 mm	15 kg	227 kg	18 kg	1010x530x230mm



#### 1 Easy-to-Use Paddle Style Controls are intuitive and provide easy operation when climbing or descending stairs.







2 Motor and Direct
Drive transmission provide maximum safety on stairs.

3 Rechargeable
Lithium-lon Battery
is easy to remove.
#0832198

# EZ Glide® with PowerTraxx® Stair Chair

- Ì Assists patient loads up to 227 kg up and down stairs without carrying or lifting
- $\tilde{l}\,$  The motor and track system carry the weight, reducing fatigue and the chance for injury
- Ì Provides maximum safety when going up and down stairs, using an electronically controlled motor and direct drive transmission
- Ì Fast climbs and descents using a variable-speed system
- Ì Easily stop, climb, or descend stairs with just a pushof a paddle button
- Ì Maximum performance on every call with intelligent microprocessor electronics
- Î Superior maneuverability in confined spaces and over carpet with 25.4 mm (1 in.) track-to-ground clearance and frontswivel-wheels
- Î Full control of operation with a manual override that allows medics to use in unpowered mode
- $\hat{I}$  Smooth 100 mm (4 in.) front swivel wheels and 150 mm (6 in.) rear wheels do not collect debris and provide maneuverability in confined spaces such as stair landings

EZ Glide with PowerTraxx		Red	Blue	Platinum	Retrofit Kit		
	120V	0731374	0731375	0731376	0832195		
	240V	0731383	0731384	0731385	0832196		

Accessories: Pages 40, 42



 $\epsilon$ 

SPECIFICATIONS											
		Height	Overall	Seat	Depth	Depth	Folded		Load	Shipping	Shipping
		Min	Width	Width	Max Open	Min Open	L, W, Thickness	Weight	Limit	Weight	L, W,H
	Imperial	37.5 in.	20 in.	16.5 in.	51 in.	28.5 in.	37½x20x10 in.	56.6 lb.	500 lb	64 lb	9x22x41in.
	Metric	953 mm	516 mm	419 mm	1295 mm	724 mm	953x516x254 mm	25.67 kg	227 kg	29 kg	240x570x1040mm

### Model 40 Stair Chair

- Ì Easy to maneuver by two EMTs in confined quarters
- Ì Two 127 mm (5 in.) stationary rear wheels
- Ì Telescoping front handles with two positions and two rear handles
- Ì Vinyl-coated nylon cover is simple to clean and resists stains, blood and bodily fluids
- Ì Two 2134 mm (7 ft.) quick-release patient restraints and leg restraints hold the patient securely
- Ì Chair can be mounted to interior or exterior walls
- Ì Ideal for high-rise buildings or industrial settings
- Ì Available in burgundy and orange

Model 40 with Vinyl Cover, Orange	#0714865
Model 40 with Vinyl Cover, Burgundy	#0714864



# Model 42/48 Stair Chairs

- Ì Designed to be stored in small spaces
- Ì Functions well in confined spaced such as narrow hallways and multiple-landing stairways
- $\dot{l}$  Two 102 mm (4 in.) rear stationary wheels and two 51 mm (2 in.) low-profile, front guide wheels
- Ì Rolls over most carpeted or hard surfaces
- Ì Four lifting handles with non-slip hand grips
- $\hat{I}$  Soft vinyl-coated cover is simple and easy to clean, resists blood, stains, and bodily fluids
- Ì Features a locking safety latch
- $\tilde{I}$  Two 2134 mm (7 ft.) quick-release patient restraints and leg restraints hold the patient securely

**Model 42** Stair Chair is available with durable, easy-to-clean, soft vinyl cover. Available in burgundy and orange.

Model 42 with Vinyl Cover,	Orange	#0714867
Model 42 with Vinyl Cover,	Burgundy	#0714868

**Model 48** Stair Chair is identical to the Model 42, but is three inches narrower. Available with soft vinyl cover. The Model 48 is ideal for use in airplanes, boats, restaurants, and all areas where access is severely limited.

Model 48 with Vinyl Cover,	Orange	#0714800
Model 48 with Vinyl Cover,	Burgundy	#0714803



SPECIFIC	AIIUNS									
			Depth	Depth Hand.	Folded	Folded		Load	Shipping	Shipping
	Height	Width	Handles Ext.	Folded	Length	Depth	Weight	Limit	Weight	L,W,H
										,
40 Imperial	36 in.	20 in.	46 in.	27 in.	36 in.	7 in.	19 lb	350 lb	24 lb	38x21x8in.
40 Metric	910 mm	510 mm	1150 mm	690 mm	910 mm	180 mm	8.6 kg	159 kg	11 kg	965x533x203 mm
42 Imperial	37 in.	19 in.	34 in.	24 in.	25 in.	6 in.	19 lb	350 lb	23 lb	26x20x7in.
42 Metric	950 mm	490 mm	860 mm	610 mm	630 mm	160 mm	9 kg	159 kg	10 kg	660x508x178mm
48 Imperial	37 in.	16 in.	34 in.	24 in.	25 in.	6 in.	18 lb	350 lb	23 lb	26x20x7in.
48 Metric	950 mm	400 mm	860 mm	610 mm	630 mm	160 mm	8 kg	159 kg	10 kg	660x508x178mm

# Compact 2 TrackChair

With all of the features of the standard carry chair, the Compact 2 Track Chair has capability of attaching a track, for use when transporting a patient downstairs.

- Ì Traditional Compact 2 Carry Chair design, but with an attachable track
- Ì Track attaches easily to chair
- Ì Track is removable to minimize the weight of equipment that needs to be carried by operators
- Ì Adjustable rear handle accommodates operators of different heights
- Ì Stores in vehicle within same space envelope as standard Compact 2
- Ì Uses anti-bacterial BioSafe restraints and leg straps
- Ì Easy to transfer chair up and down vehicle ramps

Compact 2 TrackChair #071481450



# **Compact 2 Carry Chair**

The Compact 2 Carry Chair is manufactured from stainless steel for strength and durability and is designed to enhance patient transfers in confined areas.

- Ì The one-piece back and seat cover allows the patient to sit in a comfortable position
- Ì The flame -etardant, vinyl-coated nylon can be wiped clean for maximum hygiene and can be removed for cleaning or replacement
- Ì Folds neatly into a compact size for easy storage
- $\tilde{l}$  Large 178 mm (7 in.) wheels and axle bar help provide stability when wheeling the patient over unevenground
- Ì Easily mounts on a wall with an optional wall bracket and dust cover
- Ì Also available with an optional zipped carry case

Compact 2 Carry Chair	#071481401/S
Compact 2 Carry Case	#031350600
Compact 2 Wall Bracket	#081931400
Compact 2 Dust Cover	#038299401



SPECIFICATIO	INO						
	Height	Height			Depth	Total	Load
	Min	Max	Width	Depth	Folded	Weight	Limit
Compact 2 Imper.		37 in.	18 in.	17 in.	11 in.	20 lb	441 lb
Compact 2 Metric		935 mm	445 mm	420 mm	285 mm	9 kg	200 kg
Comp. 2 Track Imper.	42 in.	57 in.	18 in.	37 in.	12 in.	33 lb	441 lb
Comp. 2 Track Metric	1062 mm	1445 mm	450 mm	950 mm	295 mm	14.9 kg	200 kg



#### **Utila Chair Model ALS 103**

This standard chair model is also the most popular one among customers. All Utila chairs include two patient restraints.

- Ì Strong and durable aluminum construction for long service life
- Ì White powder-coated finish (also available in RAL-colors) prevents oxidation for clean hands and clothing
- Ì Anatomically-shaped seat and backrest
- Ì Easy-to-clean synthetic leather can be disinfected
- Ì Two rear telescoping handles with anti-slip plastic coating
- Ì Two rear folding handles with anti-slip plastic coating
- Ì Two front telescoping handles with anti-slip plastic coating
- I Swing up padded armrests
- Ì Telescoping footrest with anti-slip plastic coating
- $\dot{I}$  Two stationary and two swivel wheels (150 mm/6 in.) with wheel locks
- Ì Conforms to International Standards EN 1789 and EN 1865
- I Equipped with two pins for locking into floor mount Utila Model BH 501

Order from Utila Tel: +49 0 2241 94830 Website: www.utila.de



Shown with Optional Shoulder Harness Restraint





(€ Vears 100



#### **Utila Chair Model ALS 300**

The ALS 300 is similar to the ALS103 but weighs only 15 kg (33 lb). Therefore it is easy to handle, and it is strong and stable.

- Ì Strong and durable aluminum construction for long service life
- Ì White powder-coated finish (also available in RAL-colors) prevents oxidation for clean hands and clothing
- Ì Anatomically-shaped seat and backrest
- Ì Easy-to-clean synthetic leather can be disinfected
- Ì Two rear telescoping handles with anti-slip plastic coating (optional)
- Ì Two rear folding handles with anti-slip plastic coating
- Ì Two front telescoping handles with anti-slip plastic coating
- Ì Swing up padded armrests
- Ì Telescoping footrest with anti-slip plastic coating
- Ì Two stationary and two swivel wheels (150 mm/6 in.) with wheel locks
- Ì Conforms to International Standards EN 1789 and EN 1865
- Ì Equipped with two pins for locking into floor mount Utila Model BH 501

Order from Utila Tel: +49 0 2241 94830 Website: www.utila.de







#### **Utila Chair Model ALS 400 S**

The ALS 400 S has the same features as all of the Utila chairs, but folds for storage inside the ambulance.

Ì Strong and durable aluminum construction for long service life

 $\grave{I}$  White powder-coated finish (also available in RAL-colors) prevents oxidation for clean hands and clothing

Ì Anatomically-shaped seat and backrest

Ì Folds for easy storage

Ì Easy-to-clean synthetic leather can be disinfected

Ì Two rear telescoping handles with anti-slip plastic coating

Ì Two rear folding handles with anti-slip plastic coating

Ì Two front telescoping handles with anti-slip plastic coating

Ì Swing up padded armrests

I Telescoping footrest with anti-slip plastic coating

Ì Two stationary and two swivel wheels (150 mm/6 in.) with wheel locks

Ì Conforms to International Standards EN 1789 and EN 1865

Ì Equipped with two pins for locking into floor mount Utila Model BH 501

Order from Utila Tel: +49 0 2241 94830 Website: www.utila.de









### **Utila Chair Model LTS 700**

The LTS 700 can be used to transport a patient in a sitting position and also in a more comfortable flat position with the backrest folded down.

Ì Strong and durable aluminum construction for long service life

Ì White powder-coated finish (also available in RAL-colors) prevents oxidation for clean hands and clothing

Ì Anatomically-shaped seat and backrest

Ì Easy-to-clean synthetic leather can be disinfected

Ì Two rear telescoping handles with anti-slip plastic coating

Ì Two rear folding handles with anti-slip plastic coating

Ì Two front telescoping handles with anti-slip plastic coating

Ì Swing up padded armrests

Ì Telescoping footrest with anti-slip plastic coating

Ì Two stationary and two swivel wheels (150 mm/6 in.) with wheel locks

Ì Conforms to International Standards EN 1789 and EN 1865

Ì Equipped with two pins for locking into floor mount Utila Model BH 501

Order from Utila Tel: +49 0 2241 94830 Website: www.utila.de











51 EC11 10/1110	110						
	Length	Length			Seat		
	Handles Ext.	Handles Retract.	Width	Height	Height	Weight	Load Limit
ALS 103 Imperial	59 in.	37 in.	22 in.	45 in.	18 in.	44 lb	331lb
ALS 103 Metric	1500 mm	950 mm	560 mm	1140 mm	450 mm	20 kg	150kg
ALS 300 Imperial	67 in.	37 in.	22 in.	46 in.	19 in.	51 lb	331lb
ALS 300 Metric	1700 mm	940 mm	570 mm	1160 mm	490 mm	23 kg	150kg

# Oxy-Clip2™ Spring-Loaded Oxygen Bottle Holder

Ì Compatible with the EZ Glide® Stair Chair series

Ì Spring-loaded mechanism for quick attachment and removal

Ì Will hold D-sized oxygen bottle in place during transport, freeing the operator's hands to focus on patient care

Ì Made of lightweight aluminum with nylon webbing and zinc die-cast/nickel-plated D-ring fasteners

Oxy-Clip2 for 59T

#0821977



#### **Head-End O2 Bracket**

 $\tilde{I}$  Easily attaches to the backrest panel of a Ferno cot to keep the oxygen cylinder close to the patient'shead

Ì Quickly and securely holds "D" and "Jumbo D" size oxygen cylinders

Head-End O2 Bracket.

#0822111



# Oxygen Cylinder Holder

Ì Compatible with 35X PROFlexx® series ambulance cots Ì Will hold a "D" size, "Jumbo-D", or a FernO<sub>2</sub> DD-Lite

Oxygen Cylinder Holder for 35X...

...#0819958



# Oxy-Clip™ Cylinder Holder

Ì Fits on the cot sidearm (19 mm/.75 in. diameter)

Ì Securely holds either steel or aluminum "D" size cylinders (will not accept Jumbo "D" size cylinder)

Ì Spring-loaded latch enables it to instantly attach to the sidearm

Î When transferring the patient to the hospital bed, the Oxy-Clip™ rotates down and out of the way as the cot sidearm is lowered

Model 514 Oxy-Clip for Models

25, 26, 35, 93, 4140, 4150, Mondial RS Stretchers .....#0085500

Model 514-1 for Model 28 #0085520





## Mondial® Series IV Poles

Ì Three-stage design with adjustable height for placement of IV solutions at appropriate levels

Ì Permanently mounts to cot main frame or lift-off stretcher

Ì Hook-and-loop straps stabilize IV containers

Ì Folds down for storage

Mondial Monobloc IV Pole	#0832197
Mondial RS Mount IV Pole	#0090016





# Model 513-10 Series Heavy-Duty IV Poles

Ì Permanently mounts to cot main frame

Ì Adjustable height for placement of IV solutions at appropriate levels

Ì 513-10 pole is nonmagnetic for MRI use

 $\tilde{I}$  Capable of holding four one-liter containers of fluid and two transport IV pumps

Ì Large hook-and-loop straps stabilize IV containers

 $\check{I}$  Folds along the side of the cot mattress for easy storage (excluding Model 513-11)

Ì Lock sleeve secures pole in upright position

**Model 513-10** is compatible with Models 25, 26, 30, 35, 93, POWERFlexx®, 30-NM, 33-NM, and 35-ANM Cots. Length 33"-48"

Model 513-10 HD NM #0087156

**Model 513-11** is specifically made for Ferno-Flex™ Model 28 and 28Z Cots. Mounts to rectangular main frame. Length 29"-44"

Ferno-Flex™ Model 513-11 HD NM #0087157

**Model 513-13** is compatible with Models 25, 26, 30, 35 Series, 93 Series, and POWERFlexx® Cots. Length 24"-38"

Model 513-13 #008717

Model 513-LBS is designed for use with the LBS and LBS Jr.

Model 513-LBS #008717



Model 513-10

Model 513-11

Model 513-13

# Model 2030 IV Pole

 $\grave{\boldsymbol{I}}$  Permanently attaches within the sidearm of most Ferno cots

Ì Comes complete with a new sidearm for quick and easy fitting

Ì Mounts to patient's left side of cot only

Model 2030 IV Pole #LAIV-2030





Model 274 PacRac™

For 93H, 35X, POWERFlexx #0818933 For 28 and 28Z... #0818952



PacRac™+

For Mondial Series #FWEPR



**Equipment Bracket** 

Model 2020 Equipment Bracket....#CA5250 (not compatible with Model 28 or 28Z cots)



28Z Swing-Out Lift Handles

178 mm (7 in.) Handles



28Z Swing-Out Lift Handles

254 mm (10 in.) Handles.



28Z Lead Handle

28Z Lead Handle...

#0822139



**Sof-Net Head-End Storage** 

For 93H, 35X, POWERFlexx For 28Z #0822178



**EZ Glide® Secure Mount** 

EZ Glide Secure Lock Mount.... ..#0822072



EZ Glide® Hard Headrest with Pouch

EZ Glide® Wall Mount

EZ Glide Wall Mount...

#0822096





#0821976

EZ Glide Hard Headrest Kit #0822430



#### **Model 417-1 Harness Restraint**

Ì Primary-use restraint

Ì Four individually-adjustable straps

Ì Quick-release chrome-plated metal buckle

Î Should be used in conjunction with two Ferno® Model 430Patient Restraints

Ì Available in black or orange

Model 417-1, Black	#0313915
Model 417-1, Orange	#0313914
Model 417-FFX For FFX Stretchers Black	#0313996



#### **Model 430 Series Cot Restraints**

 $\tilde{l}$  Primary-use patient restraints made of 51 mm (2") nylon webbing  $\tilde{l}$  Quick-release automotive-type chrome-plated male and

black-painted female metal buckle with push-button release

Ì Resists rust and corrosion

Ì Male strap is adjustable and hemmed on the end

Ì Available in black or orange

Ì Available in 1524 mm (5'), 2134 mm (7') and 2743 mm (9')

	Black	Orange
2pc. 5'	#0313892	#0313891
2pc. 7'	#0313911	#0313912
1pc. 7'	#0313910	#0313887
1pc. 9'		#0313889





#### Model 414-OL Wrist Restraint

Ì Adjustable to hold patient's wrists securely in lap
Ì Fastens to both sides of the cot with hook-and-loop closures
Model 414-OL, Set of 2, Orange #0312320

### **Model 414-R Wrist Restraints**

 $\tilde{l}$  Restraints hold the patient's wrist to the top of the cot's sidearms  $\tilde{l}$  Hook-and-loop closures

Model 414-R, Set of 2, Orange #0312310

### **Model 415 Ankle Restraint**

Ì Fastens to both sides of the cot's main frame to secure ankles
Ì Restraint allows each leg to be individually secured or released
Model 415-R, Orange #0312330





# **Universal Psychiatric Restraint Set**

Ì Includes 2 single wrist cuffs and a double ankle cuff strapping system È Each cuff features a padded, double overlap strap system secured with hook-and-loop closures

 $\tilde{l}$  Adjustable tie down loop for flexible attachment and quick-connect buckles with adjustable length

Universal Psychiatric Restraint Set #BRH-MPR



# **Model 352 Acrylic-Blend Blanket**

Ì 100% Fiber woven material (acrylic) is stitched around perimeter to withstand repeated washings

Ì Measures 1829 x 2286 mm (72 x 90 in.)

Ì Machine wash and dry

Model 352, Blue only.....

#0311140



#### Model 354 Wool-Blend Blanket

Ì Lightweight 70% wool 30% synthetic fibers

Ì Dry cleaning preferred or machine wash, air dry

Ì Fire retardant to CS 191-53

Ì Measures 1524 x 2032 mm (60 x 80 in.)

Model 354, Charcoal Gray only

#0311180



# Model 353 Quilted Nylon Blanket

 $\grave{l}$  65% polyester and 35% cotton

Ì Machine wash and dry or dry clean

Ì Measures 1016 x 2286 mm (40 x 90 in.)

Model 353, Red only ....

....#0311150



# **Thermal Mylar Blanket**

Ì Efficient insulating material that retains and reflects 90% of body heat

Ì Compact single pack (70 x 125 mm / 2.75 x 5 in.), fits in pocket or bag

Ì Waterproof and weatherproof

Ì Measures 1575 x 2083 mm (62 x 82 in.)

Ì 120 units per box

Thermal Mylar Blanket, 120 Units per Box.....

.#083218



# **RESQ Pillow**

Ì Provides patient comfort for under the head during long carry-outs

Ì Attaches securely to most models of basket stretchers

Lightweight, warm fleece blanket filling can be used to warm patient

Ì Made from durable vinyl, easy to clean

RESQ Pillow #EB700YP
RESQ Blanket Only #EB500B
RESQ Pillow Case Only #EB700YPC





Pillow Configuration



### **Defibrillator Mounts**

Increase the safety of your crews and patients during patient transport. An unsecured defibrillator can become a dangerous projectile in an ambulance compartment. Avoid unnecessary risk with a Ferno® defibrillator mount.

- Ì Easy installation onto a counter top or bench
- Ì Quick-release mechanism allows easy locking and unlocking of a defibrillator for grab-and-go convenience on scene
- Ì Swivel base provides easy positioning and viewing of the defibrillator during patient care



M-200

#### **Defibrillator Mount** 200

Compatible with Physio-Control® Lifepak® 12 or Lifepak 15 with or without bags.

Ì Measures (width, depth, height): 390x305x384 mm (15.375x12x15.125 in.)

Model M-200...



M-201

#### 201 **Defibrillator Mount**

Compatible with Physio-Control® Lifepak® 12 with AC adaptor. Ì Measures (width, depth, height): 400x305x448 mm (15.75x12x17.625 in.)

Model M-201...



P-300

#### P-300 Defibrillator Mount

Compatible with Phillips® HeartStart MRx defibrillator.

Ì Measures (width, depth, height): 359x365x381 mm (14.125x14.375x15 in.)

Model P-300...



Z-102

#### 102 Defibrillator Mount

Compatible with Zoll® M Series® defibrillators with

Extreme Pack II and NIBP.

Ì Measures (width, depth, height): 264x235x60 mm (10.375x9.25x2.375 in.)



Z-103

#### 103 Defibrillator Mount

Compatible with Zoll® E Series® defibrillators with soft or hard case Ì Measures (width, depth, height): 311x311x83 mm (12.25x12.25x3.25 in.)

Model Z-103.



#### D360 Swivel Defibrillator Mount

Compatible with Zoll® ProPag MD and X Series® defibrillators Ì Measures (width, depth, height): 194x152x38 mm (7.625x6x1.5 in.)

Model D360...

# Model 175 Cot Fastener with Mounting Kit

Model 175 consists of the antler and rail only. Mounting kits consist of blocks, bracket, hardware, and floor plates necessary to fasten the antler and rail to the mounting bracket and floor plates. The Fastener Kit Complete includes: antler, rail, blocks, hardware, and floor plates.

The following features are included on all models:


Ì Wall or floor mounting for rail

Ì Permanent and/or detachable mounting for rail and antler

Ì Detachable models allow easy floor cleaning

Ì Wall-mount models provide maximum aisle space

Ì Antler and rail made of aluminum (stainless steel optional)



#### Model 175 plus Mounting Kit 175-1

Ì Antler: Permanent Floor Mount

Ì Rail: Permanent Wall Mount

175-1 Fastener Kit Complete	#0001751F
175-1 Mount Kit	#0561751
175 Fastener, rail and antler only	#0567047



#### Model 175 plus Mounting Kit 175-2

Ì Antler: Permanent Floor Mount

Ì Rail: Permanent Floor Mount

175-2 Fastener Kit Complete	#0001752F
175-2 Fastener Mount Kit	#0561752
175-2 Fastener rail and antler only	#0567047



#### Model 175 plus Mounting Kit 175-3

Ì Antler: Removable Floor Mount

Ì Rail: Removable Floor Mount

175-3 Fastener Kit Complete	#0001753F
175-3 Fastener Mount Kit	#0561753
175-3 Fastener, rail and antler only	#0567047



#### Model 175 plus Mounting Kit 175-4

Ì Antler: Removable Floor Mount

Ì Rail: Removable Floor Mount

Ì Includes an extra set of mounting plates to allow: two different mounting locations (side / center) or setup for two different cot styles

175-4 Fastener Kit Complete	#0001754F
175-4 Fastener Mount Kit	#0561754
175-4 Fastener, rail and antler only	#0567047



#### Model 175 plus Mounting Kit 175-5

Ì Antler: Removable Floor Mount

Ì Rail: Permanent Wall Mount

175-5 Fastener Kit Complete	#0001755F
175-5 Fastener Mount Kit	#0561755
175-5 Fastener rail and antler only	#0567047








#### **Model 5-14 Cot Fastener**

Ì Permanent floor mount for rear fastener handle

Ì Permanent floor mount for front antler

Ì Compatible with Model 25 Cot

Model 5-14 #05730



# Model 173 Cot Fastener with Mounting Kit 173-2

 $\dot{I}$  Permanent floor mount for front antler and rear hook  $\dot{I}$  Compatible with Model 28 Chair Cots and Model 28Z

Model 173-2 Fastener Kit Complete	#0001732F
Model 173 Fastener, antler and rear hook only	#0567049
Model 173-2 Mounting Set only	#0561731




# Model 173 Cot Fastener with Mounting Kit 173-3

Ì Removable floor mount for rear fastener hook

Ì Removable floor mount for front antler

Ì Compatible with Model 28 Chair Cots and Model 28Z

Model 173-3 Fastener Kit Complete	#0001733F
Model 173 Fastener, antler and rear hook only	#0567049
Model 173-3 Mounting Set Only	#0561732



#### **SLAM Series Fasteners**

Ì Easy to unlock transporter from floor of ambulance Ì Includes front antler anchorage

#### SLAM-26

 $\grave{I}$  Compatible with Model 26P Cot

SLAM-26 Contact Ferno Italia

#### **SLAM-26+**

Ì Compatible with Model 26-S Cot

SLAM-26+ Contact Ferno Italia

#### **SLAM-4050**

 $\grave{l}$  Compatible with Model 4051/4052 transporters

SLAM-4050 Contact Ferno Italia

#### SLAM-5026/EFX

Ì Compatible with Model 5126 and 5226 series cots

SLAM-5026/EFX Contact Ferno Italia



#### FL1 Fastener

Ì Single-point latching for reliable operation

Ì Crash-tested 10G in 5 directions (EN1789 Compliant)

Ì Guide rails center the cot during the loading process

Ì Compatible with Mondial® Transporters and Mondial® Monobloc

FL1 Fastener #057308



# Model 185 StatTrac® Fastener

Ì Heavy-duty track system constructed of aluminum

Ì Straight-in track design eliminates cot drift

Ì Can be installed in side or center position inside an ambulance

Ì Compatible with Model 35 series, 93 series and POWERFlexx® Cots

Model 185 StatTrac® Short (2184 mm/86 in.)	#0567025
Model 185 StatTrac® Medium (2438 mm/96in.)	#0567038
Model 185 StatTrac® Long (2616 mm/103 in.)	#0567032



# Model 11 Emergency Stretcher with Wheels

Ì Folding 102 mm (4 in.) wheels and posts can be used on the street and then placed directly onto a squad bench equipped with Model 533 Wheel Cups and Models 534/535 Post Cups

Ì Includes two 1524 mm (5 ft.) quick-release patient restraints

Ì Heavy-duty vinyl-coated nylon cover

Ì Can be used with Model 385-A Storage/Carrying Case

Model 11, Burgundy	#0101110
Model 11, Orange	#0101100
Storage Case, Burgundy Unlettered	#0311650
Storage Case, Burgundy Lettered	#0311640
Storage Case, Orange Unlettered	#0311670
Storage Case, Orange Lettered	#0311630



 $\epsilon$ 

# Model 11-T Emergency Stretcher with Track

The 11-T has an innovative built-in track system that allows safe evacuation down stairs in the supine position

Ì Sturdy and lightweight with two front wheels for easy maneuvering

 $\grave{l}$  Narrow track-to-ground clearance provides easier movement over all surfaces, even with tracks deployed

Ì Heavy-duty vinyl coated cover for ease of cleaning

 $\grave{I}$  Folds in half for compact storage

Ì Includes footrest

Ì Locking spring hinge for extra rigidity

Ì Includes two 1524 mm (5 ft.) quick-release patient restraints

Model 11-T, Burgundy.

#010802



SPECIFIC <i>A</i>	ATIONS								~ ~
	Length	Length		Height	Height		Load	Shipping	Shipping
	Unfolded	Folded	Width	Unfolded	Folded	Weight	Limit	Weight	L,W,H
11 Imperial	74 in.	37 in.	19.5 in.	8 in.	3.25 in.	13 lb	350lb	18 lb	38x21x4in.
11 Metric	1873 mm	989 mm	495 mm	203 mm	83 mm	6 kg	159 kg	8 kg	965x533x102mm
11-T Imperial	74 in.	35 in.	20 in.	8 in.	8 in.	22 lb	350lb		
11-T Metric	1873 mm	885 mm	500 mm	203 mm	203 mm	9.9 kg	159kg		



# **Model 9 Emergency Stretcher** with Backrest and Wheels

Ì Telescoping head-end frame section shortens the stretcher

Ì Backrest is adjustable to eight angles (0° to 75°)

Ì Heavy-duty vinyl coated cover

Ì Two 102 mm (4 in.) wheels at head end

Ì Stationary posts at foot end

Ì Folds in half for compact storage

Ì Can be used with Model 385-A Storage/Carrying Case

Ì Includes two 1524 mm (5 ft.) quick-release patient restraints

Model 9, Burgundy	#0107731
Model 9, Orange	#0100900
Storage Case, Burgundy Lettered	#0311762
Storage Case Orange Lettered	#0311760



(€

# **Model 12 Emergency Stretcher**

 $\grave{I}$  Exclusive slimline center hinges enable stretcher to fold for compact storage

Ì Heavy-duty vinyl-coated nylon cover

Ì Lightweight aluminum frame

Ì Can be used with Model 385-A Storage/Carrying Case

Ì Includes two 1524 mm (5 ft.) quick-release patient restraints

Model 12, Burgundy	#0107742
Model 12, Orange	#0101200
Storage Case, Burgundy Unlettered	#0311650
Storage Case, Burgundy Lettered	#0311640
Storage Case, Orange Unlettered	#0311670
Storage Case Orange Lettered	#0311630



(€

# **Model 12-C Emergency Breakaway Stretcher**

Ì Stretcher halves separate for easy removal without moving the

Ì Frame adjusts to align with ambulance-cot backrest, enabling patient to have head elevated during transport

Ì Includes two 1524 mm (5 ft.) quick-release patient restraints

Ì Heavy-duty vinyl-coated nylon cover

Model 12-C, Burgundy	#0107743
Model 12-C, Orange	#0107744



SPECIFICA	TIONS								C€
	Length Unfolded	Length Folded	Width	Height Unfolded	Height Folded	Weight	Load Limit	Shipping Weight H	Shipping L,W,
9 Imperial	74 in.	38 in.	19 in.	6 in.		17 lb	350 lb	18 lb	41x20x8in.
9 Metric	1868 mm	953 mm	483 mm	152 mm		8 kg	159 kg	8 kg	1041x508x203mm
12 Imperial	74 in.	37 in.	18 in.	1 in.	3 in.	8 lb	350 lb	12 lb	38x21x4in.
12 Metric	1873 mm	940 mm	464 mm	29 mm	60 mm	4 kg	159 kg	5 kg	965x533x102mm
12-C Imperial	74 in.	47 in.	9 in.	1 in.	3 in.	10 lb	350 lb	15 lb	75x19x2in.
12-C Metric	1870 mm	1190 mm	220 mm	30 mm	60 mm	5 kg	159 kg	7 kg	1905x483x51mm

## Model 107 Stretcher Chair

Ì Vinyl-coated nylon cover

Ì Folds in half for compact storage

Ì High-back chair design

Ì Folding foot-end handles provide excellent grip

 $\grave{I}$  Stationary or hinged 102 mm (4 in.) wheels

Ì Folding head-end posts double as lift handles and support legs

Ì Legs fold underneath the stretcher for compact storage

Ì Foot-end wheels fold flat for storage and snap back into place

Ì Fits squad bench post-and-wheel cups for use as a second stretcher

Ì Includes two 1524 mm (5 ft.) quick-release patient restraints

Model 107, Burgundy	#0107714
Model 107, Orange	#0101070



 $\epsilon$ 

### Model 107-C Stretcher Chair

Ì Fixed foot-end posts provide stability when the stretcher is used flat Ì Fixed wheels at both ends permit it to be rolled like a chair orloaded into a specialty ambulance

Ì Foldinghandles at both ends enable it to be used as a standard pole

Ì Includes two 1524 mm (5 ft.) quick-release patient restraints

Model 107-C, Burgundy	#0107716
Model 107-C, Orange	#0101072
Storage Case, Lettered, Burgundy 385-F	#0311762
Storage Case, Lettered, Orange 385-F	#0311760





C€

	Stretcher	Depth	Depth		Height	Height	Height		Load	Shipping	g Shipping
	Length	Chair	Folded	Width	Stretcher	Chair	Folded	Weight	Limit	Weight	L,W,H
107 Imperial	73 in.	30 in.	5 in.	20 in.	9 in.	53 in.	39 in.	24 lb	350 lb	27 lb	41x21x6in.
107 Metric	1850 mm	760 mm	130 mm	510 mm	230 mm	1350 mm	980 mm	11 kg	159 kg	11 kg	1041x533x152mm
107-C Imperial	82 in.	26 in.	6 in.	20 in.	6 in.	54 in.	40 in.	25 lb	350 lb	30 lb	41x21x8in.
107-C Metric	2080 mm	650 mm	160 mm	500 mm	140 mm	1370 mm	1010 mm	11 kg	159 kg	14 kg	1041x533x203mm



### **Model 108 Series PoleStretchers**

Ì Heavy-duty aluminum poles for easy handling

Ì Heavy-duty vinyl-coated nylon covers

Ì Nonslip hand grips

#### Model 108 Single-Fold Pole Stretcher

Ì Simplest Pole Stretcher

Ì Rolls lengthwise

Model 108, Orange #0101080



(€

#### Model 108-A Single-Fold PoleStretcher

Ì Rugged spreader bars and legs provide support

Ì Folds lengthwise for easy storage

Ì Available in two lengths and colors

Model 108-A, 81 in. (2057 mm) Or	ange #0101081
Model 108-A, 90 in. (2286 mm) Or	ange #0101082



 $\epsilon$ 

#### Model 108-AF Double-Fold PoleStretcher

Ì Folds lengthwise and crosswise for compact storage

Ì Rugged spreader bars and legs provide support and comfort

Ì Available in both 2057 mm (81 in.) and 2286 mm (90 in.) lengths

Model 108-AF, 81 in. Orange	#0101083
Model 108-AF, 90 in. Orange	#0101084
Storage Case for 108-AF-81, Orange, Lettered 383-B	#0311470
Storage Case for 108-AE-81 Orange Unlettered 383-B	#0311/00



(€

#### Model 108-F Single Fold-Pole Stretcher

Ì Rugged spreader bars and legs provide support

Ì Folds lengthwise and rolls for compact storage

Ì Available in two colors

Model 108-F, Orange # 0101086



SPECIFICATION	N2						
	Length	Width			Load	Shipping	Shipping
	Open	Open	Height	Weight	Limit	Weight	L,W,H
108 Imperial	84 in.	22 in.	2 in.	8 lb	350lb	9 lb	86x5x3in.
108 Metric	2120 mm	550 mm	40 mm	4 kg	159kg	4 kg	2184x127x76mm
108-A Imperial	81/90 in.	22 in.	6 in.	12 lb	350lb	9/15 lb	93x7x5 in.
108-A Metric	2120/2290 mm	550 mm	140 mm	5 kg	159kg	5/7 kg	2360x180x130mm
108-AF Imperial	81/90 in.	22 in.	6 in.	12 lb	350lb	14/15 lb	47x8x5 in.
108-AF Metric	2120/2290 mm	550 mm	120 mm	5 kg	159kg	7/7 kg	1194x203x127mm
108-F Imperial	84 in.	22 in.	2 in.	8 lb	350lb	10 lb	44x6x4in.
108-F Metric	2120 mm	560 mm	40 mm	4 kg	159kg	5 kg	1118x152x102mm

## Model 108-D Disaster Litter

The Model 108-D Disaster Litter is an economical, lightweight litter designed for disaster use.

Ì Ideal for use in situations that require a sturdy, compact, and economical litter for mass-casualty response

Ì Sturdy aluminum frame

Ì Easy-to-decontaminate polypropylene mesh cover

Ì Includes two attached polypropylene restraints

Ì Folds in half for storage

Model 108-D, Disaster Litter





#### **Model 108-T Tactical Litter**

Ì Designed for tactical, HazMat-CBRN Decon, USAR and disaster use

Ì Heavy-duty, lightweight poles, hinges, legs, and spreader bars

Ì Rubber end plugs keep contaminants from penetrating the poles

Ì Cover is durable, flame retardant, nonslip, chemical- and mildewresistant polypropylene mesh

Ì Easy-to-decontaminate

Ì Fluids flow freely away from patient during decontamination

Ì Includes two attached polypropylene restraints

Ì Follows US Military Spec MIL-L-49511B



									((
<b>SPECIFICATIONS</b>									7.7
Length	Length	Width	Width	Height	Height		Load	Shipping	g Shipping
Open	Folded	Open	Folded	Open	Folded	Weight	Limit	Weight	L,W,H
108-D Imperial 90 in.	45 in.	22 in.	9 in.	6 in.	4 in.	13 lb	350 lb	15 lb	47x8x5 in.
108-D Metric 2290 mm	1140 mm	550 mm	230 mm	150 mm	110 mm	6 kg	159 kg	7 kg	1194x203x127mm
108-T Imperial 92 in.	47 in.	23 in.	8 in.	6 in.	7 in.	17 lb	1200 lb	22 lb	49x12x8in.
108-T Metric 2340 mm	1180 mm	570 mm	190 mm	140 mm	180 mm	8 kg	544 kg	10 kg	125x305x203 mm

# Model 132 Manta<sup>™</sup> Transfer Sheet

Ì Folds like a blanket for compact and easy storage

Ì Can be used to transfer bariatric patients, evacuate patients, or cover patients during extrication

Ì Ideal for rescue from confined areas

Ì Pockets at both ends hold backboard, patient's feet and head

Ì Fire retardant with holes at each end to allow water drainage

Ì Weight capacity: 363 kg (800 lb)

Ì Dimensions: 1160 x 1980 mm (46 x 78 in.)

Ì Available in burgundy, orange, or olive drab green

Model 132 Manta, Orange	#0382888
Model 132 Manta, Burgundy	#0382969
Model 132 Manta, Olive Drab Green	#0383034



(€

# Model 135 Stretcher/Body Bag

Ì Folds compactly and completely conceals the body

Ì Six durable, permanently-blocked, formed handles

Ì Water-repellent top closes with a sturdy slide fastener

Ì Two-ply, vinyl-coated nylon construction

 $\grave{I}$  Resists stains and does not absorb moisture or bodily fluids

Ì Flameresistant

Model 135 Stretcher/Body Bag, Burgundy.....#03101



SPECIFICA	ATIONS								
	Length	Length	Width	Width	Height		Load	Shipping	Shipping
	Open	Folded	Open	Folded	Folded	Weight	Limit	Weight	
									L,W,
								Н	
132 Imperial	79 in.	12 in.	46 in.	9 in.	3 in.	5 lb	800 lb	7 lb	17x11x7in.
132 Metric	2000 mm	305 mm	1070 mm	230 mm	75 mm	2 kg	363 kg	3 kg	430x280x180mm
135 Imperial	77 in.		27 in.			17 lb	500 lb	22 lb	91x6x5in.
135 Metric	1960 mm		690 mm			8 kg	227 kg	10 kg	2310x150x130mm



 $C \in$ 

# **POWERFlexx®+ Powered Cot**

- Ì 318 kg (700 lb) lifting capacity raises the patient weight without lift assistance
- Ì Complete bariatric solution with load frame handlebar, 454 kg (1000 lb) load capacity in the lowest position and optional LBS Bariatric Board
- Ì All-metal, X-Frame construction provides strength, long service life, and exceptional performance with heavy patients
- Ì Locked-on mattress provides easy patient transfer and security during roadside or aeromedical response
- Ì Bed height range from 330 to 1041 mm (13 to 41 in.) with infinite range of adjustment
- Ì Five-position, folding load frame and adjustable foot-end lift bar Ì Optional ICS® Integrated Charging System provides in-the-fastener
- Ì US Voltage 110, International Voltage 220 (specify charger voltage when ordering)

PowerFlexx+, Red, CE Marked	#0054214
PowerFlexx+, Blue, CE Marked	#0054216
PowerFlexx+, Red, CE Marked with ICS	#0054215
ICS Kit (Shallow Cup)	#0000600
Charger (US)	#0822426
Charger (UK)	#0822427
Charger (Europe)	#0822428
Charger (Australia)	#0822429
Battery	#0822220



See page 22-23 for additional details



#### Harrier® LT-LBS

charging

- Ì Lightweight trolley, from 69 kg (152 lb)
- Ì Includes extending sides for carrying larger-mass patients
- Ì Excellent maneuverability, combining optimal low-friction wheels with ergonomic operator push-poles (optional accessory)
- Ì Powered up/down lift operation, with slow start-stop movement, for complete patient comfort & operator safety
- Load capacity of 350 kg (772 lb) in raised position, 400 kg (882 lb) when in lowered position
- Ì Simplified high-performance battery management. Uses a detachable rechargeable 28V 3A Milwaukee battery, 77 lifts from 1 single charge, recharge time of less than 1 hour
- Ì IPC compliant, incorporating anti-microbial paint finish, use of Silver Biosafe harness restraints and an easy-to-clean 2-section, Anti-**Bacterial Pressure-Relief mattress**
- I Reflective strips on top, base and X-frame rails, for increased visibility
- Ì Compatible with Ferno Two Part Locking System

Harrier LT-LBS, 2-Part Lock, AB-PR Mattress with AB-Velcro fixing,

Biosafe Harness, Long Cotsides & Vertical Poles..... #H1E2-H-1-9D Harrier LT-LBS, NMI Lock, AB-PR Mattress with AB-Velcro fixing, Biosafe Harness, Long Cotsides & Vertical Poles 2-Section AB-PR Mattress w/ Standard Sidearms #038288350

2-Section AB-PR Mattress w/ Inflatable Sidearms & Pump...#038288450



See page 32 for additional details

C C COMMISSIONED

SPECIFICATIONS							•	September 1
Length Min	Length Max	Width	Height Max	Weight	Load Limit Load Pos.	Load Limit Lowest Pos.	Shipping Weight	Shipping
				- 0			Н	L,W,
POWERFlexx Imper. 61 in.	83 in.	24 in.	41 in.	133 lb	700 lb	1000 lb	230 lb	87x29x27in.
POWERFlexx Met. 1549 mm	2108 mm	610 mm	1041 mm	60 kg	318 kg	454 kg	104 kg	2210x737x686mm
Harrier LT-LBS Imp. 40 in.	84 in.	22 in.	42 in.	140 lb	772 lb			
Harrier LT-LBS Met. 1020 mm	2130 mm	570 mm	1055 mm	63.5 kg	350 kg			





# EZ Glide® LBS Bariatric StairChair

The EZ Glide® LBS combines all the industry-leading benefits of the EZ Glide tracked chair, but with an extended seat and strengthened chair frame for transferring bariatric patients downstairs.

Ì 59T EZ Glide track chair with extended sides, and modified frame

Ì Wider seat panel (595 mm / 23 in.) provides more comfort to bariatric patients

Ì Strengthened, non-folding chair frame

Ì Increased load limit of 318 kg (700lb)

Ì Adjustable brake for controlling speed downstairs, adjustable also dependant on patient

 $\grave{I}$  Strengthened, extended foot plate for patient comfort

Ì Optional seat cushion available for improved comfort

EZ Glide LBS	#073132910
EZ Glide LBS Seat Cushion	#031402600

Accessories: Pages 42



SPE(	 	$\sigma$

				850 mm	29kg 🔼 📂	
Metric	950 mm	1610 mm	595 mm	33 in.	64lb.	700lb
Imperial	37 in.	63 in.	23 in.	Depth	Weight	Limit
	Min	Max	Width			Load
	Height	Height				
SPECIFICAT	IONS					

 $\epsilon$ 

#### **LBS Series Bariatric Boards**

Ferno® LBS (Large Body Surface) Bariatric Boards allow you to adapt standard Ferno cots while on-scene to bariatric cots to safely transfer and transport bariatric patients. The LBS and LBS Junior Bariatric Boards attach quickly and easily to a Ferno cot, and fold for easy storage when not in use. Compatible with Models 35X, 93H and POWERFlexx®cots.

(Existing fastening system installations may not allow the LBS to fit inside the ambulance)



#### **LBS Bariatric Board**

Ì Quickly attaches to the Ferno® 35X, 93H and POWERFlexx® ambulance cots

Ì Maximum width: 860 mm (33¾ in.)

Ì Includes Manta™ Transfer Sheet

 $\grave{I}$  Includes one set of restraint extenders and mounting blocks

LBS Bariatric Board, for POWERFlexx® and 35X	#0822057
LBS Bariatric Board, for 93H	#0819991



#### LBS Junior Bariatric Board

Ì Quickly attaches to the Ferno® 35X, 93H and POWERFlexx® ambulance cots

Ì Features folding "wings" for better maneuverability through doorways

Ì Maximum width: 1040 mm (41 in.), Minimum width: 740 mm (29 in.)

Ì Includes Manta™ Transfer Sheet

Ì Includes one set of restraint extenders and mounting blocks

LBS Junior, for 35X and POWERFlexx®	#0822184
LBS Junior, for 93H	#0821936



#### **LBS Mattress**

Ì Provides added patient comfort

Ì Folds away for easy storage

Ì LBS: 1778 x 914 x 51 mm (571.5 mm wide at head end)

Ì LBS Jr.: 1778 x 698.5 x 51 mm (597 mm wide at head end)

LBS Mattress	#0314025
LBS Jr. Mattress	#0314050



# LBS Carrying Case

Ì Provides added convenience when deploying and storing the LBS

Carrying Case for LBS Mattress Only	#0822179
Carrying Case for LBS, Mattress, and Hardware	#0822180





### Manta<sup>™</sup> Transfer Sheet

Ì Deploys quickly and folds compactly for storage

Ì Provides multiple handholds for moving patients

Ì Load limit of 363 kg (800 lb)

Ì Dimensions: 1160 x 1980 mm (46 x 78 in.)

Manta Transfer Sheet, Orange	#0382888
Manta Transfer Sheet, Burgundy	#0382969
Manta Transfer Sheet, Olive Drab Green	#0383034



# **Bariatric Tow Package**

Ì Attaches to cot's head-end load frame to allow the cot to be pulled up ramps by a winch

Ì Compatible with Ferno® Model 35X or POWERFlexx® ambulance cots

Bariatric Tow Package #0822121



#### **Bariatric Push-Pull Handles**

- $\tilde{l}$  Handles allow operators to walk in an upright position with optimum body mechanics, while pushing or pulling a cot in its lowest, most stable position
- $\tilde{l}$  Quick-release mounting blocks allow fast and easy attachment and removal of handles
- Ì Compatible with Ferno® Model 35X or POWERFlexx® ambulance cots at the head-end or foot-end or with the LBS Junior
- Ì Kit comes with one handle and mounting hardware
- Ì Handles available as angled or straight

Angled (head-end or foot-end), for Cot	#0822147
Straight (head-end or foot-end), for Cot	#0822148
Angled, for LBS Junior	#0822112
Straight, for LBS Junior	#0822146



Angled Handle Attached to Cot

Straight Handle Attached to LBSJr.

# **Restraint Extenders**

Ì Provide additional length to regular length restraints to transport bariatric patients

1 Foot Length (305 mm)	#0313942
2 Foot Length (610 mm)	#0313659
3 Foot Length (914 mm)	#0313670







# Millennia™ Backboards

 $\grave{I}$  Lightweight, foam-filled, ABS plastic construction

Ì Minimal deflection provides improved patient stabilization

 $\grave{I}$  Wider, longer handholds provide greater control by EMTs

Ì Compact, tapered design provides better maneuverability in confined spaces

Ì Sealed construction resists fluids, chemicals, and extreme temperatures

Ì X-ray translucent and buoyant for water rescue

Ì Includes speed-clip pins arranged for various strapping configurations

Ì Special mounting slots for the Ferno® Model 445 Head Immobilizer

Ì Available in 16 in. (406 mm) and 18 in. (457 mm) widths

18" Millennia Board, White	#0107915
18" Millennia Board, Blue	#0107916
18" Millennia Board, Orange	#0107917
18" Millennia Board, Yellow	#0107918
18" Millennia Board, Burgundy	#0107928
16" Millennia Board, Blue	#0107911
16" Millennia Board, Orange	#0107913
16" Millennia Board, Yellow	#0107914
16" Millennia Board, Burgundy	#0107927



**Backboard Restraints:** Page 65

CE EN1865

SPECIFICAL	IUNS						
					Load	Shipping	Shipping
	Length	Width	Height	Weight	Limit	Weight	L,W,H
16" Imperial	72 in.	16 in.	2 in.	13 lb	350 lb	14 lb	74x19x3in.
16" Metric	1800 mm	406 mm	45 mm	6 kg	159 kg	6 kg	1880x483x76mm
18" Imperial	72 in.	18 in.	2 in.	14 lb	350 lb	17 lb	74x19x3 in.
18" Metric	1800 mm	457 mm	45 mm	6 kg	159 kg	8 kg	1880x483x76 mm



# Model 889P Fiberglass Backboard

- Ì Advanced composite board constructed using resin transfer molding to provide a strong rigid board with a smooth durable surface
- Ì Angled sides allow easy hand hold access
- Ì 14 oversized handles with a curved edge provides a comfortable grip
- Ì 20 restraint speed clip pins provide optimum placement of restraints
- Ì Two handholds at the foot and head end provide additional handling options
- Ì Includes 4 shoulder harness access holes to facilitate ambulance stretcher harness application to the patient and board
- Ì Unique symmetrical design simplifies use and wedged design end for confined space and vehicle extrication

889P Backboard, No Restraints	#BSBF-889P/B
889P Backhoard with 3 Velcro Restraints	#RSRF-889P



# **AquaBoard**

The Ferno® AquaBoard has been designed and developed in conjunction with the RLSS UK for the rescue of casualties with suspected spinal injuries from swimming pools and leisure centers.

- Ì Specially designed to allow the board to be submerged and floatup and under the patient
- I Injured patients can be kept on the AquaBoard while X-Rays are taken
- Ì Easy to use color-coded strapping system
- Ì Adjustable head restraint
- Ì Instructions for patient positioning printed on the neoprene back support
- Ì Instructional DVD included
- Ì Also capable of salt-water rescue

AquaBoard, Yellow only.

..IE10309999



SPECIFICATIO	NS						
	Length	Width	Height	Weight	Load Limit	Shipping Weight	Shipping L,W,
						Н	_,,
889P Imperial	70 in.	16.5 in.		17.5 lb	350lb		
889P Metric	1780 mm	420 mm		8 kg	159 kg		
AquaBoard Imperial	72 in.	17 in.	2.75 in.	17.5 lb	400 lb	23lb	78x17x4in.
AquaBoard Metric	1830 mm	430 mm	70 mm	8 kg	182 kg	10kg	2010x430x100mm



## **NAJO®** Backboards

- Ì Lightweight, one-piece, high-density, polyethylene plastic construction with polyurethane foam fill
- Ì Impervious to bodily fluids and bloodborne pathogens
- Ì X-raytranslucent
- Ì All boards are easy to decontaminate
- Ì Buoyant for floating a patient in water
- Ì All NAJO backboards have a limited lifetime warranty under normal use
- Ì Length may vary +/- 38 mm (1.5 in.) due to shrinking of the material in the manufacturing process



#### NAJO® RediHold®

Ì Two hand holds at tapered end provide stable transport

- $\tilde{l}$  Head area is smooth to ensure all head immobilization devices adhere to the board
- Ì Angled edges for log-rolling
- Ì Capable of floating 62 kg /136 lb

	Yellow	Orange	Green	Red
No Pin	#275101105	#275101108	#275101106	#275101104
10 Pin	#275101205	#275101208	#275101206	#275101204
18 Pin	#275101305	#275101308	n/a	#275101304



 $\epsilon$ 

 $\epsilon$ 

#### NAJO® RediWide®

 $\tilde{l}$  457 mm (18 in.) wide for rescuers who need "more backboard"  $\tilde{l}$  45 mm (1.75 in.) thick with angled edges for smooth log-rolls and painless patient placement

 $\hat{I}$  Rectangular shape allows patient placement in either direction  $\hat{I}$  Capable of floating 78 kg /172 lb

	Yellow	Orange	Green	Red
No Pin	#275301105	#275301108	#275301106	#275301104
10 Pin	#275301205	#275301208	#275301206	#275301204
18 Pin	#275301305	#275301308	n/a	#275301304



#### **SPECIFICATIONS**

01 -011 10/1110	,,,,						
	Length*	Width	Height	Weight	Load Limit	Shipping Weight	Shipping L,W,H
RediHold Imperial	72 in.	16 in.	1.75 in.	16 lb	600 lb	20 lb	73x18x2in.
RediHold Metric	1829 mm	406 mm	45 mm	7 kg	272 kg	9 kg	1854x457x51mm
RediWide Imperial	72 in.	18 in.	1.75 in.	16 lb	600 lb	20 lb	73x18x2in.
RediWide Metric	1829 mm	457 mm	45 mm	7 kg	272 kg	9 kg	1854x457x51mm

\*Length may vary +/- 38 mm (1.5 in.) due to shrinking of the material in the manufacturing process



#### **NAJO®** Lite Board

Ì Lightest NAJO series backboard

Ì Two handholds at the tapered end provide more stable transport

Ì Angled edges for log-rolling

 $\tilde{l}$  Central slot in the lower half of board for immobilizing a patient's legs independently

Ì Capable of floating 69 kg /154 lb

	Yellow	Orange	Green	Red
No Pin	#275201105	#275201108	#275201106	#275201104
10 Pin	#275201205	#275201208	#275201206	#275201204
18 Pin	#275201305	#275201308	#275201306	#275201304





 $\epsilon$ 

#### **NAJO**° Sports Board

Ì Specially designed for athletes

 $\tilde{I}$  Large size allows athletes to be immobilized with athletic equipment still on

Ì X-raytranslucent

Ì Capable of floating 163 kg / 360 lb

	Yellow	Orange	Green	Red	
No Pin	#275801105	#275801108	#275801106	#275801104	
10 Pin	#275801205	#275801208	#275801206	#275801204	
18 Pin	n/a	#275801308	#275801306	#275801304	



**SPECIFICATIONS** 

 $\epsilon$ 

	1 1   \psi	we dil	tta tala	Mariaha	Load Limit	Shipping Weight	Shipping
	Length*	Width	Height	Weight	LIIIIL	weight	L,W,H
Lite Board Imperial	72 in.	16 in.	1.75 in.	14.5 lb	450 lb	20 lb	73x18x2in.
Lite Board Metric	1829 mm	406 mm	45 mm	6.6 kg	204 kg	9 kg	1854x457x51mm
Sports Board Imperial	80 in.	20 in.	2.25 in.	27 lb	1000 lb	35 lb	83x23x3in.
Sports Board Metric	2029 mm	508 mm	57 mm	12 kg	454 kg	16 kg	2110x580x80mm

\*Length may vary +/-  $38\,\mathrm{mm}$  (1.5 in.) due to shrinking of the material in the manufacturing process





# **Scoop EXL<sup>™</sup> Stretcher**

Ferno's Scoop EXL™ Stretcher provides superior comfort and safety to patients who require spinal immobilization. The Scoop EXL eliminates the need for log-roll maneuvers, significantly decreasing movement of the cervical spine.

- Ì Uncouples at both ends of the stretcher to gently scoop up the patient, or uncouple only one end to use a scissor-type closing motion
- Ì Oval profile and angled handles provide ergonomic ease of use
- Ì Twin Safety Lock® mechanism provides smooth locking and unlocking
- Ì Head section is recessed for proper cervical alignment
- Ì Easy-to clean surface is impervious to fluids
- Ì X-raytranslucent
- Ì Folded length is 1194 mm (47 in.) for compact storage
- $\grave{\boldsymbol{I}}$  Available with or without pins



- Thermally-treated Polymer Construction does not get too hot or cold, keeping the patient more comfortable.
- Adjustable Length accommodates patients of multiple heights.
- **3** Narrow Foot-end Frame improves handling in confined areas.
- 4 Optional Speed-Clip Pins allow fast attachment or rearrangement of restraints.



	#00065EXLMB	#00065EXL7	#00065EXL	#00065EXLSPCLP #	#00065EXLPSPCLP
Restraint	Model 430	Model 430	Model 430-P	Model 436	Model 436
Color	Black	Black	Black	Black	Black
Buckle	Metal	Metal	Plastic	Metal	Plastic
Length	1524 mm	2134 mm	1524 mm	1524 mm	1524 mm
# Pieces	2	1	2	2	2
Speed-Clip	No	No	No	Yes	Yes

Model 561 Scoop™ Wall Bracket #0819876

#### **SPECIFICATIONS**

										7.5
	Length	Length	Length		Depth	Depth		Load	Shipping	Shipping
	Max	Min	Folded	Width	Open	Folded	Weight	Limit	Weight	L,W,H
Imperial	79 in.	65 in.	47 in.	17 in.	3 in.	3 in.	18 lb	350 lb	22 lb	67x18x3in.
Metric	2007 mm	1650 mm	1193 mm	432 mm	70 mm	80 mm	8 kg	159 kg	10 kg	1702x457x76mm




(

# Model 65 Scoop™ Stretcher

- Ì Uncouples at both ends of the stretcher to gently scoop up the patient, or uncouple only one end to use a scissor-type closing
- I Supports patient in the position found, reducing risk of further injury
- Ì Narrow foot-end frame improves handling in confined areas
- Ì Telescoping tubes provide adjustable length for patients of various
- Ì Folds for compact storage
- Ì Can be used with Model 385-C Storage/Carrying Case (#0311700)
- Ì Lightweight, easy to carry

Model 561 Scoop™ Wall Bracket	#0819876
Model 65 Scoop™ Mount Bracket	#0832259




Restraint	#0000452 Model 430	#0000451 Model 430	#0000450 Model 430	#0000449 Model 430-P	#0000448 Model 430-P	#0000447 Model 430-P	#0000325 Model 436
Color	Black	Black	Orange	Black	Orange	Black	Black
Buckle	Metal	Metal	Metal	Plastic	Plastic	Plastic	Plastic
Length	1524 mm	2134 mm	2134 mm	1524 mm	2134 mm	2134 mm	2134 mm
# Pieces	2	1	1	2	1	1	2
Speed-Clip	No	No	No	No	No	No	Yes

## **Model 60 Aluminum Backboards**

- Ì Sturdy sheet aluminum is permanently fastened to a tubular aluminum frame forming a lightweight backboard
- Ì Multiple restraint and handhold openings enable easy handling and various restraint configurations
- Ì Folds in half to store in a variety of ambulance compartments
- Ì Includes three nine-foot nylon patient restraints with quick-release metal buckles
- Ì Available with three full-width runners mounted permanently to the underside of the backboard for convenient handling grip
- Ì Additional restraint openings allow greater flexibility in restraint configurations for using cravats to immobilize the patient

Model 60 with restraints	#0106000
Model 60-2 with runners and restraints	#0106020
Model 60-4 with runners and restraints.	#0106040



#### **SPECIFICATIONS**

 $\epsilon$ Length Length Length Depth Depth Load Shipping Shipping Folded Max Min Folded Width Open Weight Limit Weight L,W,H 65 Imperial 79 in. 65 in. 47 in. 17 in. 3 in. 4 in. 16 lb 350 lb 26lb 67x18x3in. 65 Metric 2000 mm 1650 mm 1194 mm 432 mm 76 mm 102 mm 159 kg 12kg 1702x457x76mm 7 kg 60 Imperial 71.25 in. 36 in. 18 in. 1.5 in. 2.5 in. 17.5 lb 350 lb 22lb 38x21x4in. 60 Metric 1810 mm 914 mm 457 mm 38 mm 64 mm 8 kg 159 kg 10kg 965x533x102mm 60-2 Imperial 72.25 in. 36 in. 18 in. 2.25 in. 2.5 in. 14 lb 350 lb 22lb 38x21x4in. 60-2 Metric 1835 mm 914 mm 457 mm 57 mm 64 mm 6 kg 159 kg 10kg 965x533x102mm 60-4 Imperial 78 in. 39 in. 18 in. 2.25 in. 2.5 in. 15 lb 350 lb 23lb 46x19x4in. 60-4 Metric 1981 mm 991 mm 457 mm 57 mm 64 mm 159 kg 10kg 1168x483x102mm 7 kg

### **Model 430-P Restraints**

- $\tilde{l}$  One- or two-piece, restraint made of 51 mm (2 in.) polypropylene webbing
- $\hat{I}$  Side-release, snap-lock, plastic buckle tolerates aquatic situations without water damage
- Ì Squeezable outer prongs allow secure fastening and easy release

Two-Piece	Black	Orange		
1524 mm (5ft)	#0313797	#0313917		
2134 mm (7ft)	#0313801	#0313919		
One-Piece	Black	Orange		
2134 mm (7ft)	#0313894	#0314011		



(€

# Model 436 Swivel Speed-Clip Restraints

Ì Two-piece restraint made of 51 mm (2 in.) nylon-polyester webbing Ì Available with quick-release, automotive-type, coated metal buckle or with a side-release, snap-lock, plastic buckle

 $\hat{I}$  Swivel speed-clips for quick attachment to backboard with pins  $\hat{I}$  Backboard strap kits available with set of four restraints and bag

Ì Available in black only

Model 436i, 1524 mm, Metal Buckle	#0314122
Model 436i, 2134 mm, Metal Buckle	#0314123
Model 436i, 1524 mm, Plastic Buckle	#0314124
Model 436i, 2134 mm, Plastic Buckle	#0314125
Backboard Strap Kits	
Model 436, 1524 mm, Metal Buckle, Set of 4 with Bag	#0314118
Model 436, 2134 mm, Metal Buckle, Set of 4 with Bag	#0314119
Model 436, 1524 mm, Plastic Buckle, Set of 4 with Bag	#0314120
Model 436, 2134 mm, Plastic Buckle, Set of 4 with Bag	#0314121





# **Model 770 Fastrap™ Restraints**

 $\dot{I}$  Ten-point, six-strap system used to secure patients to backboards

Ì Color coded for fast and easy application

Ì Nylon with hook-and-loop closures

Ì Size adjustable from pediatric to adult

Ì Compatible with the Millennia™ Backboard, NAJO® Backboard series, 65 Scoop™ and Scoop EXL™Stretchers

Model 770 Fastrap.....

#0313916





 $\epsilon$ 



### Model 445 Universal Head Immobilizer

- Ì Composed of two plastic-coated, closed-cell foam head supports, one universal attachment base and two durable head straps
- Ì Head supports can be used on standard backboards, or turned around for use on the Scoop™Stretcher
- Ì Head strap is designed to conform to the patient's forehead
- Ì Large side openings for monitoring the patient's ear canal
- Ì Minimal interference with X-ray, MRI, or CT scan procedures
- $\tilde{I}$  Waterproof coating makes it easy to clean and prevents bacterial growth within components
- Ì Will not absorb blood or bodily fluids and is easy tosanitize
- Ì Compatible with Scoop™ stretchers and Ferno backboards (except NAJO® Sports Board)
- Ì Meets FMVSS 302 flammability rating

Model 445 Universal Head Immobilizer

#0313855



 $\epsilon$ 

#### CHI - Combi HeadImmobilizer

- Ì Uniquely designed base-pad and strapping system provide optimum fitting onall backboards and Scoop™ stretchers
- Ì Fully infection control compliant, using antimicrobial Velcro and PU molded head blocks that contain antibacterial additives throughout
- $\tilde{I}$  Accidental surface damage to head blocks does not affect integrity of product and can still be reused, unlike dipped or disposable head blocks
- $\tilde{I}\,$  Compact in design and can be stored while on a backboard or separately in a cabinet
- Ì Modular design allows replacement of individual parts
- Ì X-ray translucent and MRI compatible
- Ì Easy to apply

CHI - Combi Head Immobilizer

...#031271300





CE

# Model 365-E Head Immobilizer

Ì The Ferno® Head Immobilizer 365-E provides all the great features of the Universal Head Immobilizer with a unique shape specifically designed to fit the Ferno® Scoop EXL™.

Model 365-E #0314044



 $\epsilon$ 



# Model 455 HeadHugger® Head Immobilizer

Ì Low-cost solution for effective head immobilization

Ì Heavy-duty, water-resistant corrugated plastic

Ì Independent support panels fold around the patient's head and are held in place with hook-and-loopfasteners

 $\grave{I}$  Does not interfere with CT scanners or MRIs

Ì Ideal for use in mass-casualty incidents

Ì Easy access to monitor blood loss or fluid drainage

 $\dot{I}$  Dual head supports can be molded to fit the contour of each patient

 $\grave{I}$  Single-use head immobilizers, sold in sets of 10  $\,$ 

Model 455 HeadHugger, Set of 10.....#0832092



 $\epsilon$ 

## Model 449 WizLoc® Cervical Collar

Ì The WizLoc® cervical collar fits 90% of all patients

 $\tilde{\boldsymbol{I}}$  Unique self-centering mandibular support allows custom fit to the patient

Ì Designed for use on patients 2 years old through adult

Ì On-patient sizing for greater accuracy

Ì Three-position occipital support with keyhole lockpin

Ì Can be decontaminated and reused up to 10 times

Ì High-visibility colors for safety and identification

Ì X-ray translucent and MRI compatible

Military WizLoc, sold individually. #0819759
WizLoc Cervical Collar, set of 3 #0822074



#### **KED® PRO**

- Ì Designed for extrication /extraction from confined spaces using rope-rescue techniques
- $\tilde{\boldsymbol{I}}$  Features metal buckles on leg straps and lateral straps for secure restraint
- Ì One-piece leg strap runs through the spine of the KED PRO and forms a continuous loop for connection to ropes and carabiners
- $\tilde{I}$  Two lower and one upper rear-carrying handle rated for vertical and confined space rescue
- Ì Handles help the operator manage the patient during extrication from a vehicle
- $\tilde{l}$  Split chest flap provides easy release of top strap to expose chest for examination or possible chest decompression
- Ì Wide head support flaps with shortening ability
- Ì Deceleration shoulder strap assists in proper positioning and prevents movement of the patient within the KED PRO in the event of vehicle deceleration

KED PRO		#0314063
KED Lifting	Bridle	#BRB-KED



#### Model 125 KED<sup>®</sup>

- $\tilde{I}$  Proven means of immobilizing and extricating patients from auto accidents or confined spaces
- Ì The wrap-around design provides vertical rigidity for maximum support when immobilizing the spine, neck, and head during extrication, minimizing the risk of further injury
- Ì X-raytranslucent
- Ì Heavy-duty, vinyl-coated nylon is durable and easy to clean
- Ì Case is enlarged to accommodate extrication collars
- Ì Built-in handles enable rescuers to get a firm grip on the patient and KED® as one unit
- I Adapts to a hip and pelvic splint by simple inversion
- Ì Adjustable fold-back sides permit easy access to patient's chest
- Ì Adapts for multiple patient sizes, including children and pregnant women

Model 125 KED.

#0313676



#### **KED® SLED**

- Ì Designed to enable a one-on-one retrieval of a patient in a KED-type device by allowing the patient to be easily dragged
- Ì Ideal for confined spaces
- Ì Constructed of durable plastic that the protects the patient and KED

KED SLED..

...Contact Ferno Australia



	Length	Length	Width	Width	Thickness	Thickness		Load	Shipping	Shipping
	Open	Rolled	Open	Rolled	Open	Rolled	Weight	Limit	Weight	L,W,H
KED Imperial	33 in.	35 in.	32 in.	11 in.	1 in.	6 in.	8 lb	500 lb	8 lb	34x10x5in.
KED Metric	830 mm	890 mm	800 mm	280 mm	30 mm	152 mm	3.5 kg	227 kg	4 kg	864x254x127mm
KED PRO Imp.	33 in.	33 in.	32 in.	10 in.	1 in.	8 in.	10 lb	550 lb		
KED PRO Met.	830 mm	840 mm	820 mm	245 mm	35 mm	200 mm	4.5 kg	250 kg		



# SPED - Spinal Protection Extrication Device

- Ì Low friction material provides easier application between patient and seat
- Ì Color-coded strapping system deploys from within so it does not disadvantage the user with loose straps and buckles
- Î Vacuum splint technology makes the device rigid and molds to the patient within seconds
- Ì Integral spinal stiffening ribs gives maximum support during procedures
- $\tilde{l}$  Integrated head immobilization helps reduce the risk of unnecessary extrication injury and further trauma
- Î Seven lifting handles provide more points of access for better lifting manueverability

Order from Ferno UK Tel: +44 (0) 1274851999 Website: www.ferno.co.uk



#### Ferno® XT

- Ì The Ferno XT is a revolutionary utility board designed for rapid extrication and spinal immobilization in confined-space areas and critical situations. It can accommodate a wide range of patients and clinical protocols, including pediatric, special needs, bariatric, and pregnantwomen.
- Ì Fast extrication: less than 20 seconds with simplified application procedure
- Ì Easy application with four high-visibility color-coded restraints and buckles, QHI Quick Head Immobilizer, and a smooth surface that slips behind the patient
- Ì Maximum safety with total patient spinal immobilization
- Ì Convenient extrication with four carrying handles
- Ì Lightweight composite fiber board
- Ì 100% x-ray translucent
- Ì Easy to decontaminate

Kit XT Complete





Kit XTComplete



QHI Quick Head Immobilizer

#### **SPECIFICATIONS**

SPECIFICATIONS									
	Length	Length	Width	Width			Load	Shipping	Shipping
	Open	Rolled	Open	Rolled	Thickness	Weight	Limit	Weight	L,W,H
SPED Imperial	39 in.	28 in.	26 in.	10 in.		6 lb	441 lb		
SPED Metric	1000 mm	700 mm	670 mm	250 mm		2.8kg	200 kg		
XT Imperial	33 in.		12 in.		.25 in.	4 lb	350 lb	9 lb	35x15x6in.
XT Metric	830 mm		300 mm		6 mm	2 kg	160 kg	4 kg	890x390x140 mm

C€

# Model 441, 443, 444 FernoTrac<sup>™</sup> Traction Splints

- Ì Provide in-line mechanical traction
- $\tilde{I}$  Relieves pain and reduces the possibility of further vascular and nerve damage
- Ì Simple, adjustable, wrap-around ankle hitch designed to allow medics to check pedal pulses
- Ì Low-profile ischial pad permits splint to be applied with minimum movement of the patient's leg
- $\tilde{I}$  Heel stand folds flat for storage and instantly locks into place for support of the injured leg

Model 444 Adult Traction Splint with case	#0822182
Model 443 Pediatric Traction Splint with case	#0822181
Model 441 Combination 443 plus 444 with case	#0822183
Model 441-1 Combination Carrying Case Only	#0314046





 $\epsilon$ 

(€

# **Model 663 Air Splint Kit**

- $\grave{I}$  Simultaneously splint and stop superficial bleeding
- Ì Inflates with simple air pressure
- Ì X-raytranslucent
- Ì Can be used on children by resizing half-leg or full-leg splints
- Ì Zippers allow quick application
- Ì Kit includes one each of the following splints: hand/wrist, half-arm, full-arm, foot/ankle, half leg, full-leg, and carry case

Air Splint Kit with carry case, set of 6 splints	#SP7645
Splints also available individually	
Hand-and-Wrist Splint	#SP7700
Half-Arm Splint	#SP7701
Full-Arm Splint	#SP7702
Foot-and-Ankle Splint	#SP7703
Half-Leg Splint	
Full-Leg Splint	#SP7705





	Length	Length		Height	Height		Shipping	Shipping
	Min	Max	Width	Min	Max	Weight	Weight	L,W,H
443 Imperial	31 in.	46 in.	8 in.	2 in.	8 in.	3 lb	8lb	40x12x5in.
443 Metric	790 mm	1170 mm	200 mm	50 mm	200 mm	1 kg	4kg 101	6x305x127mm
444 Imperial	35 in.	54 in.	9 in.	3 in.	9 in.	5 lb	8lb	40x12x5in.
444 Metric	890 mm	1370 mm	230 mm	80 mm	230 mm	2 kg	4kg 101	6x305x127mm



### Ferno® Frac-Care Kit

Ì Universal, durable, and versatile

- Ì Limb splints can be used as lefts or rights
- Ì X-ray translucent and MRI compatible

Ì Not recommended for femur fractures where traction is indicated

Ì Kit includes: adult arm splint, adult leg splint, arm/shoulder immobilizer, child arm splint, child leg splint, extrication collar with neck pad, and waterproof nylon carry case



#SP9606





# **Prosplints**®

Ì Universal design allows use on either left or right limbs

 $\grave{I}$  Made of Minicel  $\ensuremath{^{\$}}$  foam, a nonabsorbent material

Ì Blood and bodily fluids can be easily removed

Ì Conforms quickly to injured area

Ì Hook-and-loop fasteners make application quick and easy

Ì Unaffected by severe temperature and weather conditions

 $\grave{l}$  X-ray translucent and MRI compatible

Ì Kit includes: combo splint (hinged elbow), small leg splint, large leg splint, small arm splint, large arm splint, wrist/ forearm splint (adult) and carrying case

Prosplint® Complete kit, blue, with case	#SP3908
Splints also available individually	
Combo Splint (hinged elbow), blue	#SP3910
Large Leg Splint, blue	#SP3934



# Model 192 Full-Body Vacuum Mattress

Ì Conforms to any body shape to fully immobilize the patient

 $\tilde{I}$  Three patient restraints with buckles provide maximum patient security

 $\hat{I}$  Six carry handles allow the vacuum mattress to be used as a stretcher  $\hat{I}$  Includes removable, contoured pillow and compact vacuum pump

Model 192 Full Body Vacuum Mattress, Orange	#0374865
Carry Case	#0374878
Foot Pump	#0833181





(€

# **Germa EasyFix Vacuum Mattress**

The EasyFix Vacuum Mattress features a new body shape design to optimize the vacuum mattress capabilities. Folds easily and requires 20% less storage space than the Germa All-In-One Vacuum Mattresses. EasyFix's unique construction delivers improved immobilization of the upper back, neck and head by a reinforced base plate that covers all of the cervical spine. This together with the x-designed restraint system supports the patient and creates the most effective immobilization.

- Ì Reinforced base plate covers the head, neck and upper back for improved immobilization of the cervical spine
- Ì One-piece back support is X-ray translucent
- $\hat{I}$  New chamber technology allows for quick and easy preparation and ensures the granulate is evenly dispersed for optimal immobilization
- Ì 10 reinforced carry handles with ergonomic grip
- Ì Compliant to EN 1789 and 1865
- Ì Carry capacity of 250 kg (551lb)
- Ì Lightweight and fold easily for compact storage
- Ì Available as Ready2GoKit including: Full body mattress + five-color-coded restraints + repair kit + aluminum vacuum foot pump + bag

EasyFix Vacuum Mattress 2080x1300/720x45 mm / 82x51/28x2 in. (8 kg / 18lb)	
Ready to Go Kit / EasyFIX	#271 501 001
Foot Pump	#0832181
Belt Set - 5 Colors (Fix Lock)	#144018 100 01





Foot Pump

 $\epsilon$ 



## Germa Transfer Mattress/ Safe Transfer Mattress

Germa Safe Transfer Mattresses have several additional features compared to a traditional stretcher mattress.

 $\tilde{l}$  Bottom has gliding surface for easy transfer of patient from the stretcher to a hospital bed

Ì Six carry handles per side to lift a patient onto the stretcher

Ì Carry capacity is 250 kg (551 lb)

Ì Evacuation mattress in cooperation with Step by Step equipment

Ì Germa Transfer Mattress compliant to European standard EN 1865

Ì Safe Transfer Mattress compliant to EN 1865 and EN 1789

Stretcher/Transfer Mattress 12	#271 008000
Stretcher/Transfer Mattress 16 2100x500x60 mm / 83x20x2 in. (5.8 kg / 13lb)	#271 022000
Safe Transfer Mattress 1900x500x60 mm / 75x20x2 in. (5.4 kg / 12lb)	#271 029 000
Quick-Release Belt Set	#23271000714
Velcro Belt Set	#23271000713





 $\epsilon$ 

## **Germa Easy Comfort Mattress**

Easy Transfer Mattress is developed in cooperation with our customers while focusing on ergonomics, patient safety and comfort, together with additional values of patient handling. Easy Transfer Mattress has been tested together with trauma teams for secure efficient handling plus quick and easy transfer of patients and heavy patients.

Ì Easy to adjust safety belts

- Ì Extra comfort 62 mm V-foam supports patient's body weight and delivers a safe and comfortable feeling
- $\tilde{I}$  Easy to lift, carry or slide patient just on the mattress with 10 strong handles
- Ì The head section lowers for upper airway management
- Ì Designed to fit on top of Mondial stretchers
- Ì PVC- Polyester fibre flame retardant
- $\tilde{l}$  Hygienic full welded vinyl is easy to clean with mostcommon disinfectants
- $\tilde{I}$  Sliding material under the mattress, easy to slide patient over to a hospital bed
- Ì Fits together with Germa Step by Step Carry Kit
- Ì Length: 1850x500x60 mm (73x20x2 in.), Weight: 5 kg (11lb)
- Ì Carry capacity is 250 kg (551 lb)
- Ì Compliant to EN 1865 and EN 1789

Germa Easy Comfort Mattress #21271030000





 $\epsilon$ 



## Model AS190 Vacuum Splint Extremity Kit

Ì Ideal for dislocated shoulders, suspected fractures of arms, legs, and joints, or infant immobilization

I Kit includes three splints (small, medium, and large), compact
vacuum pump, repair kit and carrying case

Nodel AS190 Complete Extremity Kit, orange	#0374861
plints also available individually	
Nodel AS100 Short arm (small) Orange	#0374862
Nodel AS120 Long arm (medium) Orange	#0374863
Nodel AS140 Leg (large) Orange	#0374864
eplacement Vacuum Pump	#0831965
arry Case Only, for Model 190	#0382916



 $\epsilon$ 

## Germa EasyFix Vacuum Splints

The Germa EasyFix Vacuum Splints are intended to stabilize injured patients during transport. They are suited for patients with hand, wrist, arm, leg, shoulder and/or hip injuries. The splint molds around the individual fracture giving an optimal and comfortable support.

- Ì Quick and easy to use with unique inner bag with channel system, ensuring granulates are evenly dispersed
- Ì PVC coated fabric with robust weldings is easy to clean and disinfect
- $\tilde{I}$  Velcro® is sewn onto a piece of PVC coated fabric to reinforce the strength of the Velcrostraps
- Ì Full leg splint is provided with additional Velcro® straps to ensure one size fits all
- Ì Full leg splint can be used as a vacuum mattress for infants and children using the additional Velcro® strap

Full Leg Splint	#272 101 000
Leg Splint	#272 102 000
Arm Splint	#272 103 000
Splint Set I: Arm, Leg, Pump, Bag and Repair Kit	#272 104 000
Splint Set II: Arm, Leg, Full Leg, Pump, Bag, Repair Kit	#272 105 000
Vacuum Pump	#272 000 701



 $\epsilon$ 

## **Padded Board Splints**

Ì Complete set of six heavy-duty padded-board splints, two of each size: 381, 914, and 1372 mm (15, 36 and 54 in.)

Ì Manufactured of plywood covered with foam padding

 $\grave{I}$  Vinyl covering is sealed for easy cleaning and disinfecting

Ì Carry bag included

Padded Board Splint Set #SP1872



## SAM® Splints

## (Structural Aluminum Malleable)

- Ì Made of thin strips of soft aluminum and closed-cell foam material
- Ì When folded into a "structural bend" the splint becomes quite rigid and easily supports the leg, forearm, or humerus
- Ì Coating does not stain and is reusable with proper cleaning
- Ì Suitable for splinting legs, arms, wrists, fingers, ankles
- Ì Perfect for infants to adults
- Ì X-raytranslucent
- Ì Can be cut with a pair of trauma shears
- Ì Light and small enough to pack in first aid kit or take on field trips
- Ì Available sizes: Rolled in 914 mm x 108 mm / 36 in. x 41/4 in.

Flat 457 mm x 108 mm / 18 in. x 4¼ in.

Flat 229 mm x 108 mm / 9 in. x 4¼ in.

914 mm (36 in.), Rolled, Orange/Blue	#SP1121
914 mm (36 in.), Rolled, Blue/Gray	#SP1122
457 mm (18 in.), Flat, Orange/Blue	#SP1410
229 mm (9 in.), Flat, Orange/Blue, set of 10	#SP1005
Finger Splint, Orange/Blue, 30 sets of 10 per box	#SP1213







 $\epsilon$ 

## SAM® Pelvic Sling™ II

The SAM® Pelvic Sling™ II is for stabilization of pelvic fractures with the correct force. Its new one-piece design is easy to use in just three basic steps. It is still the only force-controlled circumferential pelvic belt scientifically proven in peer-reviewed studies to safely and effectively reduce and stabilize open-book pelvic ring fractures.

Sam Sling Small (686-1194 mm / 27-47 in.)	#0832063
Sam Sling Standard (813-1270 mm / 32-50 in.)	#0832062
Sam Sling Large (914-1524 mm / 36-60 in.)	#0832061



CE

## Ferno® Finger Splint Kit

- Ì Contains a variety of the most commonly used splints
- Ì Manufactured from soft aluminum which makes them X-ray translucent and ensures ease of application
- $\grave{I}$  Splints are malleable and can easily be formed to fit each patient
- $\tilde{l}$  Kit contains five different splints in a variety of sizes for a total of 25 splints

Finger Splint Kit, set of 25 #SP9701



C€

## **Model 672 CPR Board**

- Ì Provides a firm surface for CPR training and CPR administration
- Ì Helps to properly position a patient to ensure a constant, open airway
- Ì Head cup maintains proper alignment of patient's head
- Ì Contoured sides make lifting the patient easier
- Ì Measures 591x437 mm (231/x171/4 in.) and 2 kg (41/2 lb)

CPR Board #0831820



(€



## **Model 678 Pedi-Mate®**

- $\check{I}$  Designed to adapt an ambulance cot to securely hold a child from 4.5 to 18.1 kg (10 to 40lb)
- Ì Uses three restraint straps that attach to most Ferno cots
- Ì Fully-adjustable, five-point harness system fits children firmly, and provides safe restraint during transport
- Ì Rolls up compactly for efficient storage and retrieval
- Ì Made from nontoxic, easy-to-clean vinyl

#### Neo-Mate®

Ì Designed for infants weighing 3.2-6.4 kg (7-14lb)

 Model 678 Pedi-Mate
 #0313778

 Neo-Mate
 #0314116



Neo-Mate





 $\epsilon$ 

## **Baby Pod II**

The Baby Pod II is designed to safely transport infant patients to or from a medical facility, between facilities, or between departments within a single medical facility. The Baby Pod II is made from a lightweight carbon fiber outer shell, lined with a shock-absorbent foam inner layer, and transparent shields for viewing the infant. The Baby Pod II contains a patient-positioning vacuum mattress, stretcher fixing straps to secure the device for transport, and safety straps to secure the infant inside the device. Mattress pump is included.

Baby Pod II #0063119





				Length	Width	Height		Load
	Length	Width	Height	Folded	Folded	Folded	Weight	Capacity
678 Imperial	31.25 in.	19 in.		19 in.	4½ in.		2.4 lb	10-40lb
678 Metric	794 mm	483 mm		483 mm	114 mm		1 kg	4.5-18.1 kg
Baby Pod Imper.	39 in.	17 in.	12 in.				21 lb	4.4-17.6 lb
Baby Pod Metric	1000 mm	430 mm	300 mm				9.5 kg	2-8kg



## MEDkids® Pediatric System

Maintain cervical neutral alignment in neonates, infants and children with the self-contained Pneumatic Positioning Device (PPD). Accommodates the wide range of thoracic-elevation requirements without extra padding. Features a palm-style pump with an airrelease valve for precise inflation and deflation. Offers versatile strap configurations with its adjustable three-point harness system. Made of durable Dupont® Cordura®. The MEDkids® Baby Board and Pedi-Sleeve are X-ray translucent.

#### Model 676 MEDkids® Baby Board

- Ì The MEDkids® Baby Board is designed to maintain cervical neutral alignment for pre-term neonates and larger infants rangingfrom 0.9 to 6.4 kg (2 to 15lb)
- $\tilde{I}$  Crescent-shaped head blocks secure cervical spine in infants too small for standard size cervical collars
- $\grave{I}$  Versatile strap configurations with adjustable three-point harness
- Ì Unique design accommodates all central lines, umbilical lines, chest tubes, urinary catheters and other invasive and non-invasive equipment
- $\tilde{I}$  Compatible with most EMS cots and isolettes to provide safe and secure transport

Model 676 MEDkids Baby Board...

#0313922

#### Model 677 MEDkids® Pedi-Sleeve

- Ì The MEDkids® Pedi-Sleeve is designed to fit over standard adult backboards and provide cervical neutral alignment for infants and children ranging from 5 to 27 kg (12 to 60 lb)
- Ì Crescent shaped compressible head blocks allow access and visual monitoring of the ears while maintaining immobilization
- Ì Versatile strap configurations with the adjustable three-point harness
- Ì Rolls into self-contained carrying case to store in ambulance compartments, drawers, or under bench seats

Model 677 MEDkids Pedi-Sleeve

#0313923



 $\epsilon$ 

(€

## Model 78 Pedi-Pac®

- Î Designed for spinal immobilization of children from 711-1372 mm (28-54 in.) tall, weighing 9-41 kg (20-90 lb)
- Ì Built-in fastening loops connect to existing cot straps forsafety during transport.
- $\hat{I}$  Individual leg restraints allow one leg to be immobilized while EMT attends to other leg
- Ì Adjustable head support with ear openings for monitoring fluid drainage
- Ì Sewn-in lifting handles at both ends for easy handling in confined areas
- Ì Replaceable color-coded straps provide fast, easy identification
- $\grave{l}$  Unit comes complete with head and  $chin\ straps$  and  $carrying\ case$

Model 78 Pedi-Pac #03130



#### **SPECIFICATIONS**

Load Shipping Shipping Capacity Length Width Height Weight Weight L,W, 23 in. 11 in. 1 in. 6 lb 2-15 lb 8 lb 24x12x10in. 676 Imperial 676 Metric 580 mm 280 mm 30 mm 2.5 kg 0.9-6.4 kg 4 kg 610x300x250mm 677 Imperial 40 in. 20 in. 1 in. 3 lb 12-60 lb 5 lb 24x12x10in. 677 Metric 1010 mm 500 mm 25 mm 1.5 kg 5-27 kg 610x300x250mm 2 kg 78 Imperial 48 in. 7lb 90 lb 10 lb 49x10x4in. 9 in. 1 in. 78 Metric 1220 mm 230 mm 30 mm 1245x254x102mm 3 kg 41 kg



## Model 35-IT Incubator Transporter

Ì Incubator transporter based on the Model 35A Cot

Ì Safely secures in Model 175 Cot Fastening System

Ì Make and model of incubator required for quotes and ordering

Ì No fold-down load frame feature

Order from Ferno Aviation Tel: 770-521-1005

Website: www.fernoaviation.com

#### Model 35-ITA IncubatorTransporter - Draeger

Ì Based on the Model 35A Cot

Ì Fold-down drop frame, made specifically for Draeger incubators

Ì Safely secures in Model 175 Cot Fastener

Model 35-ITA #0063091





## Model 93-IT Incubator Transporter

 $\grave{I}$  Incubator transporter based on the Model 93-ES Cot

Ì Safely secures in the Model 175 Cot Fastening System

Ì Make and model of incubator required for quotes and ordering

Order from Ferno Aviation Tel: 770-521-1005

Website: www.fernoaviation.com





## **Model 28A-IT Incubator Transporter**

Ì Roll-in technology reduces lifting and bending by EMTs

Ì Safely secures in the Model 173 Cot Fastening System

Ì Compatible with BK117, BO105, EC135, and EC145 Helicopters

Ì Make and model of incubator required for quotes and ordering

#### Model 28-1-IT Incubator Transporter

Ì Based on the Model 28Z Cot

Ì Roll-in technology reduces lifting and bending by EMTs

Ì Make and model of incubator required for quotes and ordering

Order from Ferno Aviation Tel: 770-521-1005

Website: www.fernoaviation.com





0 0										
	Height Min	Height Max	Height Folded	Length	Width	Weight	Loading Height	Load Limit	Shipping Weight	g Shipping L,W,H
35-IT Imperial	9 in.	40 in.		79 in.	23 in.	70 lb	31 in.	500 lb	84lb	84x25x18in.
35-IT Metric	229 mm	1003 mm		2000 mm	584 mm	32 kg	787 mm	227 kg	38kg	2110x640x460mm
93-IT Imperial	18 in.	38 in.	9 in.	81 in.	21 in.	74 lb	33 in.	500 lb	941b	84x25x20in.
93-IT Metric	457 mm	965 mm	229 mm	2057 mm	533 mm	34 kg	838mm	227 kg	43 kg	2130x640x510mm
28A-IT Imperia	I	33 in.	8 in.	78 in.	24 in.	60 lb	26 in.	400 lb	87lb	80x25x13in.
28A-IT Metric		838 mm	204 mm	1980 mm	610 mm	27 kg	650 mm	181 kg	44 kg	2030x640x330mm



## **POWERFlexx®-IT Incubator Transporter**

 $\grave{l}$  Incubator transporter based on the POWERFlexx  $^{\!@}$  Cot

Ì 700 lb load capacity

Ì Available with fold-down load frame

Ì Safely secures in Model 175 Cot Fastening System

Ì Make and model of incubator required for quotes and ordering

Order from Ferno Aviation

Tel: 770-521-1005

Website: www.fernoaviation.com



## **ITC Incubator Transport Interface**

ITC Incubator Transport Interface is specifically designed to carry transport incubators.

- Ì Lightweight, high-quality aluminum frame construction
- Ì Four handles provide ergonomic ease of use
- Ì Easy installation onto the cot with six fastener blocks (standard on all units)
- Ì Four fastener points for interfacing with the incubator
- Ì Complete flexibility and interchangeability
- Ì Compatible with Cot Models 26S, 26P, 35A, 35P, 5126, 5126EL, Model 147 Cot Airshields
- Ì Tested in compliance with EN 1789

Order from Ferno Italia Tel: +39 051 6860028

Website: www.ferno.it





## **ITU - Incubator Transporter Unit**

Speed and safety are of paramount importance when incubators need to be transported between hospitals. This specially-designed, highly-maneuverable ITU is fully compatible with Ferno Lock+Load to accomplish the task quickly and easily.

Ì Lightweight for ultimate maneuverability

Ì Single push/pull handles at each end

Ì Compatible two-part mechanical lock supplied with floor fixings

Ì Designed to carry major incubator units

Order from Ferno UK Tel: +44 (0) 1274851999

Website: www.ferno.co.uk



JI ECH ICATION	,					
	Height	Length	Width	Width Handles Ext.	Weight	Load Limit
ITC Imperial	5 in.	47 in.	24 in.	40.5 in.	22 lb	176lb
ITC Metric	135 mm	1200 mm	620 mm	1030 mm	10 kg	80 kg
ITU Imperial	24 in.	72 in.	21 in.		106 lb	309lb
ITU Metric	615 mm	1830 mm	545 mm		48 kg	140 kg



## Ferno® Trauma Bags

- Ì Constructed of durable DuPont® Cordura® with dual-density Plastazote® structural foam and YKK®Zippers
- Ì Includes removable stiffeners and inserts for custom configuration
- Ì Replaceable bottom protects the bag from wet ground
- Ì Limited lifetime warranty



#### Ferno® Model 5103 Trauma Responder II Bag

Ì Enhanced outside pocket with elastic loops and pouch

Ì Full-opening top compartment

Ì Elastic loops, dividers and interior pouch

 $\grave{\boldsymbol{I}}$  Molded feet on bottom for extra protection

Ì Available in red or blue

Ì Dimensions (L, W, H) 432x229x394 mm (17x9x15.5 in.)

#### Ferno® Model 5103, Trauma Responder IIBag

Red	#0819775
Blue	#0819776





#### Ferno® Model 5107 Professional Trauma Bag

Ì Nonslip shoulder strap

Ì Elastic pouches in front pocket keeps supplies organized

Ì External easy-access top pocket

Ì Tuck-away backpack harness system

Ì Compatible with Ferno Mini-Bags

Ì Available in orange, red, and blue

Ì Dimensions (L, W, H) 559x305x381 mm (22x12x15 in.)

#### Ferno® Model 5107 Professional TraumaBag

Orange	#0819786
Red	#0819787
Blue	#0819788



#### Ferno® Model 5108 Professional ALS Bag

Ì Same design as 5107 bag with the addition of 4 Mini-Bags:

Ì One Medication Mini-Bag 5114

Ì One Intubation Mini-Bag 5115

Ì Two Intravenous Mini-Bag 5116

Ì Available in orange, red, and blue

Ì Dimensions (L, W, H) 559x305x381 mm (22x12x15 in.)

#### Ferno® Model 5108 Professional ALS Bag

Orange	#0819789
Red	#0819790
Blue	#0819791





#### Ferno® Model 5113 First-In Trauma Bag

Ì Enhanced front pocket with elastic loops

Ì External pocket on lid

Ì Compatible with Ferno Mini-Bags

Ì Available in orange, red, and blue

Ì Dimensions (L, W, H) 381x292x368 mm (15x11.5x14.5 in.)

Ferno® Model 5113 First In TraumaBag

Orange	#0819808
Red	#0819809
Blue	#0819810





#### Ferno® Model 5150 Rucksack with Airway Roll

Ì Handles fold away into pocket

Ì Reflexite® high-visibility strips/reflective webbing

Ì Tuck-away backpack harness system

Ì Five different-sized clear plastic pouches

Ì Rucksack available in green only

Ì Airway Roll available in orange only

Ì Rucksack Dimensions (L, W, H): 508x356x203 mm (20x14x8 in.)

Ì Airway Roll Dimensions (L,W): 495 x 864 mm (19.5x34in.)

Model 5150, Rucksack Bag Only	#0819859
Model 5151, Airway Roll Only, Orange	#0819860
Model 5150 with Model 5151	#0005150



#### Ferno® Model 5148 Luno Bag

Ì Reflective strips and webbing

Ì Available in orange only

Ì Dimensions (L, W, H): 406x267x203 mm (16x10.5x8 in.)

Model 5148 Luno Bag, Orange......#0819857



#### Ferno® Model 5149 Luno Bag

Ì Similar to 5148 Luno Bag with added storage compartments on ends

 $\grave{I}$  Various storage options for small items on lid

Ì Double handles and detachable shoulder strap

Ì Large side pockets

Ì Removable padded dividers

Ì Available in orange only

Ì Dimensions (L, W, H): 533x279x203 mm (21x11x8 in.)

Model 5149 Luno Bag, Orange #0819858



## Ferno® Airway Bags

- Ì Constructed of durable DuPont® Cordura® with dual-density Plastazote® structural foam and YKK®Zippers
- Ì Includes removable stiffeners and inserts for custom configuration
- Ì Replaceable bottom protects the bag from wet ground
- Ì Limited lifetime warranty



#### **Emergency Respiratory Care Backpack(ERC)**

- Ì Quick-access flap to oxygen regulator
- Ì Hands-free operation with convenient backpack straps
- Ì Carry the ERC like a duffle bag with an extrastrap
- Ì Reflective strips for better night visibility
- $\grave{I}$  Five custom hook-and-loop labels to designate compartments
- Ì Holds "Jumbo D" cylinder or Spiracle® "DD"-Lite carbon fiber cylinder

#0819634

- Ì Available ingreen only
- Ì Dimensions (L, W, H): 572x305x241 mm (22.5x12x9.5 in.)

ERC Backpack, Green



## Ferno® Model 5110Trauma/Airway Management Bag II

Ì Tuck-away backpack harness system

Ì Access oxygen through end pocket or from main compartment

Ì Adjustable storage in main compartment

Ì Compatible with Ferno Mini-Bags

Ì Available in red, blue, and green

Ì Dimensions (L, W, H): 584x305x381 mm (23x12x12.5 in.)

Ferno® Model 5110, Trauma/Air Management Bag II

Red	#0819797
Blue	#0819798
Green	#0819799
Replaceable Bottoms	#0819865



## Ferno® Model 5111Trauma/Airway Management Bag III

Ì Removable back pocket for WizLoc™ or cervical collars

Ì Oxygen access through end pocket or from main compartment

Ì Front pocket includes pouch and elastic loops for organizing supplies

Ì Carries "D" and "Jumbo D" size cylinders

Ì Compatible with Ferno Mini-Bags

Ì Available in orange, red, blue, and green

Ì Dimensions (L, W, H): 635x381x318 mm (25x15x12.5 in.)

Ferno® Model 5111, Trauma/Airway Management BagIII

Orange	#0819800
Red	#0819801
Blue	#0819802
Green	#0819803
Replaceable Bottoms	#0819864





## Ferno® Model 5100 Airway Management / Oxygen Bag

Ì Oxygen access through outside pocket

Ì "D" and "Jumbo D" compatible

 $\dot{I}$  Outside pocket organized with pouch and elastic loops

Ì Includes two 5137 utility pouches, one 5131 pouch, and O2 bag with handle as shown

Ì Tuck-away backpack harness system

Ì Compatible with Ferno Mini-Bags

 $\grave{l}$  Available in orange, red, and blue

Ì Dimensions (L, W, H): 584x241x330 mm (23x9.5x13 in.)

#### Ferno® Model 5100, Airway Management/Oxygen Bag

Orange	#0819768
Red	#0819769
Blue	#0819770



#### Ferno® Model 5120 Oxygen Carry Bag

Ì Single-piece design carries a "D" size cylinder

Ì Square aluminum frame prevents it from rolling to one side

Ì Padded for protection

Ì Double-zip opening for easy access to regulator

Ì Integrated hooks allow it to hang from cot

Ì Available in orange, red, blue, and green

Ì Dimensions (L, W, H): 559x159x229 mm (22x6.25x9 in.)

#### Ferno® Model 5120, Oxygen Carry Bag

Orange	#0819825
Red	#0819826
Blue	#0819827
Green	#0819828



#### Ferno® Model 5121 Oxygen Carry Bag

Ì Same features as 5120

Ì Carries an "E" size cylinder

Ì Available in red and blue

Ì Dimensions (L, W, H): 851x114x229 mm (33.5x4.5x9 in.)

#### Ferno® Model 5121, Oxygen Carry Bag

Red	 0819830
Blue	<del>1</del> 0819831



#### Ferno® Model 5122 Oxygen Carry Bag

Ì Same features as 5120

Ì Carries a "Jumbo D" size cylinder

Ì Available in blue only

Ì Dimensions (L, W, H): 851x114x229 mm (33.5x4.5x9 in.)

Ferno® Model 5121, Oxygen Carry Bag, Blue #0819835





#### Ferno® Model 5115 Intubation Mini-Bag

Ì Displays airway supplies for ease of use

Ì Removable internal pouch for miscellaneous supplies

Ì Removable card for additional storage

Ì Available in orange, red and blue

Ì Dimensions (L, W, H): 330x76x241 mm (13x3x9.5 in.)

Model 5115, Orange	#0819814
Model 5115, Red	#0819815
Model 5115, Blue	#0819816





#### Ferno® Model 5116 Intravenous Mini-Bag

Ì Provides organization for IV supplies

Ì Billow pocket for small sharps container

Ì Easily stores away in larger kits

Ì Available in red and blue

Ì Dimensions (L,W,H): 229x114x279 mm (9x4.5x11 in.)

Model 5116, Red	#0819818
Model 5116 Blue	#0819819





#### Ferno® Model 5117Trauma Mini-Bag

Ì Organizes trauma supplies with elastic loops and mesh pockets

Ì Durable mesh windows for easy identification of supplies

Ì Available in red or blue

Ì Dimensions (L, W, H): 343x76x241 mm (13.5x3x9.5 in.)

Model 5117, Red	#0819821
Model 5117, Blue	#0819822





#### Ferno® Model 5130 Intubation Ultra Mini-Bag

Ì Holds a variety of emergency airway supplies and accessories

Ì Fits into any larger bag

Ì Available in blue only

Ì Dimensions (L, W, H): 292x140x51 mm (11.5x5.5x2 in.)

Model 5130, Blue #0819847



#### Ferno® Model 5114 Medication Mini-Bag

Ì A modernized approach to organizing drugs

Ì Compact design for easy storage in any kit

Ì Eight removable medication cards (four 5118 Ampoule Cards and four 5119 Vial Cards)

Ì Available in red and blue

Ì Dimensions (L,W,H): 229x90x216 mm (9x3.5x8.5 in.)

Model 5114, Red	#0819812
Model 5114, Blue	#0819813



#### Ferno® Model 5118 Ampoule Card /5119 Vial Card

Ì High-density foam

Ì Contained in special plastic cassette

Ì Organizes and protects ampoule medications

Ì Pre-cut foam for easy set up

Ì Used with model MB-5114 (shown above)

Ì Available in black only

 Model 5118, Ampoule Card, Black
 #0819823

 Model 5119, Vial Card, Black
 #0819824





## **Saver Bags**

Saver Bags are lightweight and provide exceptional value with avariety of features such as padded compartments for organizing supplies, large pockets for plenty of storage, heavy-duty zippers and straps, and Dupont® Cordura® nylon construction. They have a limited lifetime warranty.

#### Saver Model 2100 First Responder Bag

Dimensions (L, W, H): 483x279x203 mm (19x11x8in.)

Saver 2100 First Responder	Bag,	Red	#0819902
Saver 2100 First Responder	Bag,	Blue	#0819895





#### Saver Model 2102 Trauma Responder Bag II

Dimensions (L, W, H): 500x305x216 mm (19.5x12x8.5in.)

Saver 2102 Trauma Responder	Bag II	, Red	#0819903
Saver 2102 Trauma Responder	Bag II	, Blue	.#0819896





#### Saver Model 2103 Trauma Responder Bag III

Dimensions (L, W, H): 495x394x216 mm (19.5x15.5x8.5in.)

Saver 2103 Trauma Responder	Bag III, Red	#0819904
Saver 2103 Trauma Responder	Bag III, Blue	#0819897





#### Saver Model 2110 O<sub>2</sub> Trauma Kit

Dimensions (L, W, H): 673x406x254 mm (26.5x16x10in.)

Saver 2110 O2 Trauma Kit,	, Red	#0819905
Saver 2110 O2Trauma Kit,	Blue	#0819898







#### Saver Model 2120 O, Duffel Kit

Dimensions (L, W, H): 686x356x267 mm (27x14x10.5in.)

Saver 2120 O2 Duffel Kit, Red	#0819906
Saver 2120 O2 Duffel Kit, Blue	#0819899







#### Saver Model 2130 ALS Bag

Dimensions (L, W, H): 559x330x254 mm (22x13x10in.)

Saver 2130 ALS Bag	, Red	#0819907
Saver 2130 ALS Bag	Blue	#0819900







## Flambeau® Orange Medical Kits

Flambeau® Medical Kits are highly durable and provide a variety of compartments that are ideal for carrying awide range of medical supplies. These kits are made from a lightweight, heavy-duty copolymer material that is resistant to rust, dust, scratches, and most common chemicals.

Flambeau® 1702 Medical Box (not shown) #0831902 Dimensions (L, W, H): 419x222x191 mm (16.5x8.75x 7.5in.)

Dimensions (L, W, n): 419x222x191 mm (16.5x8.75x 7.5m.)

Flambeau® 1872 Medical Box #0831898

Dimensions (L, W, H): 448x260x 222 mm (17.625x10.25x 8.75 in.) Flambeau® 2072 Medical Box #083

Dimensions (L, W,H): 483x264x257 mm (19x10.375x10.125 in.)

Flambeau® 2272 Trauma Box #0831897

Dimensions (L, W, H): 495x292x 298 mm (19.5x11.5x11.75in.)



### Plano® 747-M Trauma Box

- Ì Features a drop-front panel, three trays that pull out like drawers or which can be accessed from the top like conventional boxes, and a deep box for larger items
- Ì Suited for use as either a drug or trauma kit
- $\mathring{I}$  Built to last with rugged handle, solid brass hardware, ABS latches and durable padlock eyes
- Ì Dimensions (L, W, H): 324x517x292 mm (12.75x20.375x11.5 in.)

Plano® 747-M Trauma Box.....#0831900



### **Saver First Aid Kits**

Saver First Aid Boxes are not a re-badged fishing or toolbox but a purpose-designed medical box for first aid use. Each box comes standard with a locking feature, making the kits tamper-proof if desired.

Each box has an over-center catch and a tongue and groove seal, which provides a tighter seal of the box, making them resistant to dust and water. Another unique feature is the set of removable dividers in the white trays, which allow you to customize each compartment. The trays also have agenerous depth for greater storage and a smooth surface for easy cleaning.

Saver First Aid Kit #FAF1672G

Dimensions (L,W,D): 320x185x140 mm (12.5x7.25x5.5in.)

Saver First Aid Kit

Dimensions (L,W,D): 420x220x185 mm (16.5x8.75x7.25in.)

Saver First Aid Kit #FAF1872G

#FAF1772G

Dimensions (L,W,D): 450x250x220 mm (17.75x10x8.75in.)







## Ferno® Compact First Aid Boxes

The Ferno 1272 and 1472 first aid boxes are compact, lightweight and ideal for hiking, travelling or driving as they provide simple storage of your first aid equipment in the car, caravan or in your backpack. The Ferno® Compact Kits feature a full-length hinge and snap-lock lid that ensures a tight and secure closure.

Compact First Aid Box.

#FAF1272G

Dimensions (L,W,D): 255x110x40 mm (10x4.375x1.5in.)

Compact First Aid Box.....

...#FAF1472G

Dimensions (L,W,D): 355x140x60 mm (14x5.5x2in.)



## **Pelican™ Equipment Cases**

Ì Approved for use on airlines and by the U.S. Military

- $\tilde{I}$  Atmospheric purge valve relieves pressure inside the case from altitude changes
- Ì O-ring gasket provides an airtight, watertight seal
- Ì Equipment and medical supplies stay safe, dry, and secure
- Ì Built with an open-cell core and solid-wall construction
- Ì Extra-thick wall construction makes case nearly crush-proof
- Ì Stainless steel pins secure handles, hinges, and latches
- Ì Metal-reinforced padlock protectors and double-throw latches
- Ì Available in three sizes: medium, large, and extra large
- Ì Each size is available with either Pick-N-Pluck™ foam or adjustable padded dividers
- $\tilde{I}$  Pick-N-Pluck  $^{\text{\tiny{M}}}$  foam allows you to customize your case for your specific needs
- Ì Cases are available in yellow and orange

Dimensions (L, W,H)

#### Large

Interior: 477x364x194 mm (18.75x14.375x7.625in.) Exterior: 524x429x207 mm (20.625x17x8.125 in.)

#### Extra Large

Interior: 550x425x200 mm (21.625x16.75x8in.) Exterior: 630x495x220 mm (25x19.5x9in.)

Pick-N-Pluck™ Foam Case, Extra Large, Yellow	#MB160004
Padded Dividers Case, Large, Yellow	#MB155404
Padded Dividers Case Extra Large Orange	#MR160400







## **ORO<sub>2</sub> Oxygen Regulators**

Ì Strong uni-constructed body

 $\grave{I}$  CGA 870 pin index connection

Ì 0-3,000 psig Gauge

Ì Fixed-orifice flow control with window-style flow reading

Ì Flow specifications range from 0-25 lpm

Ì Settings of ¼, ½,1, 2, 3, 4, 6, 8, 10, 15, and 25

İ Regulator provides a gas-regulated pressure of 57 psig at 2000 psi

Ì Flow accuracy of plus or minus 10% of reading

Ì "C" -ring clamp aids in retaining the tee-handle

Ì Five year warranty and a voucher for a free spare replacement gauge

Ì Available in CGA 870 and 540 configuration



#### Model 816-Aluminum Body, BrassComponent

 ${\rm ORO_2Oxygen}$  Regulator, 0-25 lpm, 12-position flow control with barbed outlet and two DISS outlets with safety check valves, low profile, booted gauge.

Model 816-Aluminum Body, Brass Component #0819740







#### Model 817-Aluminum Body, Brass Component

ORO<sub>2</sub>Oxygen Regulator, same as Model 816, except with international 0-4000 psi booted pressure gauge.

Model 817-Aluminum Body, Brass Component #081974:





#### Model 818-Aluminum Body, BrassComponent

ORO<sub>2</sub> Oxygen Regulator, 0-25 lpm, 12-position flow control with barbed outlet only, low profile, booted gauge.

Model 818-Aluminum Body, Brass Component #081974





#### Model 818D-Aluminum Body, Brass Component

ORO<sub>2</sub>Oxygen Regulator, same as Model 818, except with a12-position flow control with DISS outlet only.

Model 818D (not shown) Call for Specifications

#### Model 819-Aluminum Body, BrassComponent

 ${\rm ORO_2Oxygen}$  Regulator, same as model 818, except withinternational 0-4000 psi booted pressure gauge.

Model 819-Aluminum Body, Brass Component #0819744





#### Model 804-Aluminum Body, BrassComponent

 ${\rm ORO_2Oxygen}$  Regulator, CGA 540 DISS inlet for "H" and "M" size cylinders, one DISS 40 to 60 psi outlet with safety check valve UL listed 0-4000 psi pressure gauge with boot.

Model 804-Aluminum Body, Brass Component #0819567







## BRAVO<sub>2</sub> Brass Oxygen Regulators

Ì Strong uni-constructed body

Ì CGA 870 pin index connection

Ì 0-3,000 psig Gauge

Ì Fixed-orifice flow control with window-style flow reading

Ì Flow specifications range from 0-25 lpm

Ì Settings of ¼, ½,1, 2, 3, 4, 6, 8, 10, 15, and 25

Ì Regulator provides a gas regulated pressure of 57 psig at 2000psi

Ì Flow accuracy of plus or minus 10% of reading

Ì "C" -ring clamp aids in retaining the tee-handle

Ì Five year warranty and a voucher for a free spare replacement gauge

Ì Available in CGA 870 and 540 configuration\*

\*Minimum quantity required/special order



#### Model 830-Brass Oxygen Regulator

 ${\sf BRAVO}_2$  Oxygen Regulator, 0-25 lpm, 12-position flow control with barbed outlet and two DISS outlets with safety check valves, low profile, booted gauge.

Model 830 #0819965





#### Model 831-Brass Oxygen Regulator

BRAVO<sub>2</sub> Oxygen Regulator, same as Model 830, except with international 0-4000 psi booted pressure gauge.

Model 831 #0819746





#### Model 832-Brass Oxygen Regulator

BRAVO<sub>2</sub>Oxygen Regulator, 0-25 lpm, 12-position flow control with barbed outlet only, low profile, booted gauge.

Model 832 #0819966





#### Model 833-Brass Oxygen Regulator

 ${\rm BRAVO_2\,Oxygen}$  Regulator, same as Model 832, except with international 0-4000 psi booted pressure gauge.

Model 833 #0819748





## **ORO<sub>2</sub> Flow Control Valves**

- $\grave{I}$  12-position flow control settings ranging from the OFF position to  $\emph{4}$ , ½, 1, 2, 3, 4, 6, 8, 10, 15, and 25 lpm
- Ì Accuracy of plus or minus 10% to reading
- Ì The brass, nickel-plated DISS outlet allows precise connection using standard DISS or BARB connections
- Ì Accommodates nebulizers, humidifiers, or nipple/nut connectors ¼ and ½ lpm +/- 20%
- Ì All-metal construction

Model 900 ORO<sub>2</sub> with DISS Male Outlet and BARB Outlet..... Model 901 ORO, with BARB Outlet ...





 $\epsilon$ 

## O<sub>2</sub> E-Class Flowmeter

Ì Polycarbonate tube, nickel-plated brass

Ì Agion™ knob material, inhibits growth of odor-causing micro-bacteria

I Precise and adjustable needle valve assembly, for accurate flows

Ì Stainless steel ball float and clear scale provide easy to set flow.

E-Class Flowmeter	#T21EC15
E-Class Flowmeter w/ British Quick Connect	# T21EC15-B
E-Class Flowmeter w/ Ohio Diamond Quick Connect	#T21EC15-OD







British Quick Connect

Ohio Diamond Quick Connect

## Model 903 Micro-Manager Administrator™ (anodized aluminum)

Ì Constant flow device of 10 lpm for one to five patients simultaneously

Ì Check valves &threaded barbed fittings with flow-restriction orifices

Ì Attach to an oxygen regulator capable of delivering 40 to 90 psi

Ì Provides a 50 psi outlet to operate a demand valve resuscitator or gas-powered suction device

Micro-Manager with five 10 lpm Orifices	#R01000
Micro-Manager w/ five 6 lpm Orifices and 1829 mm Hose	#0RO1010
Donlaroment Deckares, Five DICC v Barb Inm fittings	

riepiacement i achagest i i e z i co x zar z ipini in	65
For 2 lpm, 5 per package	Call for Specifications
For 4 lpm, 5 per package	#RO6004
For 6 lpm, 5 per package	#RO6006
For 10 lpm, 5 per package	#RO6010
For 15 lpm, 5 per package	#RO6015



Oxygen Supply Hoses Sold Separately

 $\epsilon$ 

## Model 905 Mini-Manager Administrator<sup>™</sup> (aluminum alloy)

Ì Equipped with five flow-control valves

Ì Able to provide flow rates from 0-25 lpm for one to five patients

Ì Manifold with DISS Oxygen Inlets

Ì Comes in a soft carrying case and stores compactly

Ì 60 month warranty

Model 905 Mini-Manager O<sub>2</sub> Administrator™

#0819585



Oxygen Supply Hoses Sold Separately

 $\epsilon$ 

## Model 908 Multi-Manager Administrator™ (aluminum)

Ì Equipped with eight flow-control valves with standard DISS

Ì Able to provide flow rates from 0-25 lpm for one to 8 patients

Ì Manifold is mounted on a collapsible aluminum alloy tripod

Ì Can be connected with a second unit to treat up to 16 patients

İ Stores compactly and storage case available (Model RO9081)

Ì 60 month warranty

Model 908 Multi-Manager O<sub>2</sub> Administrator™



## **Disposable Cuff Mask**

Contoured, anatomically-shaped cushion allows gas-tight low-pressure seal. Hypo-allergenic materials. Little or no blow-by during oxygen administration. Available in infant, child, and adultsizes.

Single-Use Cuffed Mask Size 1, Infant	#RB131008
Single-Use Cuffed Mask Size 3, Child/Small Adult	#RB131004
Single-Use Cuffed Mask Size 5, Adult	#RB131005



#### Reusable Silicone Face Masks

Ì Contoured anatomically-shaped cushion

Ì Gas-tight low-pressure seal with hypo-allergenic materials

Ì Little or no blow-by during oxygen administration

Ì Available in pediatric and adult sizes

Reusable Face Mask, Size 0, Infant	#RB132080
Reusable Face Mask, Size 1, Infant	#RB1320081
Reusable Face Mask, Size 2, Infant/Child	#RB1325042
Reusable Face Mask, Size 3, Child	#RB1330043
Reusable Face Mask, Size 4, Adult	#RB1330054
Reusable Face Mask, Size 5, Adult	#RB1330055



 $\epsilon$ 

### **Model 302 OX-Series Inhalator Valve**

 $\tilde{l}$  Provides 100% source gas to a breathing patient with minimal respiratory effort

Ì Compact and lightweight design weighs only three ounces

Ì Used on spontaneously breathing patients for aquatic injuries, dive accidents, smoke inhalation and carbon monoxide poisoning

Model 302, Inhalator Valve with Three adapters	#0819656
Model 302-10, Inhalator, 1829 mm Hose and Adult Mask	#0819657
Model 302. Inhalator/Exhalation Valve Assembly	#RO5000



## **Model 301 HFOC™ Oxygen Conserver**

 $\tilde{I}$  High-flow oxygen conserver delivers 100% oxygen during resuscitation  $\tilde{I}$  Performs function regardless of resuscitator rate and bag stroke volume  $\tilde{I}$  Operates from any standard 50 psi gaseous oxygen source

Ì Has an integral back pressure relief diaphragm to relieve pressure greater than atmospheric

Ì Adapters to attach the HFOC™ to the most popular brands of bag valve resuscitators provided

Ì Comes with 1829 mm (6 ft) O2 supply hose

Model 301-10 for use w/ NPB PMR-II Adult Bag Resuscitators #0819628 Model 301, w/1829mm Hose for use w/22mm Bag Inlet Port.#0819738 Adapters

15 mm I.D. x 22 mm O.D. Adapter	Call for Specifications
23 mm I.D. x 28 mm O.D. Adapter	Call for Specifications
26 mm I.D. x 31 mm O.D. Adapter	Call for Specifications
Silicon Rubber Adapter (Use with RO3012	Adapter to Connect Bag/Mask
Resuscitators with 22 mm Male Inlets)	Call for Specifications



Three Adaptors Included



 $\epsilon$ 

#### **DVRx Demand Valve Resuscitator**

Ì Provides 100% oxygen through a mask, endotracheal tube, esophageal airway or tracheotomy tube to a breathing or nonbreathing patient

Ì Manual triggered flow: 40 LPM. Spontaneous breathing: 160 LPM

DVRx Demand Valve Resuscitator #T10560





## Single Patient Use BVM with **Medication and Monitoring Port**

Ì Transparent re-breathing valve assembly allows clear viewing of valve

- Ì Lightly-textured PVC bag for sure grip and comfort
- Ì Latexfree
- Ì 360° patient valve swivel connection
- Ì Adult size will easily collapse for compact storage
- Ì Comes complete with mask reservoir bag and O2 tubing
- Ì Bag Valve Mask Resuscitator can be used in conjunction with FERNO<sub>2</sub> HFOCModel 301 to achieve 100% oxygen delivery
- Ì 40 cm H<sub>2</sub>O pressure-relief valve standard on pediatric/infant models
- Ì Silicone hand strap included for optional steady grip
- Ì Medication and Monitoring Port on outlet side of BVM

Single Patient Use BVM, Adult	#T30533
Single Patient Use BVM, Child	#T30532
Single Patient Use BVM, Infant	#T30531





## Silicone Reusable BVM with Medication and Monitoring Port

Ì Silicone material provides excellent bag re-expansion

- Ì Superior feel of lung compliance helps reduce risk of over-inflation
- Ì Sized for adult, pediatric (5.5-55 lb.), and infant patient ventilation
- Ì Integrated intake/oxygen valve for ease of oxygen delivery
- Ì Easy to disassemble/assemble for efficient cleaning
- Ì See-through mask with unique multi-function mask cover
- Ì 40 cm H<sub>2</sub>O pressure-relief valve standard on pediatric/infant models
- I BVM's can be used in conjunction with FERNO2 HFOC Model 301 to achieve 100% oxygen delivery

Ì Comes complete with mask reservoir bag and O2 tubing

Adult Complete in Carton	#T30536
Child Complete in Carton	#T30535
Infant Complete in Carton	#T30534







 $\epsilon$ 

## **CPR Mask**

Ì Reusable mask used for mouth-to-mask ventilation

- Ì Ready to use right out of its rugged storage case
- Ì Latex-free

Ì Comes complete with filtered inlet valve, O2 inlet port and head strap





 $\epsilon$ 

## Oxygen Hoses

Green pressure oxygen hose with two female DISS fittings, (compatible with LSP Demand Valve, LSP Aspirator, LSP Minilator and others)

O2 Hose with Two Female Fittings, 1.8 m / 6 ft... O2 Hose with Two Female Fittings, 6 m / 20ft....

Green pressure oxygen hose with 1/8" male NPT and one female DISS fitting, (works with FERNO2 OX Inhalator FERNO2 HFOC, Elder Demand Valve and LSP Bag Refill Valve)

O2 Hose with one male and one female fitting, 1.8 m / 6 ft.....#RO2610



## **Aluminum Oxygen Cylinders**

- Ì Up to 40% lighter than steel
- Ì Absorb more impact energy
- $\tilde{l}$  Have greater resistance to damage from rough handling or accidental dropping
- Ì Contaminants can't be trapped on the smooth, rust-free interior surface of aluminum cylinders
- Î Folding built-in on/off lever eliminates need for wrench or handwheel Î Available in "C", "D", Jumbo "D", and "E"sizes

"C" Size Cylinder (248 liters)	#RO2500
"D" Size Cylinder (415 liters)	#RO2510
Jumbo "D" Size Cylinder (637 liters)	#RO2520
"E" Size Cylinder (682 liters)	#RO2530



# Model 205, 206, 210, 211 'DD'-Lite® & 'EE'-Lite® Carbon Fiber O<sub>2</sub> Bottles

Fully wrapped, carbon-fiber reinforced, aluminum-lined vessels manufactured with the highest-grade aerospace materials. Both products carry DOT regulatory certifications for design and qualification certifications. The 'DD'-Lite® and 'EE'-Lite® can be mounted to a Ferno 35A+, 93H, 35X, or 93-EX Squadmate™ cots and can also be mounted to the back of an EMS bicycle. The significant reduction in weight and greater capacity of these carbon-fiber vessels means you can carry more oxygen to remote locations, onboard helicopters, up flights of stairs, and in your ambulance.

	'DD'-Lite®	'EE'-Lite®
Service Pressure:	3000 psi (207 bar)	2216 psi (153 bar)
Volumetric Capacity:	200" (3.28 liters)	516" (8.46 liters)
Outer Diameter:	5.83" (137mm)	6.63" (168 mm)
Length:	13.5" (302 mm)	20.42" (519 mm)
Weight:	3.7 lb. (1.68kg)	7.3 lb. (3.31 kg)
Oxygen Content:	@3000 psi: 717 liters	@2216 psi: 1,377 liters
	@2000 psi: 533 liters	

#### 'DD' Lite Model 205 with

CGA 870 Post Valve and On/Off Toggle	#0819963
'DD' Lite Model 206 with CGA 540 Valve Outlet	#RO2060
'EE' Lite Model 210 with	
CGA 870 Post Valve and On/Off Toggle	#0819964
'EE' Lite Model 211 with CGA 540 Valve Outlet	#0819589





1.7kg 3.3kg

**Oxygen Vessel Comparisons Chart** 

	Steel "D"	Alum. "D"	Jumbo "D"	Alum. "E"	"DD"-Lite	"EE"Lite
Oxygen Contents (liters):	396	415	637	682	717	1377
Weight	10.3 lb (5 kg)	7.9 lb (3.6 kg)	8.6 lb (4 kg)	8.0 lb (3.6 kg)	3.7 lb (1.7 kg)	7.3 lb (3.3 kg)
Diameter	4.5 in. (114 mm)	4.37 in. (111 mm)	5.25 in. (133 mm)	4.37 in. (111 mm)	5.3 in. (135 mm)	6.6 in. (168 mm)
Length	20 in. (208 mm)	15.5 in. (394 mm)	7.5 in. (191 mm)	25.6 in. (650 mm)	13.5 in. (343 mm)	20.4 (518 mm)
Service Pressure (psi)	2015	2015	2216	2015	3000	2216



 $\epsilon$ 

## Model 521 Oxygen BottleHolder (Universal Bracket Base)

- Ì Designed for steel and aluminum cylinders including "D", "E" and Jumbo "D" sizes
- Ì Will not rust or corrode
- Ì Universal bracket base adapts to cylinder size
- Î Neck support bracket can slide up or down with common tools to secure cylinders
- Ì Bracket does not interfere with most oxygen regulator controls
- Ì Heavy-duty nylon strap and metal buckle keep cylinder in place
- Ì Bracket can be mounted vertically or horizontally

Model 521, Oxygen Bottle Holder #0822187



# Model 515 and 516 Cylinder Brackets (Floor-Mounted)

 $\grave{I}$  Securely hold either "D" or "E" size oxygen cylinders in place

Ì Floor-mounted base provides secure retention system

Ì Eliminates swaying, tipping, and rattling oxygen cylinders

Model 515, Cylinder Base, Single	#0815150
Model 516, Cylinder Base, Dual	#0815160



# Model 519 and 520 Bottle Base (Wall-Mounted)

Ì Securely hold either "D" or "E" size oxygen cylinders in place Ì Wall-mounted base provides secure retention system Ì Eliminates swaying, tipping, and rattling oxygen cylinders

Model 519, Bottle Base,	Single	#0815190
Model 520, Bottle Base.	Dual	#0815200



## Model 514 Oxy-Clip™

- Ì Designed to place the oxygen cylinder on the cot sidearm rather than underneath the cot or between the patient's legs
- Ì Securely holds either steel or aluminum "D" size cylinders
- $\hat{I}$  Spring-loaded latch enables the Oxy-Clip  $^m$  to instantly attach to the cot sidearm (19 mm / 0.75 in diameter)

Model 514, Oxy-Clip™ for Any Cot	(except Model	28)#0085500
Model 514-1, Oxy-Clip™ for Model	28	#0085520





## **Emergency Respiratory System**

- $\tilde{I}$  Provides resuscitation, gas-powered suction and oxygen therapy in a lightweight package
- Ì Configured using the ERC (Emergency Respiratory Case)
- Ì Made from 600 Denier Cordura
- Ì Can be carried like a backpack or like a bag
- Ì Shoulder straps and waist belt can be tucked away

#### System includes:

- Ì ERCCase
- $\tilde{I}$  Uni-Body brass regulator (0-25 lpm) with constant flow and two high-flow outlets
- Ì Demand valve with 1.8m/6 ft. hose
- Ì Single patient mask
- Ì Cuffed mask
- Ì Gas powered aspirator one "D" size aluminum oxygen cylinder (415 liters/02) or one "EE"-Lite carbon fiber oxygen vessel with a capacity of 1377 liters of oxygen

ERS with "EE"-Lite Carbon Fiber Tank Call for Specifications
ERC BackPack Only #0819634



#### **SAR BackPack Portable**

- Ì Designed for urban search and rescue and remote wilderness rescue Ì Has a technical frame back panel, two internal 6063 aluminum stays, contoured shoulder straps, side compression and load lifting straps
- Ì Built for proper distribution of the load
- Ì Integrated nylon rain cover with storage pocket
- Ì Large volume main compartment holds "D", Jumbo "D", or "DD-Lite" cylinder
- Ì First aid cross is reflective for nighttime visibility
- Ì Padded and breathable mesh shoulder straps w/ hydration tube clip

SAR BackPack Only #0819755

#### Complete SAR BackPack Portable Kit

 $\tilde{l}$  "DD-Lite" carbon fiber oxygen vessel with BRAVO2 oxygen regulator  $\tilde{l}$  SAR BackPack Portable Case

Complete SAR Portable Kit...

#RK3010

#### Deluxe SAR BackPack Portable Kit

Ì Complete SAR BackPack Portable Kit

Ì OX-series Inhalator with oxygen hose

Ì Adult size Spiracle/MEDS PPV mask

Deluxe SAR Portable Kit

.....#RK3020





## **Seahorse Portable Airway Kit**

- $\tilde{I}$  For emergency respiratory care in pre-hospital, marine and industrial settings
- Ì Designed to withstand the harshest of environments with a hard shell Pelican™ case and watertight seal

#### Kit Includes:

- $\grave{I}$  "DD-Lite" carbon fiber oxygen vessel
- Ì OX Series Inhalator Valve with O2 supply hose
- Ì BRAVO2 Brass Oxygen Regulator
- Ì Yellow Pelican™ case with custom die cut, closed-cell foam insert, purge valve and collapsible handle

Seahorse Portable Airway Kit Complete #SPAK702



## **Model 425 Intubation Kit**

Ì Carrying case

Ì Miller 1, 2, and 4 fiber-optic blades & Mac 2 and 3a fiber-optic blades

Ì Handle

Ì Blades and handle are ISO Green System compatible

Ì Spare bulb (size "C" batteries not included)

Kit Model 425 #0819593

Carrying Case Only Call for Specifications



## Individual Laryngoscope Blades & Handles

Ì Stainless steel (SS) fiber-optic blades

Ì Blades autoclaveable

Ì Blades and handle are ISO Green System compatible

Ì Spare bulb (size "C" batteries not included)

Handle Fiber-Optic Laryngoscope, Pediatric #AM14010999
Handle Fiber-Optic, Standard #AM14011199



Blades	Size 0	Size 1	Size 2	Size 3	Size 4
Macintosh	#AM14040000	#AM14040001	#AM14040002	#AM14040003	#AM14040004
Miller	#AM14050000	#AM14050001	#AM14050002	#AM14050003	#AM14050004

## **Guedel Emergency Airway Kit**

Ì Combines six disposable, individually numbered Guedel Airways

Ì Plastic pouch for easy storage and access

Ì Large lumen offers free exchange of expired air and rescue breaths

Ì Each airway is contoured for maximum comfort

Ì Kit includes six sizes: infant (50mm), small child (60mm), child (70mm), small adult (80mm), medium adult (90mm) and adult (100mm)

Guedel Emergency Airway Kit, 6 per box AM21009999



## **Nasopharyngeal Airways**

Ì Robertazzi style airway with fixed flange

Î Made of neoprene (latex-free) and designed to minimize entry trauma and increase patient comfort

Ì For use where patient has a blockage of normal anatomical airway

Latex-Free Naso Airway Kit of 9

.....#AM1520

Kit of 9 includes nine sizes along with water-soluble sterile lubricant packs: 20, 22, 24, 26, 28, 30, 32, 34, and 36fr. Also available individually. Kit of 6 excludes: 20, 34, and 36fr.





## PosiTube Endotracheal Detection Device

 $\tilde{I}$  Ideal detection device to differentiate between the patient's trachea and esophagus

Ì Designed to verify proper placement of the endotracheal tube or double lumen airway

PosiTube Endotracheal Tube Placement Check Device.....#RO6200



## **Grip-ET® Endotracheal Tube Holder**

- Ì Works with any ET tube from sizes 4.5 to 10 mm
- Ì The patented clip slides into place, locking quickly
- Î The wide-open base leaves the mouth open for visualizing and suctioning the mouth
- Ì The twist lock pivots hold the clip in for added security
- Î The hook and loop strap wraps around the head for a quick and easy hold

Grip-ET® with Endotracheal Tube Holder Bite Block #FA0009



#### **MVP Suction Unit**

- Ì Robust, lightweight, high-vacuum portable suction unit
- Ì Reusable pistol-style pump
- Ì Comes with disposable 300ml disposable collection jar, 13mm adult and 6mm child disposable suction catheters
- Ì Collection jar rotates for optimal position for suctioning/aspiration
- Ì Designed with an overflow protection mechanism that resists clogging and prevents spilling

MVP Suction Unit, Adult/Child Kit.....#SU13209999
Replacement Canister with Large-Bore Catheter....#SU13309905



#### MicroVac Suction Unit

Ì Lightweight unit designed to be attached to any 50 psi DISS outlet

Î Unique, color-coded on/off shuttle provides fast actuation of the unit Î Suction catheter can be quickly and easily cleared by covering the

unit's exhaust port with one finger, reversing the flow

MicroVac Powered Suction Unit with Hose #T10563



### **Wall-Mounted Blood Pressure Cuff**

This clock aneroid sphygmomanometer is perfect for ambulances, hospitals or clinics. The mounting bracket offers cuff storage, while enabling the unit to swivel for easy viewing.

Ì Large easy to read 150 mm (6 in.) dial

Ì 300mm Hg No Pin Stop Mechanism

Ì 110 degree rotation for easy viewing

 $\grave{I}$  Nylon Velcro cuff with PVC bladder with nickel-plated air release valve

Ì 8 foot (when extended) of coil tubing

Wall Mounted Blood Pressure Cuff.....#T1046019



### PEZO<sub>2</sub> Pulse Oximeter

 $\dot{I}$  Large OLED display has 10 brightness settings and orientation options  $\dot{I}$  Hard plastic design protects the unit from rigorous dailyuse

PEZO2 Pulse Oximeter #T10565







## Model 71 BasketStretcher

Ì One-piece basket stretcher

 $\tilde{I}$  High-density polyethylene shell is strong and resistant to chemicals, UV, rust, and corrosion

Ì Heavy-duty aluminum frame with molded-in runners and handholds

 $\tilde{l}$  Brass grommets provide fast connection to Model 418-1 Adjustable Lifting Bridle (see page 106)

Ì Closed-cell foam pad is easily replaced

Ì X-ray translucent for arms, legs, and chest

Ì Includes four restraints

Model 71 Basket Stretcher, One-Piece #0107100
Model 387-A, Orange Storage Case for Model 71 #0311800

#### Model 71-S Split BasketStretcher

 $\grave{I}$  Includes the same great features as the Model 71 basket stretcher

Ì Separates in half for backpacking to a rescue site or for compact storage

Model 71-S Split Stretcher, Two-Piece#0107101Model 387-B, Storage Case, Orange, Lettered#0311820Model 387-B, Storage Case, Orange, Unlettered#0311830

#### Model 71-M Non-Metallic Basket Stretcher

One piece, non-metallic version for use in subways and mining areas where electrical hazards or sparks could hamper rescue efforts. Features plastic-coated aluminum frame, plastic rivets, wooden runners, and hookand-loop restraints.

Model 71-M Non-Metallic One-Piece Basket Stretcher #0107104

**71-S** separates in half for compact storage and backpacking to a rescue site.

**71-M** is non-metallic for use in areas where electrical hazards or sparks could hamper rescue efforts.

#### **Accessories**

- 1 Flotation Collar #0313943
- 2 Model 513-4 IVPole #0085480
- 3 Model 418-1 Bridle #0312390 (Orange Bag) #0314112 (Black Bag)








(€

	Length	Width	Depth 71/71-S	Depth 71-M	Weight 71	Load Limit	Shipping Wt. 71	Shipping Wt.71-M	Shipping Wt. 71-S	Shipping L,W,H 71/71-M	Shipping L,W,H 71-S
Imperial	86 in.	24 in.	8 in.	9 in.	23 lb	600 lb	36 lb	40 lb	38 lb	87x24x8 in.	47x27x11in.
Metric	2180 mm	610 mm	190 mm	250 mm	10kg	272 kg	16 kg	18 kg	17kg	2210x610x203mm	1194x686x279mm



## Spartan Split-Apart BasketStretcher

The fully stainless steel frame has a 2500 lb (1100 kg) strength rating while providing a completely smooth sliding surface on the bottom to handle rough terrain. The outer high density polyethylene (HMWPE) shell is securely attached to the middle rail leaving the top rail completely exposed to provide unencumbered access for multiple rescuers to grab the rail at any location. This eliminates the need for rescuers to find hand cutouts and makes the rail easy to grasp even while wearing thick gloves.

- Ì Split-apart feature with LocSafe™ connectors provide fail-safe connection and allows the stretcher to be assembled in about 15 seconds
- Ì StratLoad™ attachment points provide secure bridle attachment with any size carabiner

#0108036 Spartan Split-Apart Basket Stretcher.



**2** LocSafe™ connectors provide fail-safe connection.






 $\epsilon$ 

<b>SPECIFICATIO</b>	NS					
	Length	Width	Height	Weight	Shipping Weight	Load Rating
Imperial	86 in.	24.5 in.	7.5 in.	35 lb	41 lb	2500lb
Metric	2180 mm	620 mm	190 mm	16 kg	19 kg	1134 kg













## Titan Stainless Steel Basket Stretchers

The Titan Rescue Basket Stretcher is a complete rethinking of the classic Stokes military-style stretcher. The top rail is a full one-inch (25 mm) diameter making the stretcher easier to handle when carried for extended periods. Available in one-piece or two-piece and regular, tapered, or extra-wide models.

Ì StratLoad™ attachment points for secure attachment of lifting bridles Ì Designed to surpass the US Military specification MIL-L-37957A

Ì One-inch (25 mm) top rail is very easy to hold on to, especially in long carries

Ì Replaceable Durathene™ netting replaces the old-style chicken wire

Ì UHMW-PE Back Support- no more splinters from a wooden back support, and it is extremely durable

Ì Tested to and beyond a 1,134 kg (2500 lb) static load testthreshold




separates in half for compact storage and backpacking to a rescue site.



**3** StratLoad™ attachment points provide secure bridle attachment.

(€






#### **SPECIFICATIONS**

Shipping Dimensions L,W,H Weight Weight **Load Rating** One-Piece Regular **Imperial** 83½x23x7¼ in. 30 lb 38 lb 2500lb Metric 2120x580x180 mm 13.6 kg 1134 kg 17 kg Two-Piece Regular 83½x23½x7½ in. 39 lb 2500lb **Imperial** 33 lb Metric 2120x600x190 mm 16 kg 17.5 kg 1134 kg One-Piece Extra-Wide **Imperial** 831/x32x71/4 in. 42 lb 51 lb 2500lb 23 kg 1134kg Metric 2120x810x180 mm 19 kg **One-Piece Tapered Imperial** 83½x23x7¼ in. 30 lb 38 lb 2500lb 13.6 kg Metric 2110x580x180 mm 17 kg 1134kg **Two-Piece Tapered** 83½x23½x7½ in. 39 lb 2500lb **Imperial** 33 lb Metric 2120x600x190 mm 15 kg 17.5 kg 1134 kg







## **Gazelle Series Carbon Steel Basket Stretchers**

 $\grave{\boldsymbol{I}}$  Designed to be used in raise/lower rescue operations

Ì All-carbon-steel, MIG welded frame construction

 $\grave{l}$  Tubular 3/4" (19 mm) top frame and lower rails

Ì Two flat carbon steel supports at the bottom of the stretcher


Ì Polyethylene netting does not corrode and is easy to replace

 $\grave{l}$  Regular model fits any style 16" or 18" backboard

Ì Tapered model allows easier access in confined areas

Ì Confined Space model allows access to smaller and narrower spaces

Gazelle Stretcher, Tapered	#110106
Gazelle Stretcher, Regular	#110105
Gazelle Stretcher, Confined Space	#110107



#### **SPECIFICATIONS**

(€

					Load	Shipping	Shipping
Gazelle	Length	Width	Height	Weight	Rating	Weight	L, W,H
Tapered/Reg. Imp.	82½ in.	24¼ in.	7 in.	28.5 lb	900 lb	41 lb	87x25x8in.
Tapered/Reg. Met.	2100 mm	620 mm	180 mm	13 kg	408 kg	18.6 kg	2209x635x203mm
Conf. Space Imper.	82½ in.	18¼ in.	7 in.	31 lb	900 lb	39 lb	87x25x8in.
Conf. Space Metric	2100 mm	460 mm	180 mm	14 kg	408 kg	17.7 kg	2209x635x203mm

## Traverse Rescue® Bradco Stretcher


- Ì Heavy-duty, all-aluminum frame construction and a high-density, polyethylene shell with a spring loaded patient support and restraint system make this stretcher ideal for any rescuesituation
- $\hat{I}$  Patient support bed holds the patient several inches off the bottom frame, which provides a smooth and comfortable ride
- Ì Double flap cover and patient restraint strap system allows patient to be transported in almost any position in maximum comfort and security
- $\tilde{I}$  Polyethylene shell allows stretcher to glide smoothly over various types of terrain and surfaces.
- Î Resistant to chemical agents such as chlorine and petroleum products
- Ì UV inhibitors reduce fading and deterioration from long-term exposure to direct sunlight

The Bradco Stretcher System comes complete with basket stretcher, patient support and restraint system and four lifting straps. Optional dust/storage cover is also available.

**Bradco Stretcher System** 

#RE01230499





## **Advantage Basket Stretcher**


- Ì Heavy-duty, stainless steel frame construction and a HMWPE shell make this stretcher ideal for any rescuesituation
- $\tilde{I}$  Polyethylene shell allows the stretcher to glide smoothly over variou  $\epsilon$  types of terrain and surfaces
- $\tilde{I}$  Internal secondary rail is completely accessible and provides unlimited options for tying-in a patient for any typeof rescue operation
- Ì Replaceable patient pad is made of closed-cell foam which will not absorb fluids
- Ì StratLoad™ attachment points

Advantage Basket Stretcher with SS frame #RE11250399

Dust Cover for Advantage Basket Stretcher #0822069



StratLoad™ attachmentpoint



					Shipping	Load
	Length	Width	Height	Weight	Weight	Rating
Bradco Imperial	80½ in.	25 in.	8½ in.	46 lb	54 lb	2500lb
Bradco Metric	2040 mm	640 mm	220 mm	21 kg	24½ kg	1134 kg
Advantage Imperial	85 in.	24 in.	7½ in	33 lb	41 lb	2500lb
Advantage Metric	2160 mm	600 mm	190 mm	15 kg	18.6 kg	1134 kg



## Traverse Rescue® Tablu Tri-Fold Stretcher

The Traverse Rescue® Tablu Tri-Fold Stretcher represents the ultimate in simplicity and durability. It is ideal for vehicle extraction because of its compact size and rapid deployment. The Tablu is made of lightweight aluminum and has zero risk of fire hazards, cracking, warping, and gouging that are common with plastic and composite boards in tactical and vehicle operations. The Traverse Rescue® Tri-Fold Evacuation Board has generous handholds and accepts all common strap systems.

Traverse Rescue Tablu Tri-fold Stretcher, Blue

#010802



 $\epsilon$ 

#### **Mule Litter Wheel**

- Î Designed to be "universal" and accept any type of rigid litter including makeshift litters made from wooden planks or logs
- $\tilde{l}$  All-terrain, single-wheel design allows for ease of movement in rough terrain
- Ì Travels easily over logs, ruts, roots, rocks, snow, and slopes
- Ì Two securing straps (2 hooks per strap) are rated to 4500 kg
- Î The unique uni-support design allows for the wheel to be quickly and easily removed for more compact storage and transport
- Ì New, improved handles with 8 positions for greater user flexibility
- Ì Handles lock in down position, allowing the Mule and Litter to stand free of operator

Mule II Litter Wheel with 8-Position Handles, Black #11-2220
Mule II Litter Wheel, without Handles, Black #11-2210



## **Critter RIT Tool**

- Ì Reduces friction of downed firefighter dragging on the ground which reduces energy and air consumption used by Rescue Team for removal
- Ì Keeps injured firefighter 4" off the ground underneath the superheated combustible gasses during extrication from the IDLH environment
- Ì Can attach a pulley to the head of the Critter for going up stairs creating a 2:1 mechanical advantage reducing the weight of the downed firefighter by half
- Ì Lightweight and compact that can be deployed in seconds
- Ì Includes low profile wheels on the four corners and 2 restraints

Critter RIT Tool.

...Contact Traverse Rescue



		ue li		5 11 17 17 17 18		Shipping	Load	
	Length	Width	Height	Folded (L,W,H)	Weight	Weight	Rating	
Tablu Imperial	71 in.	16 in.		25x16x4 in.				
Tablu Metric	1814 mm	406 mm		627x406x99 mm				
Mule w/ Handles Imp	p. 96 in.	27½ in.	18½ in		46 lb	58 lb	395 lb	
Mule w/ Handles Me	et. 2440 mm	700 mm	470 mm		21 kg	26½ kg	179kg	
Mule Imperial	33 in.	26 in.	18½ in		36 lb	48 lb	395 lb	
Mule Metric	830 mm	650 mm	470 mm		16½ kg	22 kg	179kg	




## Traverse Rescue® Stretcher (TRS)

- $\tilde{I}$  Designed and constructed for both horizontal and vertical casualty evacuations
- Ì Lightweight and compact design makes it ideal for high angle, confined space, back country and helicopter rescueoperations
- Î Wrap-around concept helps protect arms and sides from injury during evacuation procedures and gives patient a sense of security
- Ì Inner layer made from a tough high-density polyethylene sheet, which gives the stretcher its rigidity when curved around the patient
- Ì Base fabric of outer shell is made of 1350 Denier Cordura® nylon with heavy polyurethane coating, and is specially-woven for maximum cut and abrasion resistance
- Ì Top layer of outer shell is made from 1000 Denier Cordura® nylon making it tough but comfortable for patient to lay on
- Î Carry handles and vertical lift attachment points are made from 51 mm (2 in.) webbing and are designed as structural attachment points for a lifting bridle
- $\tilde{l}$  Plastic tubing on the carry handle provides a much more comfortable hold for rescuers
- $\tilde{l}$  Built-in, color-coded, full body adjustable harness restrains the patient securely in the stretcher
- $\tilde{I}$  Padded straps in the shoulder and groin areas provide a comfortable fit, and the foot strap prevents the patient from sliding down during vertical lifts
- Ì Six, 2" outer-web restraint straps secure the patient into the stretcher by wrapping the stretcher around the patient's body using a 2-bar, 3-bar steel buckle system which is fast and easy to work with, even with gloves on
- Ì Includes a Cordura® storage bag with backpack shoulder straps

Ì Accessories sold separately

Traverse Rescue® Stretcher (TRS) #0107977





## CE

## **Vertical Rescue Stretcher**

The Ferno Vertical Rescue Stretcher's roll-up, compact and lightweight design makes it ideal for high angle, confined space, horizontal or vertical rescue. When deployed the wrap-around concept becomes rigid and gives the patient a feeling of security as well as protecting limbs and body from further injury during evacuation procedures.

İ Designed for both horizontal and vertical lifting

- Ì Ideal for confined-space rescue, medical airlift evacuations, industrial sites and outdoor rescue
- Î Color-coded full body restraint system with padded head restraint, groin and feet straps

Ì Supplied with backpack storage bag

Ì Includes six, color-coded, non-adjustable lifting slings

Ì Maximum load limit: Horizontal 350 kg / Vertical 250 kg

Ì Optional VRS 6 Point Adjustable Lift Bridle

Vertical Rescue Stretcher #VRES STRETCH

Vertical Rescue Stretcher, Camo #VRES STRETCH CAM

VRS 6 Point, Adjustable Lift Bridle #BRB-VRS





VRS 6Point, Adjustable Lift Bridle



JI ECII ICATIONS				
	Length	Width	Weight	Load Rating
TRS Imperial	80 in.	38 in.	18 lb	Horz. 772 lb / Vert. 551 lb
TRS Metric	2020 mm	840 mm	8 kg	Horz. 350 kg / Vert. 250 kg
VRS Imperial	80 in.	30 in.	18 lb	Horz. 772 lb / Vert. 551 lb
VRS Metric	2020 mm	770 mm	8 kg	Horz. 350 kg / Vert. 250 kg



## LifeSaver Rescue Stretcher®

- Ì Modern version of the traditional Neil Robertson stretcher, the LifeSaver provides patient immobilization and packaging in confined conditions where minimum bulk is aconsideration
- Ì Ideal for mine rescue, wilderness search/rescue, construction sites, building collapse and confined-space rescue
- Ì Provides quick, easy use in horizontal/vertical lift situations
- Ì Includes integral leg and torso flaps, simple head restraint, 5 built-in patient restraints and long footstrap
- Ì Compact roll-up design makes transport easy

LifeSaver Rescue Stretcher	#FWELS
LifeSaver Rescue Stretcher,	Camo #FWELS-C



### **Res-Q-Mate Litter**

Ì Res-Q-Mate litter with shoulder harness and carry handles

- Ì Specially designed for use in restricted-access areas, including building collapse, mine rescue, quarry accidents, high-angle rescue and confined-space rescue
- Ì Constructed of quality synthetic materials and stainless steel
- Ì Resistant to rot and corrosion. Unaffected by long-term storage
- $\tilde{l}$  Easily adjustable color-coded restraints secure the chest, thighs and lower legs
- Ì Impervious to water, oil, grease and other petroleum products

Res-Q-Mate Litter with Carry Case and Lift Bridle	Model 2060
Res-Q-Mate Shoulder Harness Pair	Model 2061
Res-Q-Mate Carry Handles Pair	Model 2062



Shown with optional carry handles and shoulder harness

## Paraguard™ Excel Rescue Stretcher

Paraguard™ has been the official NATO rescue stretcher since WWII, and is used extensively in underground, earthquake and other emergency situations. It can be used for horizontal and vertical lifting, and is ideal stretcher for underground, confined space, and rescue from height. Both lightweight and compact, the Paraguard™ is not only easy to carry but easy to use and can be ready in seconds. Folding in half makes it simple to carry and store.

- $\tilde{l}$  Made from high-quality aluminum and materials resistant to flame, corrosion, and rotting
- $\tilde{l}$  Can be carried using four integral side handles that clip out of the way when not in use
- $\tilde{I}$  Unique construction allows the center to unlock and bend for use in awkward spaces
- Ì Impervious to water, grease and oils

Paraguard Excel Rescue Stretcher	#010795401
Paraguard Four Point Sling	#010773001
Paraguard Slot In Carry Handles	#010772700
Paraguard Shoulder Harness	#010772801
Paraguard Foul WeatherSheet	#010772900



## Traverse Rescue § 540° Rescue Belay

Ì Self-locking belay device that meets demanding drop-test criteria

Ì Built-in release lever releases the tension on the belay rope, eliminating the need for a release hitch

Î Large 540° rescue belay (blue) is designed for use with kernmantle rescue rope from 11.5 mm to 13mm

 $\tilde{l}$  Small 540° rescue belay (green) is designed for use with kernmantle rescue rope from 11 mm to 11.5 mm

Ì Weight: 1.5 lb. (680 g). MBS 27kN (Large), 23kN (Small) Ì UL® Certified to NFPA 1983 (2012 Ed.) General Use

540° Rescue Belay, Small, Green #RR01009900 540° Rescue Belay, Large, Blue #RR01009902



## **OG1 Prusik Minding Pulley**

Ì Distinctive design with the combination of a side opening platewith a unique stainless steel gate that allows you to access the sheave without having to disconnect the pulley from its anchor or carabiner

Ì Accommodates up to three 12 mm carabiners at its connection point

Ì Made from high grade anodized aluminium and stainless steel

Ì 36 kN load rating

Ì Sheave size: 51 mm x 13 mm

Order from Ferno Australia

Website: www.Ferno.com.au



### Traverse Rescue® Litter Bridle

Ì Litter bridles intended for use with any style litter

Ì Hardware meets NFPA and military specifications

Ì "O" ring for top tie-in point is rated 134 kN(30,000 lb)

Ì Parachute buckles allow independent adjustment to set the best basket angle for patient comfort

 $\dot{I}$  Rated strength for bridle is 22kN (5,000 lb) /2,268 kg

Hard Eye Litter Bridle #0313897
Soft Eye Litter Bridle #0313898



## **Large Steel Carabiner**

Ì Large swing gate opening with screw lock closure

Ì High tensile steel

Ì 40 kN / 8992 lb rating

Ì Meets ANSI Z359.1-2007 / Z359.12-2009

Large Steel Carabiner #0822420







## Ferno® FDU

Ideal for personal rescue, emergency escape, rescue operations or specialized rope work as a friction control, double stop descending system. The system gradually releases its load when the handle is moved towards the central position. The double stop mode locks should a panic grab happen but unlocks progressively when the handle is released. The Ferno FDU is available with a friction rack for rescue loads (2 persons). Extensively tested and certified to AS/NZS 4488.1:1997 with 11 mm rope.

FDU100 with Friction Rack #FWE-FDU100

FDU200 without Friction Rack #FWE-FDU200



### Ferno® Mini Haul Kit

Ì Extremely compact haul kit

Ì Provides a 6:1 mechanical advantage

 $\tilde{I}$  Features a V-shaped cleat that if required, enables the operator to lock off the system during a hauling operation

Ì Rated for one person rescue only

Ferno Mini Haul Kit.....#VKIT MINI HAUL



## **Res-Q-Link Recovery Pole**

The Res-Q-Link is a unique and multi functional rescue pole incorporating many features and benefits including:

Ì Large alloy double-action hook compatible with most recovery systems and allows two configurations to provide versatility when rescuing a fall victim

Ì Extendable from 150 cm to 280 cm (59 to 110 in.)

 $\hat{I}$  Fiberglass outer pole and rubber-coated handle for maximum grip and control in long reach scenarios

Ì Flashlight holder for low light scenarios which is compatible with most slim line flashlights

 $\tilde{I}$  Rope and web cutting knife to cut victim free once a recovery system is attached

Ì Additional double action hook available (Code VCTL3536201)

Res-Q-Link Recovery Pole.....#FWE2090



## **Spreader Bar**

Ì Used in confined space situations and rescue scenarios Ì Attaches to confined space pick up points on harness shoulder straps Ì AS/NZS 1891.1:2007 approved

Spreader Bar #VAI SPREADER SHA



## IndustriPOD®

The IndustriPOD® is a rugged and versatile tripod with built in safety factors that exceeds internationally recognized rescue systems and standards. Its simplistic but unique design makes it ideal for heavy duty confined space requirement where guaranteed performance is mandatory.

The IndustriPOD's® design allows for a 550 kg load (tested to 5500 kg) off the centre eyebolt and 360 kg loads (tested to 3600 kg) off the side plate attachment points making it one of the strongest tripods on the market.

Ì Rectangular, fully adjustable legs with quick action lock legpins

Ì One-piece fabricated steel head

Ì Adjustable foot with aggressive non-slip tread pattern

Ì One swivel eyebolt

Ì Three carabiner attachment points

Ì Three tie off points for rigging or stabilization

IndustriPOD®

#FWE-INPOD





## **Arachnipod**


The Ferno Arachnipod is the world's most versatile modular total edge management system (TEMS). Components can be added or removed to suit structural or natural features. The unique design of the patent pending modular head allows the Arachnipod to be constructed into many configurations including a ginpole/monopole, bipod, tripod, quadpod, bridge system and handrail recovery monopole. Its versatility makes it an ideal system for workers in industries such as rescue and emergency services, construction, military, utility services, mining, film and maintenance. Approved to CE Standard EN 795B.

The Arachnipod, in its basic form, is a simple tripod with the three legs independently pivoting from an anodized aluminium head. The modular head has a similar design to a door hinge. Inserting or removing a pin through the centre of the head allows the quick and simple addition or removal of components to create a configuration to suit any edge management scenario. Each head section contains a shackle for guying while an optional in-built twin grooved stainless steel pulley is also available.

The Arachnipod flat packs for simple and convenient storage and the modular design provides an option to purchase a basic unit and upgrade components to make a more advanced system. There are numerous kits available ranging from the basic tripod through to a total edge management system (TEMS). The table opposite will help you decide which kit is best for your specific needs.

Arachnipod

....Contact Ferno Australia



#### Ultralite X Harness

The Ultralite X Harness weighs just 1.35 kg and features a cross-style design of webbing attached to pliable, supportive mesh padding that provides an even load distribution to the torso in the event of a fall.

Ì Non-metallic front and rear free fall arrest attachment points

Ì Confined space retrieval attachment points

Ì Lightweight alloy quick-connect leg buckles

Ì Simplistic design and shape allows easy donning

Ì 3D breathable mesh and oil, grease, and water repelling webbing

Ì Certified to EN 361 and AS/NZS 1891.1:2007

Ì Available S/M, M/L or L/XL. Conditions apply for XS and XXL

Ultralite X Harness

.#VHI ULTRALITEX





## **Challenge Pro Series Harnesses**

Ì Front and rear free fall arrest attachment points

Ì Confined space retrieval attachment points

Ì Lightweight alloy quick connect buckles and components

Ì Generous size adjustment and simplistic design allows easy donning

Ì Removable, reflective and padded shoulder/back panel

Ì 3D breathable mesh and oil, grease, and water repelling webbing

Ì Reflective for exceptional night time visibility

Ì Available with integral PFD and flame retardant/cut resistant Kevlar

Ì Certified to EN 361, AS/NZS 1891.1:2007 and CASA Helicopter External Personnel Lifting Devices

Ì XS,S/M, M/L and XL. Conditions apply XS and XL

Challenge Pro Harness - Standard ... Challenge Pro w/ Personal Flotation Device(PFD).....#VHI CHG PRO PFD

Challenge Pro Harness - Kevlar #VHI CHG PROK

Challenge Pro Harness - Kevlar w/ PFD #VHI CHGPROK PFD





## Ferno<sup>®</sup> Centrepoint II Full Body Harness

Ì Confined space retrieval and offset (cranked) pole strap attachment points

Ì High &low front and rear free fall arrest attachment points

Ì Quick connect lightweight buckles and gear loops for additional gear

Ì Large, cushioned mesh waist/leg pads with breathable back/neck pads

Ì Reflective for exceptional visibility

Ì Oil, grease and water repelling webbing

Ì All alloy hardware and adjustable leg risers for best fit

Ì Certified to EN 361 and AS/NZS 1891.1:2007

Ì XS, S/M, M/L &XL. Conditions apply XS and XL

Centrepoint II Full Body Harness ..... #VHI CEN FB 2 #VHI CENFB 2 A Centrepoint II with Ascender





## **Patient Lifting Sling**

The retrieving victims where time and rescue is of the essence. Simple to apply and fully adjustable in confined and difficult situations. The underarm strap with securing buckle and adjustable leg loops ensure a secure hold. Certified to CASA Helicopter External Personnel Lifting Devices.

Patient Sling



## **Vertical Rescue Triangular Harness**

The Vertical Rescue Triangular Harness is a simple yet robust patient lifting sling designed for all forms of rapid vertical extrications. The simple design allows the harness to be applied to the patient easily and quickly. This harness is not suitable for patients with suspected spinal injuries.

Vertical Rescue Triangular Harness

**#VRESTRI HARN** 





## **Kigali Backpacks**

Kigali backpacks are available in three sizes: 30, 35 and 45 liters. Each pack includes two external pockets with double elastic loops to organize small items. The large top-opening main compartment has additional pockets for large dressings and hydration systems. Each pack has enough space for a BVM, small blankets, dressings and collars.

Ì Removable white cross

Ì Built-in rain cover

Ì Easy-grab zipper pulls with large #10 YKK® zipper

#### Kigali 30 (30 liter)

Features a molded back support, padded shoulder strap, web waist belt and a rubber-grip grabhandle

Kigali 30, Red #RE00300399

#### Kigali 35 (35 liter)

Features a molded back support, padded shoulder strap, a padded waist belt and a rubber-grip grabhandle

Kigali 35, Red	#RE00350399
Kigali 35, Black	#RE00350999

#### Kigali 45 SAR Backpack (45 liter)

Ì Advanced, adjustable harness system with two aluminum stays

Ì Designed to carry one "D" cylinder oxygen system

Ì Heavily-padded waist belt

Ì Designed to carry heavy loads

Ì Available in black and red

Kigali 45, Red	#RE00450399
Kigali 45, Black	#RE00450999





contents notincluded

## **Medical Data Carrier**<sup>™</sup>

In an emergency, Medical Data Carrier™ will provide lifesaving information about the wearer. The highly visible and secure carrier attaches to the left side of the individual's rescue or fire helmet and is safe for all helmet surfaces. Inside, a two-sided waterproof paper contains information on the wearer's identity and medical history including information such as allergies, medications, and blood type.

Medical Data Carrier™ .....#CANMEDIDAT







#### **Traverse RDC**

Swiftwater rescue is safe and sure with Traverse's RDC Rapid Deployment Craft inflatable rescue raft. The RDC allows a rescuer or rescue team to quickly reach a victim and safely retrieve them in swift water, whitewater, floods or low head damentrapment situations.

The RDC is easy to control, very stable and is self-righting in potential overturn situations. It paddles and ferries like a canoe and is suitable for class or grade 5 whitewater. Where swiftwater rescue situations permit, the RDC can be shore controlled by tethers from one or two rescuers. Or, it can be easily paddled by one or two rescue technicians.

Ì The RDC stores deflated in a 2 foot cube

Ì Will fit in the trunk of almost any passenger car

Ì Inflates in seconds

Ì Weighs 50 pounds and can be easily carried by one person

Ì Can be launched without access to a boat ramp

Ì Can be on the scene and in action in seconds

Ì 5 Year Manufacturer Warranty

Traverse RDC.

..Contact Traverse Rescue







## Rescue Boat Sea Scoopa

The Sea Scoopa is designed for the rescue/retrieval of a man overboard (MOB) in a horizontal or vertical floating position. Its unique design enables the crew to complete the rescue operation without entering the water.


The Sea Scoopa net prevents the MOB being swept out the aft end and has no large openings which can lead to limb entrapment or risk of drowning in difficult conditions. The scoop encloses and conforms to the whole body and minimizes the risk of MOB falling out during lifting. The two poles enables the mouth of the net to be widened to maximize capture surface and gives rescuers extra reach, better control and visibility during the rescue process.

Strategic handle placements assists lifting the MOB in a horizontal position and the 2:1 mechanical advantage reduces the lift load by 50%. The Sea Scoopa includes an integral stretcher that clips on to the rescuers' safety harness allowing the MOB to be stretchered immediately after water retrieval without further handling or need for separate stretcher personnel.



... VRES SEACOOP







### **Saver Model S-219 Cot**

- Ì The Saver Model S-219 combines easy handling with improved patient comfort.
- Ì Backrest can be locked in one of six positions, from 0 to 76degrees
- Ì Swivel wheels provide smooth, swift movement in any direction
- Ì Wheel locks on two wheels provide added safety
- Ì Includes mattress and restraints

Saver Model S-219.

#0054159



((

## Saver Model S-240 Patient Transport Chair

The Saver S-240 patient transport chair is easy to maneuver by two operators in cramped quarters. Two 127 mm (5 in.) stationary rear wheels enable operators to move the patient over most surfaces with minimal effort. Telescoping, two-position front handles allow foot-end operator to maneuver the patient without interfering with the patient's feet. Vinyl-coated nylon cover is simple to clean, resists stains, blood and body fluids. Includes three patient restraints. Optional vehicle fastener.

Saver Model S-240...

..#0721324



(€

# Saver Model S-242 Patient Transport Chair

The Saver S-242 Patient transport chair is easy to maneuver by two operators in cramped quarters. Two 127 mm (5 in.) stationary rear wheels and 76 mm, front mounted swivel wheels enable personnel to move the patient over most surfaces with minimal effort. Telescoping, two-position front handles allow foot-end operators to maneuver the patient without interfering with the patient's feet. Vinyl-coated nylon cover is simple to clean, resists stains, blood and body fluids. Includes three patient restraints. Optional vehicle fastener.

Saver Model S-242.

#0721323



	Length	Length Folded	Width	Height Open	Height Folded	Weight	Load Capacity
S-219 Imperial	94 in.		20 in.	43 in.	16 in.	57 lb	350lb
S-219 Metric	2385 mm		515 mm	1100 mm	410 mm	26 kg	159kg
S-240 Imperial	48 in.	7 in.	20 in.	36 in.	36 in.	20 lb	350lb
S-240 Metric	1210 mm	170mm	520 mm	915 mm	915 mm	9 kg	159kg
S-242 Imperial	48 in.	7 in.	20 in.	36 in.	36 in.	22 lb	350lb
S-242 Metric	1210 mm	170mm	520 mm	915 mm	915 mm	10 kg	159kg

### Saver Model S-242T Chair

Saver S-242T chair is an ideal cost-effective solution to complement Ferno's range of evacuation chairs. Lightweight and compact, the chair provides a comfortable and safe transfer for both the occupant and operator. Great features from the proven and popular 59T EZ Glide® and Compact 4 chairs are combined with even more user benefits in the Saver brand.

Ì Easy, instant deployment

Ì Sturdy construction for ultimate safety

Ì Supportive seat and head pad for comfort and easy transfer

Ì Secure 4-point shoulder restraint

Ì Foldable foot rest with leg straps

Saver Model S-242T...

#60-0110-015



(€

## Saver Safe Evacuation Chair

The Saver Safe Evacuation chair is a single user operation emergency evacuation chair and is the complete solution for any emergency evacuation situation. The chair glides down stairs easily and smoothly to ensure no heavy lifting or manual handling is required. The operator never has to assume the weight of the chair and patient.

Ì Low, adjustable, easy-grip handle improves operator control and comfort

 $\tilde{l}$  Vinyl seat is attached all around, providing safe lateral patient transfers

Ì Head pad is adjustable and removable for patient comfort

Ì Restraints are adjustable for patient security

Ì Includes 6 foot restraints to accommodate all body shapes and sizes

Ì Chair is lightweight, with a compact profile for easy storage and use

Ì Available with wall bracket, cover, and user instructions

Ì Weight capacity of 180 kg (397 lb)

Saver Safe Evacuation Chair #0721328



#### **SPECIFICATIONS**

SPECIFICAL	IUN3							
	Height	Height			Depth Track	Depth		Max
	Min	Max	Width	Depth	Deployed	Folded	Weight	Load
S-242T Imperial	51 in.	61 in.	19 in.			9 in.	35 lb	397lb
S-242T Metric	1290 mm	1555 mm	480 mm			225 mm	16 kg	180kg
Saver Safe Imper.		43 in.	17 in.	27 in.	37 in.	8 in.	36 lb	397lb
Saver Safe Metric		1100 mm	430 mm	690 mm	930 mm	200 mm	16.4 kg	180kg



 $\epsilon$ 

## Saver Model S-2108A/S-2108AF Pole Stretchers

Ì Lightweight aluminum poles for easy lifting and exceptional durability

Ì Non-slip plastic carrying handles

Ì Spreader bars provide additional support

Ì Vinyl fabric is impervious to stains and mildew for easy cleaning

Ì Stirrup feet raise the patient off the ground

Ì Carrying bag available for both models

#### 2108A Single Fold

 $\tilde{I}$  Collapsible spreader bars allow the stretcher to fold in width to a slim shape for storage

Saver Model 2108A, Blue #600102007

#### 2108AF TwoFold

Ì Folds in both length and width to an extremely compact size

Saver Model 2108AF, Blue #600102005



CE

 $\epsilon$ 

# Saver Model S-2032 Stacking Catastrophe Stretcher

 $\tilde{I}$  Lightweight, stackable stretcher stores easily and deploys quickly for mass catastrophe and multiple casualty situations.

Ì The heavy-duty vinyl-coated nylon cover is durable, fire retardant and resistant to stains from blood and body fluids

 Saver Model S-2032, Orange
 #600106001

 Saver Model S-2032, Blue
 #SAV-002



#### **SPECIFICATIONS**

Length Width Height Load Folded Folded Folded Length Width Height Weight Capacity S-2108 Imperial 41 in. (2108AF) 22 in. 4 in. 6 in. 8 in. (2108AF) 11/13 lb (A/AF) 350lb S-2108 Metric 2060 mm 1030 mm (2108AF) 550 mm 110 mm 140 mm 200 mm (2108AF) 5/6 kg (A/AF) 159kg S-2032 Imperial 74 in. 19 in. 7 in. 6.5 lb 350.5lb S-2032 Metric 1870 mm 480 mm 180 mm 3 kg 159kg



#### Saver S-2445 Head Immobilizer

 $\tilde{I}$  A versatile, secure head support can be used on standard backboards or inverted for use on any scoop stretcher.

- Ì Features two plastic-coated, closed-cell foam head supports, one universal attachment base, and two durable head straps
- Î Base plate fits all wooden, aluminum, and plastic backboards and scoop stretchers

Saver Model S-2445 Head Immobilizer....

#0314027



## **Saver Vacuum Splints**

#### **Full Body**

Designed to make lifting as comfortable as possible for both patient and rescuer.

Ì One-piece back provides patient with even spine support

Ì 12 handles (6 on each side), featuring ergonomic grips for secure, comfortable handling

Ì Eight eyelets (4 on each side) to install belts

Ì Granule-filled mattress allows mattress to be molded to body

Ì Flame retardant, EN 1865 approved

Saver Full Body Vacuum Splint....

#15005002230

.#15005002032

#### **Short Arm**

Molds around the patient's fracture to give optimal support and stabilization during transport.

Ì Suitable for patients with hand, wrist, arm, leg, shoulder, or hip injuries

Ì Immobilizes lower leg on adults

Ì Immobilizes full leg, hip or shoulder on children

Saver Short Arm Vacuum Splint

#### Long Arm /Short Leg

Immobilizes arm, forearm, wrist, ankle, and knee fractures safely and effectively.

Saver Long Arm/Short Leg Vacuum Splint #15005002033

#### Long Leg

Secure immobilization for leg injuries.

Saver Long Leg Vacuum Splint #15005002034







(€

## **Saver Frac Immobilizers**

A simple way to splint and immobilize suspected limb fractures while helping to prevent further damage to surrounding nerves and tissue.

Ì Can accommodate a splint board to extend length of splint

Ì Easy to clean for re-use

Ì Supplied with additional vinyl-coated pad for enhanced patient comfort

 $\tilde{l}$  Hook and loop strapping secures the splint around the injured limb  $\tilde{l}$  Can remain in place during X-rays

Saver Frac Immobilizer, 2 Straps #SAV017
Saver Frac Immobilizer, 4 Straps #SAV018
Saver Frac Immobilizer, 5 Straps #SAV019





4Straps (740x610mm) SAVEN Frac-Immobiliso



 $C\epsilon$ 



## 24-miniMAXX® Mortuary Cot

The 24-miniMAXX® features true independent legs with multi-level adjustment, six-inch wheels, dual hand controls, and a distinguished, durable gloss-black powder-coated finish. An industry-leading 1000 lb load capacity allows users to handle large bodies with ease. The narrow bed surface gives the 24-miniMAXX® increased maneuverability and allows two cots to be placed side-by-side in the rear of most vehicles. The 24-miniMAXX® comes complete with a 1-inch mattress and restraints. Compatible with most Ferno covers and pouches.

24-miniMAXX Mortuary Cot	#0032501
24-miniMAXX with Sidearms	#0032502
24-miniMAXX with Side Lift Handles	#0032503
24H-miniMAXX Cot (150 mm / 6 in.higher)	
2411 1-18442// 84-11-1-1-1-1-1-1	
24H-miniMAXX Mortuary Cot	#0032504
24H-miniMAXX with Sidearms	
•	#0032505



## **Model 24 Mortuary Cot**

- Ì Roll-In technology allows just one person to perform retrieval
- $\dot{\tilde{I}}$  Multi-level feature allows body to be moved easily from bed to cot
- Ì Special release levers make it possible to raise and lower the cot without assuming the full weight of the cot and body
- $\dot{I}\mbox{ Load-end}$  legs unfold and lock automatically when unloading the cot
- Ì Slides down stairs with built-in stair glides
- Ì Includes mattress and restraints

Model 24 with Footrest, without Sidearms	#0032400
Model 24 with Sidearms and Footrest	#0032410
Model 24 with Two Wheel Locks and Footrest	#0032450
Model 24 with Two Wheel Locks, Sidearms and Footrest	#0032487
Model 24-H Cot (102 mm / 4 in. higher)	
Model 24-H with Footrest, without Sidearms	#0032420

Model 24-H with Footrest, without Sidearms	#0032420
Model 24-H with Sidearms and Footrest	#0032490
Model 24-H with Two Wheel Locks and Footrest	#0032488
Model 24-H with Two Wheel Locks, Sidearms and Footrest	#0032486





## **Model 27-1 Mortuary Cot**

- Ì Very maneuverable in close quarters with four swivel wheels, tapered head end and folding end section to shorten the cot
- Ì The multi-level undercarriage provides flexibility in retrieval
- Ì The loading-end wheels can be locked when necessary
- Ì Includes mattress and restraints

Model 27-1 Mortuary Cot, without Sidearms	#0032485
Model 27-1 Mortuary Cot, with Sidearms	#0032484



			Height	Height		Load	Shipping	Shipping
	Length	Width	Max	Folded	Weight	Limit	Weight	L,W,H
miniMAXX Imperial	76 in.	24 in.	33½ in.	14 in.	76 lb	1000 lb	100 lb	83x26x13in.
miniMAXX Metric	1930 mm	600 mm	854 mm	349 mm	34 kg	454 kg	45 kg 210	8x660x330mm
24 Imperial	76 in.	21 in.	32¼ in.	10 in.	54 lb	400 lb	75 lb	83x26x13in.
24 Metric	1930 mm	533 mm	820 mm	254 mm	24 kg	181 kg	34 kg 210	8x660x330mm
27-1 Imperial	79 in.	24 in.	34 in.	10 in.	62 lb	400 lb	85 lb	83x26x12in.
27-1 Metric	2007 mm	610 mm	864 mm	254 mm	28 kg	181 kg	39 kg 210	8x660x305mm



## **Model 23 Mortuary Cot**

- Ì Extra long wheel base provides exceptional stability
- Ì Slide-action leg lock securely locks both sets of legs simultaneously when folded
- Ì With legs folded and locked, the Model 23 can be used as a two-wheeled stretcher
- Ì Stair glides reduce wear on the cot and promote smooth movement down stairs
- Ì Wide enough to accommodate a portable stretcher
- Ì Includes mattress and restraints

Model 23 Mortuary Cot, without Sidearms	#0032300
Model 23 Mortuary Cot. with Sidearms	#0032489



 $\epsilon$ 



### Model 11-T Stretcher with Track

- $\tilde{l}$  Built-in track system allows easy patient transport down stairs in the supine position
- Ì Sturdy and lightweight with two front wheels for easy maneuvering
- $\tilde{l}$  Narrow track-to-ground clearance provides easier movement over all surfaces, even with tracks deployed
- Ì Heavy-duty vinyl coated cover
- Ì Folds in half for compact storage
- Ì Integrated folding footrest for safe use and ease of storage
- Ì Includes two 1524 mm (5 ft) quick-release patient restraints

Model 11-T, Burgundy.....#0108026



## **Retaining Bracket for Model 11-T**

Unique fixing bracket to allow a Model 11-T to be transported on top of a Model 24, 24-miniMAXX®, 24-MAXX® or Model 27 cots. Allows both stretchers to be used together during transportation.

Retaining Bracket for Model 24	#069579600
Retaining Bracket for Model 24-miniMAXX®	#069579800
Retaining Bracket for Model 24-MAXX®	#069579900
Retaining Bracket for Model 27	#069579700



			Height	Height		Load	Shipping	Shipping
	Length	Width	Max	Min	Weight	Limit	Weight	L,W,H
23 Imperial	76 in.	21 in.	32 in.	10 in.	44 lb	400 lb	70lb	83x26x13in.
23 Metric	1920 mm	530 mm	800 mm	240 mm	20 kg	181 kg	32kg 2108	x660x330mm
11-T Imperial	76 in.	20 in.	8 in.	8 in.	24 lb	350 lb		
11-T Metric	1930 mm	500 mm	203 mm	203 mm	11 kg	159 kg		



## **Mortuary Scoop EXL®**

- Ì Two halves made from smooth, lightweight, molded polyethylene, for easy application and smooth transfers.
- Ì Twin Safety Lock® at each end provides fast, easy, nonbinding locking and unlocking
- Ì Narrow foot-end frame for handling in confined spaces
- Ì Easy-to-clean surface
- Ì Foot end extends to four length options to accommodate different patient heights
- Ì Folds for storage
- Ì Includes two Model 430, two-piece, 1524 mm (5 ft) burgundy restraints

Mortuary Scoop EXL, Gray with Restraints...

..#0108005



#### **SPECIFICATIONS**

			Height		Load	Shipping	Shipping
	Length	Width	Max	Weight	Limit	Weight	L,W,H
Scoop Imperial	65-79 in.	17 in.	3 in.	18 lb	350 lb	22lb	67x18x3 in.
Scoop Metric	1650-2010 mm	430 mm	70 mm	8 kg	159 kg	10kg	1702x457x76mm

## Model 347-1 Disposable Heavy-Duty Vinyl Disaster Pouch

Ì Electronically-welded seams, totally sealed edges

Ì Vinyl shell resists abrasions, acid, formaldehyde, blood stains

Ì Withstands extreme temperatures

Ì Will not leak, deteriorate or mildew

Ì 2286x966 mm (90x38 in.) with center opening

Disposable Pouch with U-Shaped Zipper....

#0314043



## **Side Extension Panels (SEP)**

The SEP provides a new dimension to the operating table. Each sturdy extension panel may be attached to any existing Ferno operating table to expand the surface allowing the embalmer to work on larger bodies. Another key feature of this extension panel is the ability to be used as a splash guard for general washing. The panels can be used on one or both sides of the operating table providing the embalmer increased flexibility. These features, along with the ability to easily install, remove, clean and store the SEP, provide the embalmer the opportunity to customize the table based upon individual needs.

Ì Stainless steel panel

Ì Fastens to any Ferno embalming table

Ì Easy to clean

Ì Storage bracket available for Model 101-H or Model 103

SEP Panel Only, 1 Each	#0695796
SEP Storage Bracket, 1 Each	#0695797
SEP Kit, with 2 Panels and 2 Storage Brackets	#000SEPKIT





## Model 101-H Hydraulic Table

 $\grave{I}$  Hydraulic foot pedals for tilting and height adjustments

- Ì Lower or raise either end of table from 724 to 1029 mm (28.5 to 40.5 in.) above the floor
- Ì Convex shaped top drains fluids away from the body
- $\tilde{I}$  Drain is located in the center of the foot end to quickly eliminate fluids from the table
- Ì Four 203 mm (8 in.) swivel wheels lock instantly with a single foot pedal or one wheel locks directionally for easy rolling
- Ì Type 304 stainless steel with #3 finish ensures easy maintenance
- Ì Solid surface base eliminates crevices where liquids can coagulate
- Ì Accessory: Model 38-BB, Body Bridge (elevates body)

Model 101-H Hydraulic Mortuary Table

#066101





# Model 102 Folding Operating Table

- $\tilde{l}$  Folded table can stand on one end for storage behind adoor or in a closet
- Ì Combination table is ideal for embalming and transferring
- $\tilde{l}$  Exclusive one-hand release adjusts either end of table from 826 to 978 mm (32.5 to 38.5in.)
- Ì Ends are independently adjustable
- Ì 152 mm (6 in.) wheels lock to keep table stationary while in use
- Ì Accessory: Model 38-BB, Body Bridge (elevates body)

Model 102 Folding Mortuary Table...

#0661020





# Model 103 Combination Operating Table

- Ì Ideal for embalming and transferring
- Ì Each end can be adjusted independently
- Ì Durable and rigid stainless steel top features a convex surface and deep side troughs for efficient, no-splash drainage
- $\grave{I}$  152 mm (6 in) wheels lock to keep table stationary while in use
- Ì Table is shipped ready for easy assembly for lower freight costs
- Ì Accessory: Model 38-BB, Body Bridge (elevates body)

Model 103 Combination Mortuary Table.....

#066103



SPECIFICA	HUNS								
			Max	Min	Wheel		Load	Shipping	Shipping
	Length	Width	Height	Height	Base	Weight	Limit	Weight	
									L,W,
								Н	
101-H Imperial	80 in.	30 in.	41 in.	29 in.	25x49 in.	158 lb	600 lb		
101-H Metric	2032 mm	762 mm	1029 mm	724 mm	622x1232mm	72 kg	272 kg		
102 Imperial	80 in.	30 in.	39 in.	33 in.	27x64 in.	87 lb	1000 lb	105 lb	83x34x7in.
102 Metric	2050 mm	770 mm	980 mm	830 mm	690x1630mm	40 kg	454 kg	48 kg	2108x864x178mm
103 Imperial	80 in.	30 in.	38 in.	32 in.	27x53 in.	80 lb	1000 lb	105 lb	83x34x7in.
103 Metric	2050 mm	770 mm	950 mm	800 mm	690x1350mm	36 kg	454 kg	48 kg	2108x864x178mm



### **Model 88 Church Truck**

Designed for those who prefer a compact church truck, the Model 88 extends to 1181 mm (47 in) long. The church truck is constructed of the same rectangular, anodized aluminum tubing used on the Model 87 church trucks. Features 6" (152mm) wheels, and three locking frame positions. Available in onyx, blue-grey, silver, bronze, or gold finish.

Model 88 Church Truck, Clear	#0618870
Model 88 Church Truck, Bronze	#0618871
Model 88 Church Truck, Gold	#0618872
Model 88 Church Truck, Blue/Grey	#0618873
Model 88 Church Truck, Onyx	#0618874
Model 88-H Church Truck	#0618875



(€

### **Model 87 Church Truck**

Ì Rectangular aluminum tubing with anodized finish

Ì Rubber rest helps secure casket

Ì 152mm (6 in) swivel wheels with rubber tires

Ì Four positions allow a wide range of casket sizes

Ì Maximum load 454 kg (1000 lb)

Ì Available in silver, gold, bronze, blue-gray, and onyx

Ì Extends to 1549 mm (61 in)

Model 87 Church Truck, Clear	#0618860
Model 87 Church Truck, Bronze	#0618861
Model 87 Church Truck, Gold	#0618862
Model 87 Church Truck, Blue Gray	#0618863
Model 87 Church Truck, Onyx	#0618864
Model 87-H Church Truck w/ handles	#0618865
Model 87-HB Church Truck, Bronze	#0618866
Model 87-HG Church Truck, Gold	#0618867
Model 87-HBG Church Truck, Blue Gray	#0618868
Model 87-HO Church Truck, Onyx	#0618869





 $\epsilon$ 

## **Cemetery Church Truck**

 $\tilde{l}$  The cemetery church truck is designed for use over grass and rougher terrain

Ì 203 mm (8 in) pneumatic wheels

Ì Two locking swivel wheels opposite corners and two swivels wheels

Ì Four side handles for lifting over curb

Ì Maximum load 454 kg (1000 lb)

 $\dot{I}$  Available in onyx, blue-grey, silver, bronze or gold finish

Cemetery Church Truck, Onyx	#0618887
Cemetery Church Truck, Blue-Grey	#0618886
Cemetery Church Truck, Silver	#0618883
Cemetery Church Truck, Bronze	#0618884
Cemetery Church Truck, Gold	#0618885



(€



## Flexible Body Fridge

The Flexible Body Fridge provides a quick, cost-effective and practical solution for temporary or permanent cold storage without having to make building modifications. The system uses a unique track and roller system for easy installation and a two-way thermal curtain to keep the cold air in and the ambient air out.

 $\grave{\boldsymbol{I}}$  Versatile system allows simple assembly, extension and relocation

Ì Fully operational within minutes of installation

Ì Suitable to divide larger cold rooms

Ì Bespoke designs to suit any size room

Ì Cold lock skirt adjusts to uneven floors

Ì Strong, lightweight curtains are simple to clean and repair

Order from Ferno UK Tel: +44 (0) 1274851999 Website: www.ferno.co.uk



## **Compact Body Fridge**

The Compact Body Fridge provides an easy solution for temporary cold storage. With a simple, modular design, the freestanding unit provides compact and dependable temporary refrigeration in any indoor or outdoor location – even when access is severely limited.

Ì Instant, cost-effective cold rooms for all locations

 $\grave{I}$  Installed by two operatives within 15-20 minutes

Ì Individual chiller unit on sturdy wheeled base

 $\tilde{I}$  Fast refrigeration – just plug the chiller unit into a 13 amp supply or a suitable generator

 $\tilde{l}$  Can be supplied with storm straps, pegs and tie for secure outdoor use

Order from Ferno UK Tel: +44 (0) 1274851999 Website: www.ferno.co.uk



	RESTRAINTS (PAGE	F 43)	V POLES (PAGE 41)
	RESTRAINTS (PAGE	43) On the state of the state o	VPOLES (PAGE 41)
	***	\$	* *.
	100 May 100 Ma		
		NOHO S. S. W.	. 19/1/2/2/2/2/2/2/2/2/2/2/2/2/2/2/2/2/2/2
<b>o o o o o o o o</b>	18 18 18 18 18 18 18 18 18 18 18 18 18 1	25.200 mg 25.25 mg 25	230 100 100 100 100 100 100 100 100 100 1
Mondial Transporter			
Mondial RS Stretchers	•	•	
Lift-Off Stretcher Chair	•	•	
Mondial Monobloc	• •	•	
Model 17 York 2Cot   ● ● ●		•	
Model 19York 4 Cot		• •	
Model 25 Cot		• •	•
Model 26 Series Cots		• •	•
Model 28 Chair Cot	•	•	
Model 35A Cot		• •	
Model 93ES Cot		• •	
Model 5126ELCot		•	•
4051/4052 Transporter			
4141/4142 Stretchers			
4153 Stretcher		•	
POWERFlexx Cot		• •	
26PCot •		• •	
35XCot		• •	
28Z ChairCot		•	
93H Cot		•	



				_	_	• • • •	TD=6656			
		1,17,09,11,00,10,10,10,10,10,10,10,10,10,10,10,	18 18 18 18 18 18 18 18 18 18 18 18 18 1	108/14/10/10/10/10/10/10/10/10/10/10/10/10/10/	359 420 (Mallan) 103, 25, 25, 25, 26, 26, 26, 26, 26, 26, 26, 26, 26, 26	MAI \$\int_{\inti_{\int_{\inti_{\int_{\inti_{\int_{\inttil\int_{\inti_{\int_{\intitle\int_{\intil\int_{\intil\int_{\intil\int_{\intil\int_{\intil\int_{\intil\int_{\intil\intil\intil\intil\intil\intil\intil\intil\intil\intil\intil\intil\intil\intil\i	TRESSES	ST ST ST ST ST ST ST ST ST ST ST ST ST S	TX SS SS SS SS SS SS SS SS SS SS SS SS SS	To the state of th
		W (W) (W) (W) (W) (W) (W) (W) (W) (W) (W	, 9, 9, 9, 9, 9, 9, 9, 9, 9, 9, 9, 9, 9,	\$ \$ \$ \disp\{\text{\texi{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\ti}\}\\ \text{\te}\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\te}\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\te}\tint{\texi}\text{\text{\text{\text{\text{\texi}\text{\text{\text{\text{\texi}\text{\text{\texi}\text{\text{\texi}\text{\text{\texit{\text{\texi}\text{\texi}\text{\texi}\text{\texit{\texi{\texi}\text{\texi}\text{\texi{\texi{\texi{\texi{\texi{\texi}	W. W.	%, %,	%, %,	372 3770	<i>%</i> , <i>₹</i>	A STATE OF THE STA
	Q			100 p	10 10 10 10 10 10 10 10 10 10 10 10 10 1	10 10 00 The 10 10 10 10 10 10 10 10 10 10 10 10 10	1 88 C	(b)	18/20 A	<u> </u>
,	Di no no		360 Fig. 18/05 360 Fig. 18/05 360 Fig. 18/05 50 Fig. 18/05		35 8 CO 38 CO 35 S S S S S S S S S S S S S S S S S S	359.10 m 84.10 W	19. (10) SE.	18 4 86 4 55 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	MERION OCK) 5126 (8)2, 1804.	<i>A</i> 25.
	10, 40		% %	2 8 Kg	***, ***,	kg kg	E. S. S.	S. S. S.		
Mondial Transporter										
Mondial RS Stretchers	• •									
Lift-Off Stretcher Chair		•								
Mondial Monobloc	• •									
Model 17 York 2 Cot		•	• •	•						
Model 19York 4 Cot		•	• •	•						
Model 25 Cot		•	• •	•						
Model 26 Series Cots		•	• •							
Model 28 Chair Cot				•	•					
Model 35A Cot		•	• •	•						
Model 93ES Cot		•	• •							
Model 5126EL Cot			•						•	
4051/4052Transporter							_			
4141/4142 Stretchers						4141 41	142			
4153 Stretcher					•	• 4141 4	142			
POWERFlexx Cot								•		
26P Cot							•			
35XCot							•			
28Z ChairCot										
93H Cot							•			

			O A A	*000/1/2	**************************************	**************************************	**************************************	**************************************	35 55	5001	34 33	PAGE	5.46-4 1000 1000 1000 1000 1000 1000 1000 10	7) ello des	18 18 18 18 18 18 18 18 18 18 18 18 18 1
, and a second		1.35.3 Con 1.35.7	1/3 - Chi Con . 2/5/5	1/5 Stit Con 1/5 1/2	12 Wit Co.	5.73 Wit Com	1/3,	**************************************	Star Con 10/01/2	5/1/2/2 10/04	5, W. 5, W. 5, S.	S. 20 S. 20	AL SSON	*	
Mondial Transporter													•		
Mondial RS Stretchers															
Lift-Off Stretcher Chair															
Mondial Monobloc													•		
Model 17 York 2 Cot															
Model 19York 4 Cot															
Model 25 Cot	•	•	•	•	•	•									
Model 26 Series Cots	•	•	•	•	•					•					
Model 28 Chair Cot							•	•							
Model 35A Cot	•	•	•	•	•									•	
Model 93ES Cot	•	•	•	•	•									•	
Model 5126ELCot												•			
4051/4052Transporter											•				
4141/4142 Stretchers															
4153 Stretcher															
POWERFlexx Cot	•	•	•	•	•									•	
26P Cot									•						
35XCot	•	•	•	•	•									•	
28Z ChairCot							•	•							
93H Cot	•	•	•	•	•									•	



			OF OF	* %	77,7	35 35 35 35 35 35 35 35 35 35 35 35 35 3	\$00° 00°	20 24	ACCE	SSOR	IES (P	AGES	40, 42	2,56)
ń	li S	1000 Mg	toper Milly bis	Signification of the state of t	A CALL COM	OF SEC. OF SEC.	Some Some	1.50 cm/s comp	Social By Age	Sof. Jaker 408	West of Section 18		Les, rein, say	1.
Mondial Transporter														
Mondial RS Stretchers			•											
Lift-Off StretcherChair			•											
Mondial Monobloc					•									
Model 17 York 2 Cot			•					•						
Model 19York 4 Cot			•					•						
Model 25 Cot			•					•						
Model 26 Series Cots			•					•						
Model 28 Chair Cot				•			•							
Model 35A Cot			•			•		•			•			
Model 93ES Cot			•			•		•			•			
Model 5126ELCot								•						
4051/4052 Transporter														
4141/4142 Stretchers			•					•						
4153 Stretcher			•											
POWERFlexx Cot	•					•		•	•			•	•	
26P Cot								•						
35XCot	•	•				•		•	•		•	•	•	
28Z ChairCot							•			•	•			
93H Cot						•		•	•		•	•		



A	
Ampoule Card	84
Arachnipod	108
n.	
В	
Backboards	
AquaBoard	
Millennia Boards  Model 60 Aluminum Backboards	
Model 889P Fiberglass Backboard	
NAJO Lite Board	
NAJO RediHold	60
NAJO RediWide	60
NAJO Sports Board	61
Bags	02
Emergency Respiratory Care Backpack  Model 5100 Airway Management/Oxygen	
Model 5103 Trauma Responder II Bag	-
Model 5107 Professional Trauma Bag	
Model 5108 Professional ALS Bag	80
Model 5110 Trauma Airway	
Management Bag II	82
Model 5111 Trauma/Airway  Management Bag III	92
Model 5113 First-In Trauma Bag	
Model 5114 Medication Mini-Bag	
Model 5115 Intubation Mini-Bag	
Model 5116 Intravenous Mini-Bag	84
Model 5117 Trauma Mini-Bag	
Model 5120 Oxygen Carry Bag	
Model 5121 Oxygen Carry Bag  Model 5122 Oxygen Carry Bag	
Model 5130 Intubation Ultra Mini-Bag	
Model 5148 Luno Bag	
Model 5149 Luno Bag	81
Model 5150 Rucksack with Airway Roll	81
Bariatric Tow Package	
Bariatric Push/Pull Handles	57
Basket Stretchers	100
Advantage Basket Stretcher	
Model 71-M Non-Metallic Basket Stretcher	
Model 71-S Split Basket Stretcher	
Spartan Basket Stretcher	99
Titan Stainless Steel Basket Stretcher	
Traverse Rescue Gazelle Series Carbon Stee	•
Basket Stretcher	101
Blankets	44
Model 352 100% Acrylic-Blend Blanket  Model 353 Quilted Nylon Blanket	
Model 354 Wool-Blend Blanket	
RESQ Pillow	
Thermal Mylar Blanket	44
Boxes	
Compact First Aid Boxes	
Flambeau 1702 Medical BoxFlambeau 1872 Medical Box	
Flambeau 2072 Medical Box	
Flambeau 2272 Trauma Box	
Pelican Equipment Cases	
Plano 747-M Trauma Box	86
Saver First Aid Kits	
Bridle, Model 418-1	98
С	
Centrepoint II Full Body Harness	109
	200
Centrepoint Sit Harness	109

Model 449 WizLoc Cervical Collar	
Challenge Pro Series Harnesses	109
Church Trucks	
Cemetery Church Truck Model 87 Church Truck	
Model 88 Church Truck	
Cots	
28Z PROFlexx Chair Cot	28
35X PROFlexx	26
93H PROFlexx Cot	29
5126 Series Cots	
CCT Series	
F2 Monobloc Harrier LT	
Harrier LT-LBS.	
Model 19 Cot, York 4	10
Model 25 Cot	11
Model 26 Cot	
Model 26AS Cot	
Model 26P PROFlexx Cot	
Model 26S Cots  Model 28 Chair Cot	
Model 35-A Cot	
Model 35-A+ Mobile Cot	
Model 93-ES Squadmate Cot	18
Mondial Monobloc	8
POWERFlexx Powered Cot	22, 54
CPR Board	75
CPR Mask	92
Critter RITTool	103
D	
Defibrillator Mounts	
D360 Swivel Defibrillator Mount	45
M-200 Defibrillator Mount	
	45
M-200 Defibrillator Mount M-201 Defibrillator Mount P-300 Defibrillator Mount	45 45 45
M-200 Defibrillator Mount	45 45 45
M-200 Defibrillator Mount M-201 Defibrillator Mount P-300 Defibrillator Mount Z-102 Defibrillator Mount Z-103 Defibrillator Mount	45 45 45
M-200 Defibrillator Mount M-201 Defibrillator Mount P-300 Defibrillator Mount Z-102 Defibrillator Mount Z-103 Defibrillator Mount Disaster Pouches	45 45 45
M-200 Defibrillator Mount	45 45 45 45
M-200 Defibrillator Mount M-201 Defibrillator Mount P-300 Defibrillator Mount Z-102 Defibrillator Mount Z-103 Defibrillator Mount Disaster Pouches Model 347-1 Disposable Heavy-Duty Vinyl Disaster Pouch	45 45 45 45 45
M-200 Defibrillator Mount M-201 Defibrillator Mount P-300 Defibrillator Mount Z-102 Defibrillator Mount Z-103 Defibrillator Mount Disaster Pouches Model 347-1 Disposable Heavy-Duty Vinyl Disaster Pouch Disposable Cuff Mask	
M-200 Defibrillator Mount M-201 Defibrillator Mount P-300 Defibrillator Mount Z-102 Defibrillator Mount Z-103 Defibrillator Mount Disaster Pouches Model 347-1 Disposable Heavy-Duty Vinyl Disaster Pouch	
M-200 Defibrillator Mount M-201 Defibrillator Mount P-300 Defibrillator Mount Z-102 Defibrillator Mount Z-103 Defibrillator Mount Disaster Pouches Model 347-1 Disposable Heavy-Duty Vinyl Disaster Pouch Disposable Cuff Mask	
M-200 Defibrillator Mount M-201 Defibrillator Mount P-300 Defibrillator Mount Z-102 Defibrillator Mount Z-103 Defibrillator Mount Disaster Pouches Model 347-1 Disposable Heavy-Duty Vinyl Disaster Pouch Disposable Cuff Mask DVRx Demand Valve Resuscitator	
M-200 Defibrillator Mount M-201 Defibrillator Mount P-300 Defibrillator Mount Z-102 Defibrillator Mount Z-103 Defibrillator Mount Disaster Pouches Model 347-1 Disposable Heavy-Duty Vinyl Disaster Pouch Disposable Cuff Mask. DVRx Demand Valve Resuscitator	
M-200 Defibrillator Mount M-201 Defibrillator Mount P-300 Defibrillator Mount Z-102 Defibrillator Mount Z-103 Defibrillator Mount Disaster Pouches Model 347-1 Disposable Heavy-Duty Vinyl Disaster Pouch Disposable Cuff Mask DVRx Demand Valve Resuscitator  E E-Class Flowmeter Emergency Respiratory System	
M-200 Defibrillator Mount M-201 Defibrillator Mount P-300 Defibrillator Mount Z-102 Defibrillator Mount Z-103 Defibrillator Mount Disaster Pouches Model 347-1 Disposable Heavy-Duty Vinyl Disaster Pouch Disposable Cuff Mask DVRx Demand Valve Resuscitator  E E-Class Flowmeter Emergency Respiratory System Equipment Bracket	
M-200 Defibrillator Mount M-201 Defibrillator Mount P-300 Defibrillator Mount Z-102 Defibrillator Mount Z-103 Defibrillator Mount Disaster Pouches Model 347-1 Disposable Heavy-Duty Vinyl Disaster Pouch Disposable Cuff Mask DVRx Demand Valve Resuscitator  E E-Class Flowmeter Emergency Respiratory System Equipment Bracket EZ Glide Headrest	
M-200 Defibrillator Mount M-201 Defibrillator Mount P-300 Defibrillator Mount Z-102 Defibrillator Mount Z-103 Defibrillator Mount Disaster Pouches Model 347-1 Disposable Heavy-Duty Vinyl Disaster Pouch Disposable Cuff Mask DVRx Demand Valve Resuscitator  E E-Class Flowmeter Emergency Respiratory System Equipment Bracket EZ Glide Headrest EZ Glide IV Pole	
M-200 Defibrillator Mount M-201 Defibrillator Mount P-300 Defibrillator Mount Z-102 Defibrillator Mount Z-103 Defibrillator Mount Disaster Pouches Model 347-1 Disposable Heavy-Duty Vinyl Disaster Pouch Disposable Cuff Mask DVRx Demand Valve Resuscitator  E E-Class Flowmeter Emergency Respiratory System Equipment Bracket EZ Glide Headrest EZ Glide IV Pole EZ Glide Mounts	
M-200 Defibrillator Mount M-201 Defibrillator Mount P-300 Defibrillator Mount Z-102 Defibrillator Mount Z-103 Defibrillator Mount Disaster Pouches Model 347-1 Disposable Heavy-Duty Vinyl Disaster Pouch Disposable Cuff Mask DVRx Demand Valve Resuscitator  E E-Class Flowmeter Emergency Respiratory System Equipment Bracket EZ Glide Headrest EZ Glide IV Pole	
M-200 Defibrillator Mount M-201 Defibrillator Mount P-300 Defibrillator Mount Z-102 Defibrillator Mount Z-103 Defibrillator Mount Disaster Pouches Model 347-1 Disposable Heavy-Duty Vinyl Disaster Pouch Disposable Cuff Mask DVRx Demand Valve Resuscitator  E E-Class Flowmeter Emergency Respiratory System Equipment Bracket EZ Glide Headrest EZ Glide IV Pole EZ Glide Mounts	
M-200 Defibrillator Mount M-201 Defibrillator Mount P-300 Defibrillator Mount Z-102 Defibrillator Mount Z-103 Defibrillator Mount Disaster Pouches Model 347-1 Disposable Heavy-Duty Vinyl Disaster Pouch Disposable Cuff Mask DVRx Demand Valve Resuscitator  E E-Class Flowmeter Emergency Respiratory System Equipment Bracket EZ Glide Headrest EZ Glide IV Pole EZ Glide Rear Lift Handles	
M-200 Defibrillator Mount M-201 Defibrillator Mount P-300 Defibrillator Mount Z-102 Defibrillator Mount Z-103 Defibrillator Mount Disaster Pouches Model 347-1 Disposable Heavy-Duty Vinyl Disaster Pouch Disposable Cuff Mask DVRx Demand Valve Resuscitator  E E-Class Flowmeter Emergency Respiratory System Equipment Bracket EZ Glide Headrest EZ Glide Mounts EZ Glide Rear Lift Handles	
M-200 Defibrillator Mount M-201 Defibrillator Mount P-300 Defibrillator Mount Z-102 Defibrillator Mount Z-103 Defibrillator Mount Disaster Pouches Model 347-1 Disposable Heavy-Duty Vinyl Disaster Pouch Disposable Cuff Mask DVRx Demand Valve Resuscitator  E E-Class Flowmeter Emergency Respiratory System Equipment Bracket EZ Glide Headrest EZ Glide Nounts EZ Glide Rear Lift Handles F Fasteners	
M-200 Defibrillator Mount M-201 Defibrillator Mount P-300 Defibrillator Mount Z-102 Defibrillator Mount Z-103 Defibrillator Mount Disaster Pouches Model 347-1 Disposable Heavy-Duty Vinyl Disaster Pouch Disposable Cuff Mask DVRx Demand Valve Resuscitator  E E-Class Flowmeter Emergency Respiratory System Equipment Bracket EZ Glide Headrest EZ Glide Nounts EZ Glide Rear Lift Handles F Fasteners FL-1 Fastener	
M-200 Defibrillator Mount M-201 Defibrillator Mount P-300 Defibrillator Mount Z-102 Defibrillator Mount Z-103 Defibrillator Mount Disaster Pouches Model 347-1 Disposable Heavy-Duty Vinyl Disaster Pouch Disposable Cuff Mask. DVRx Demand Valve Resuscitator  E E-Class Flowmeter Emergency Respiratory System Equipment Bracket EZ Glide Headrest EZ Glide Headrest EZ Glide Rear Lift Handles EZ Glide Rear Lift Handles F F Fasteners FL-1 Fastener Model 5-14 Cot Fastener Model 173-2 Mounting Kit. Model 173-3 Mounting Kit.	
M-200 Defibrillator Mount M-201 Defibrillator Mount P-300 Defibrillator Mount P-300 Defibrillator Mount Z-102 Defibrillator Mount Z-103 Defibrillator Mount Disaster Pouches Model 347-1 Disposable Heavy-Duty Vinyl Disaster Pouch Disposable Cuff Mask DVRx Demand Valve Resuscitator  E E-Class Flowmeter Emergency Respiratory System Equipment Bracket EZ Glide Headrest EZ Glide Headrest EZ Glide Rear Lift Handles EZ Glide Rear Lift Handles F Fasteners FL-1 Fastener Model 5-14 Cot Fastener Model 173-2 Mounting Kit. Model 173-3 Mounting Kit. Model 175-1 Mounting Kit.	
M-200 Defibrillator Mount M-201 Defibrillator Mount P-300 Defibrillator Mount P-300 Defibrillator Mount Z-102 Defibrillator Mount Z-103 Defibrillator Mount Disaster Pouches Model 347-1 Disposable Heavy-Duty Vinyl Disaster Pouch Disposable Cuff Mask DVRx Demand Valve Resuscitator  E E-Class Flowmeter Emergency Respiratory System Equipment Bracket EZ Glide Headrest EZ Glide Headrest EZ Glide Rear Lift Handles F F Fasteners FL-1 Fastener Model 5-14 Cot Fastener Model 173-2 Mounting Kit. Model 175-1 Mounting Kit. Model 175-1 Mounting Kit. Model 175-2 Mounting Kit.	
M-200 Defibrillator Mount M-201 Defibrillator Mount P-300 Defibrillator Mount P-300 Defibrillator Mount Z-102 Defibrillator Mount Z-103 Defibrillator Mount Disaster Pouches Model 347-1 Disposable Heavy-Duty Vinyl Disaster Pouch Disposable Cuff Mask DVRx Demand Valve Resuscitator  E E-Class Flowmeter Emergency Respiratory System Equipment Bracket EZ Glide Headrest EZ Glide IV Pole EZ Glide Rear Lift Handles F Fasteners FL-1 Fastener Model 5-14 Cot Fastener Model 173-2 Mounting Kit. Model 175-1 Mounting Kit. Model 175-2 Mounting Kit. Model 175-3 Mounting Kit. Model 175-3 Mounting Kit.	
M-200 Defibrillator Mount M-201 Defibrillator Mount P-300 Defibrillator Mount P-300 Defibrillator Mount Z-102 Defibrillator Mount Z-103 Defibrillator Mount Disaster Pouches Model 347-1 Disposable Heavy-Duty Vinyl Disaster Pouch Disposable Cuff Mask DVRx Demand Valve Resuscitator  E E-Class Flowmeter Emergency Respiratory System Equipment Bracket EZ Glide Headrest EZ Glide Headrest EZ Glide Rear Lift Handles F F Fasteners FL-1 Fastener Model 5-14 Cot Fastener Model 173-2 Mounting Kit. Model 175-1 Mounting Kit. Model 175-1 Mounting Kit. Model 175-2 Mounting Kit.	
M-200 Defibrillator Mount M-201 Defibrillator Mount P-300 Defibrillator Mount P-300 Defibrillator Mount Z-102 Defibrillator Mount Z-103 Defibrillator Mount Disaster Pouches Model 347-1 Disposable Heavy-Duty Vinyl Disaster Pouch Disposable Cuff Mask DVRx Demand Valve Resuscitator  E E-Class Flowmeter Emergency Respiratory System Equipment Bracket EZ Glide Headrest EZ Glide IV Pole EZ Glide Rear Lift Handles F Fasteners FL-1 Fastener Model 5-14 Cot Fastener Model 173-2 Mounting Kit. Model 175-1 Mounting Kit. Model 175-3 Mounting Kit. Model 175-3 Mounting Kit. Model 175-3 Mounting Kit. Model 175-4 Mounting Kit. Model 175-4 Mounting Kit. Model 175-4 Mounting Kit.	45 45 45 45 45 45 47 47 47 47 46 46 46 46

.107

Model 101-H Hydraulic Table......

Flow Control Valves90
G
Grip-ET Endotracheal Tube Holder97
Н
Head-End O2 Bracket
Incubator Transporters ITC Incubator Transporter Interface
K
KED, Model 125       68         KED PRO       68         KED SLED       68         Kigali Backpacks       110         L       110         Large Rescue Belay       106         Latex-Free Nasopharyngeal Airways       119         LBS Bariatric Board       56
Lead Handle (28Z)42
М
Manta Transfer Sheet
Model 23 Mortuary Cot.         117           Model 24 Mortuary Cot.         116           Model 27-1 Mortuary Cot.         116           Mortuary Fridges.         121           Mule Litter Wheel.         103           Multi-Manager Administrator         90           MVP Suction Unit         97
N
Nasopharyngeal Airways96
OG1 Prusik Minding Pulley106 Operating Tables



Model 102 Folding Operating Table	119
Model 103 Combination Operating Table	119
OX-Series Inhalator Valve	91
Oxy-Clip2	40
Oxy-Clip Cylinder Holder	40
Oxygen Bottles	93
Oxygen Cylinder Holder	40
Oxygen Cylinders, Aluminum	
Oxygen Hoses	92
Oxygen Mounts	
Model 515 and 516 Cylinder Brackets	94
Model 519 and 520 Bottle Base	
Oxygen Bottle Holder	94
Oxygen Regulators	
BRAVO2 Brass Oxygen Regulators	89
ORO2 Oxygen Regulators	
P	
	42
PacRac	
PacRac+	
Patient Lifting Sling	109
Pediatrics	7.0
Baby Pod II	
Ferno Model 78 Pedi-Pac	
Model 676 MEDkids Baby Board	
Model 677 MEDkids Pedi-Sleeve	
Model 678 Pedi-Mate	
PEZO2 Pulse Oximeter	
PosiTube Endotracheal Detection Device	97
D.	
R	
RDC Boat	111
Rescue Stretchers	
Lifesaver Rescue Stretcher	105
Paraguard Excel Rescue Stretcher	105
Res-Q-Mate Litter	105
Titan Stainless Steel Rescue Stretchers	100
Traverse Bradco Stretcher System	102
Traverse Rescue Stretcher	104
Vertical Rescue Stretcher	104
Res-Q-Link Recovery Pole	107
Restraints	
Model 414-OL (Over-The-Lap) Wrist Restrain	nt 43
Model 414-R Wrist Restraints, Cot Sidearm	43
Model 415 Ankle Restraint	43
Model 417-1 Harness Restraint	43
Model 430 Cot Restraints	
Model 430-P Restraint Straps	65
Model 436 Swivel Speed-Clip Restraints	65
Model 770 Fastrap	64
Restraint Extenders	57
Universal Psychiatric Restraint Set	43
S	
CAR Pack Pack Portable Vit	05
SAR BackPack Portable Kit	95
Saver	44-
Frac Immobilizers	
Head Immobilizer	
Model S 240 Patient Transport Chair	
Model S 242 Patient Transport Chair	
Model S-242 Patient Transport Chair	
Model S 2022 Stacking Catastrophe Stretch	
Model S 2108A and S 2108AE	
Model S-2108A and S-2108AF	
Safe Evacuation Chair	
Vacuum Splints	172
Saver Bags	0.5
Model 2100 First Responder Bag	85

Model 2102 Trauma Responder Bag II	
Model 2103 Trauma Responder Bag III	
Model 2110 O2 Trauma Kit  Model 2120 O2 Duffel Kit	
Model 2130 ALS Bag	
Scoop Stretchers	03
Model 65 Scoop Stretcher	64
Mortuary Scoop EXL	11
Scoop EXL Stretcher	62
Sea Scoopa	
Seahorse Portable Airway Kit	
Side Extension Panels	
Silicone Face Masks	
Silicone Resuscitators	
Single Patient Use BVM	
SPED	
Splints	0.
Air Splint Kit Model 663	70
Ferno Frac-Care Kit	
Finger-Splint Kit	
Germa EasyFix Vacuum Splints	
Model AS190 Vacuum Splint Extremity Kit	
Model 441, 443, 444 Ferno Trac Traction Splint	
Padded Board Splint Prosplints	
SAM Pelvic Sling II	
SAM Splint	
Spreader Bar	10
Stair Chairs	
Compact 2 Carry Chair	
Compact 2 Track Chair	
EZ Glide LBSEZ Glide PowerTraxx Stair Chair	
Model 40 Stair Chair	
Model 42 Stair Chair	
Model 48 Stair Chair	
Model 59T EZ Glide Stair Chair	34
Utila Chair Model ALS 103	
Utila Chair Model ALS 300	
Utila Chair Model ALS 400 SUtila Chair Model LTS 700	
Stretchers	33
Combination Stretcher/Body Bag	. 52
Emergency Stretchers	
Model 9 Emergency Stretcher	49
Model 11 Emergency Stretcher	48
Model 11-T Track Emergency Stretcher48,	
Model 12 Emergency Stretcher	
Model 12-C Emergency Breakaway Stretcher Lift-Off Stretchers	. 49
F2 Stretcher	30
Lift-Off Stretcher Chair	
Model 4141/4142 Lift-Off Stretcher	. 21
Model 4153 Lift-Off Stretcher Chair	
Mondial RS2 Lift-Off Stretcher	
Mondial RS3 Lift-Off Stretcher	
Mondial RS4 Lift-Off Stretcher Pole Stretchers	/
Model 108 Single-Fold Pole Stretcher	5
Model 108-A Single-Fold Pole Stretcher	
Model 108-AF Double-Fold Pole Stretcher	
Model 108-D Disaster Litter	
Model 108-F Single Fold-Pole Stretcher	5:
Model 108-T Tactical Litter	. 52
Stretcher Chairs	_
Model 107 Stretcher Chair  Model 107-C	
Swing-Out Lift Handles (28Z)	4,

Т
Tablu Tri-Fold Board.       .103         Transporters       F2 Transporter       .30         Model 4051 Transporter       .20         Model 4052 Transporter       .20         Mondial Transporter       .4         Traverse Litter Bridle       .106
U
Ultralite X Harness109
V
Vacuum Mattresses Germa EasyFix Vacuum Mattress
W
Wall Mounted Blood Pressure Cuff97
XT69

5-14 Cot Fastener	47	356 Fire Blanket	44	5103 Bag	80
9 Stretcher	49	365-E Head Immobilizer	66	5107 Bag	80
11 Stretcher	48	414-OL Restraints	43	5108 Bag	80
11-T Stretcher	48	414-R Restraints	43	5110 Bag	82
12-C Stretcher	49	415 Ankle Restraint	43	5111 Bag	82
12 Stretcher	49	417-1 Harness Restraint	43	5113 Bag	
19 Cot	10	418-1 Harness Restraint		5114 Bag	
23 Mortuary Cot		425 Intubation Kit		5115 Bag	
24-H Mortuary Cot		430-P Restraints		5116 Bag	
24-miniMAXX Mortuary Cot		430 Restraints		5117 Bag	
•				5117 Bag	
24 Mortuary Cot		436 Restraints			
25 Cot		439 Restraints		5120 Bag	
26AS Cot		441 Traction Splints		5121 Bag	
26 Cot		443 Traction Splints		5122 Bag	
26-P Cot		444 Traction Splints		5126 Cot	
26S Cot		445 Head Immobilizer		5126EL Cot	
27-1 First-Call Cot	116	449 WizLoc	67	5130 Bag	
28 Chair Cot	14	513-10 IV Poles	41	5148 Bag	
28-IT Incubator Transporter	79	514 Oxy-Clip	40	5149 Bag	81
28Z Chair Cot	28	515 Cylinder Bracket	94	5150 Rucksack	81
35A Cot	16	516 Cylinder Bracket	94	Advantage	101
35A+ Cot	17	519 Bottle Case	94	ALS 103 Chair	38
35-IT Incubator Transporter	78	520 Bottle Case	94	ALS 300 Chair	38
35X Cot		521 Oxygen Bottle Holder	94	ALS 400-S Chair	
40 Stair Chair		540° Large Rescue Belay		Aluminum Oxygen Cylinders	
42 Stair Chair		663 Air Splint Kit		AS190 Vacuum Splints	
48 Stair Chair		672 CPR Board		Arachnipod	
59T EZ Glide				Baby Pod II	
		676 Baby Board		•	
60 Aluminum Backboards		677 Pedi-Sleeve		Bariatric Push/Pull Handles	
65EXL Scoop		678 Pedi-Mate		Bariatric Tow Package	
65 Scoop		680 Fire Blanket with Case		Berman Airways	
71 Basket Stretcher	98	747-M Box	86	Bradco	
71-M Basket Stretcher	98	770 Fastrap	64	BVM	92
71-S Basket Stretcher	98	773 Swivel Speed Clip Restraints	65	CCT Series	33
75 Polar Boat	111	804 Oxygen Regulator	88	Centrepoint 2	108
78 Pedi-Pac	77	816 Oxygen Regulator	88	Challenge Pro Series Harnesses	109
87 Church Truck	120	817 Oxygen Regulator	88	Compact 2	37
88 Church Truck	120	818d Oxygen Regulator	88	Compact 2 Track	37
93-ES Cot	18	818 Oxygen Regulator		Compact First Aid Boxes	87
93H Cot	29	819 Oxygen Regulator		CPR Mask	
93-IT Incubator Transporter	78	830 Oxygen Regulator		Critter RIT Tool	
101-H Table		831 Oxygen Regulator		D360 Swivel Defibrillator Mount	
102 Table		832 Oxygen Regulator		Disposable Cuff Mask	
103 Table		833 Oxygen Regulator		DVRx Demand Valve Resuscitator	
107-C Stretcher		889-P Fiberglass Backboard		E-Class Flowmeter	
107 Stretcher				Emergency Respiratory System	
		903 Micro-Manager			
108-AF Stretcher		905 Mini-Manager		ERC	
108-A Stretcher		908 Multi-Manager		EZ Glide Headrest	
108-D Litter		1702 Box		EZ Glide IV Pole	
108-F Stretcher		1872 Box		EZ Glide LBS	
108 Stretcher		2030 IV Pole		EZ Glide Mounts	
108-T Litter	52	2072 Box	86	EZ Glide PowerTraxx Stair Chair	
132 Manta	53, 57	2100 Bag	85	F2 Transporter &Stretcher	30
135 Stretcher/Body Bag	52	2102 Bag	85	F2 Monobloc	31
173 Cot Fasteners	47	2103 Bag	85	FDU	107
175 Cot Fasteners	46	2108AF Stretcher	114	Finger-Splint	75
192 Vacuum Mattress	72	2108A Stretcher	114	FL1 Fastener	47
205 Bottle	93	2110 Bag	85	Flow Control Valves	108
206 Bottle		2120 Bag		Frac-Care	
210 Bottle		2130 Bag		Gazelle	
211 Bottle		2020 Equipment Bracket		Germa EasyFix Vacuum Mattress	
274 PacRac		2272 Box		Germa EasyFix Vacuum Splints	
301 HFOC				Germa Transfer Mattress	
		4051 Transporter		Grip-ET	
302 OX-Series Inhalator Valve		4052 Transporter		Hard Metal Lower Tray	
347-1 Disaster Pouch					36
		4141 Stretcher		·	
352 Acrylic Blanket	44	4142 Stretcher	21	Hardpoint Full Body Harness	108
352 Acrylic Blanket	44		21	·	32



Head-End O2 Bracket	40
Individual Laryngoscope Blades	
, , ,	
ISO Chamber	
IndustriPOD	108
ITC Incubator Transporter Interface	79
ITU Incubator Transporter Unit	79
KED PRO	
KED SLED	
Kigali 30 Backpack	110
Kigali 35 Backpack	110
Kigali 45 Backpack	110
Latex-Free Nasopharyngeal Airways	119
LBS	
Lifesaver Rescue Stretcher	
LTS 700	39
M-200 Defibrillator Mount	45
M-201 Defibrillator Mount	45
Millennia	58
Mini Haul Kit	
Mondial RS2 Stretcher	
Mondial RS3 Stretcher	
Mondial RS4 Stretcher	7
Mondial Transporter	8
Mortuary Fridges	121
Mule Litter Wheel	
MVP	
NAJO	
Oxy-Clip	
Oxy-Clip2	
Oxygen Cylinder Holder	40
Oxygen Hoses	92
P-300 Defibrillator Mount	45
Padded Board Splint	74
Paraguard	
Patient Lifting Sling	
PEZO2 Pulse Oximeter	
Pelican	
PosiTube	97
POWERFlexx	22, 54
Prosplints	71
Res-Q-Mate Litter	105
Res-Q-Link	107
RESQ Pillow	44
S-219 Cot	
S-240 Patient Transport Chair	
S-242 Patient Transport Chair	
S-242T Patient Transport Chair	
S-2032 Stretcher	
SAM Splints	75
SAR BackPacks	95
Saver Frac Immobilizers	115
Saver Head Immobilizer	115
Saver Safe Evacuation Chair	113
Saver Vacuum Splints	
Sea Scoopa	
Seahorse Portable Airway Kit	
Side Extension Panels	
Silicone Resuscitators	
Slam Series Fasteners	
Sof-Net	42
SPED	69
Spartan	99
Spreader Bar	
Thermal Mylar Blanket	
Transfer Mattresses	100
Transfer Mattresses Traverse RDC	100 73

Traverse Rescue Stretcher .....

103
72
74
104
109
97
69
45
45





## Equipos de Seguridad Industrial e Institucional, S.A. de C.V.

ACCESO NORTE 280 INT. 3 SAN LUIS POTOSI, S.L.P. C.P. 78038

TEL. (444) 5359760 y 8-31-45-09

Correo Electrónico: ventas@esiisaslp.com

ventasesiisaslp2@Gmail.com

